호주 품목분류 가이드





Customs Valuation & Classification Institute

관세평가분류원

Customs Valuation & Classification Institute

CONTENTS

소형 휴대 전자기기 및 이와 유사한 물품의 케이스 5
- Classifying Cases or Covers for Small Portable Electronic Devices and Similar Goods

기능단위기계 분류 19
- Classifying Functional Units

불완전 차량 분류 29
- Classifying Incomplete Vehicles

제8701호 트랙터의 정의 37
- Identifying tractors of 8701

Household와 Domestic의 의미 53
- The Meaning of Household and Domestic

오일이나 가스 배관용 라인 파이프 품목분류 가이드 65
- Tariff Classification Guide on Line Pipe of a Kind Used for Oil or Gas Pipelines

※ 호주 품목분류 가이드 (원문)
- Classifying Cases or Covers for Small Portable Electronic Devices and Similar Goods 86
- Classifying Functional Units 95
- Classifying Incomplete Vehicles 101
- Identifying tractors of 8701 105
- The Meaning of Household and Domestic 118
- Tariff Classification Guide on Line Pipe of a Kind Used for Oil or Gas Pipelines 123

소형 휴대 전자기기 및 이와 유사한 물품의 케이스

Classifying Cases or Covers for Small Portable Electronic Devices and Similar Goods

1. 개요

본 가이드라인은 휴대 전자기기*용 케이스(커버, 스킨)에 대한 호주 이민국경보호국(Department of Immigration and Border Protection)의 분류 가이드라인이다.

* 스마트폰, 모바일폰, 태블릿 컴퓨터, 디지털 카메라, 디지털 미디어 재생기와 유사한 물품

휴대 전자기기용 케이스는 전자기기에 붙어있는 케이스나 커버가 아닌 탈착이 가능한 케이스(커버나 스킨)를 말한다. 특정 모델이나 소형 휴대용 전자기기 유형에 맞게 제작되었고 아래의 특징을 지닌다.

① 기기를 완전히 감싸는 형태로 제작된 케이스나 커버. 기기를 사용하기 위해서는 기기로부터 완전히 제거해야 되는 케이스

② 기기 모양대로 제작되었거나 기기를 부분적으로 감싸는 케이스나 커버, 기기가 케이스나 커버 안에 보호되어 있지만 사용자가 기기를 사용할 수 있도록 개방된 부분이 한 곳 이상인 케이스나 커버

위에서 설명한 케이스와 커버는 사용자가 일상생활에서 기기를 휴대할 때(주머니나 핸드백, 서류가방, 허리띠에 부착된 부분 또는 그 밖의 비슷한 수단) 사용할 수 있도록 제작되었다.

이런 케이스나 커버는 장식이 목적일 수도 있고, 특정 연령층을 타겟으로 하는 색상이나 디자인으로 만들어졌을 수도 있다. 그러나 물품의 주 기능은 기기를 감싸고 보호하는 것이다.

다음 물품은 본 가이드라인에서 제외한다.

① 특정 휴대 전자기기나 같은 유형의 기기에만 사용되지 않도록 만들어진 파우치, 박스, 케이스(범용성의 것)

② 기기의 일부를 형성하는 케이스나 커버(일체형의 것). 본 가이드라인은 애프터마켓에서 판매되는 케이스와 커버만 대상으로 함

③ 전자기기와 별도로 제시되는 경우는 가이드라인 범주에 포함하지만 전자기기와 함께 제시될 때는 제외함

2. 분류 기준

2-1. 물품의 분류

본 가이드라인에서 분류하는 물품은 제4202호 “유사한 용기”로 분류한다. 제4202호 분류 여부는 케이스와 커버, 스킨의 특성에 달려있다.

제4202호 호의 용어

트렁크 · 슈트 케이스 · 화장품 케이스 · 이그잭큐티브 케이스 · 서류가방 · 학생가방 · 안경 케이스 · 쌍안경 케이스 · 사진기 케이스 · 악기 케이스 · 총 케이스 · 권총 케이스와 이와 유사한 용기, 가죽 · 콤퍼지션 레더 · 플라스틱의 시트 · 방직용 섬유 · 벌커나이즈드파이버 · 판지 또는 이러한 재료나 종이로 전부 또는 주로 피복하여 만든 여행가방 · 식품용이나 음료용 단열가방 · 화장갑 · 배낭 · 핸드백 · 쇼핑백 · 돈주머니 · 지갑 · 지도용 케이스 · 담배 케이스 · 담배쌈지 · 공구가방 · 운동용구 가방, 병 케이스 · 신변장식용품용 상자 · 분갑 · 칼붙이집과 이와 유사한 용기

2-2. 주머니 혹은 핸드백에 넣어 운반되는 종류의 물품

일반적으로 주머니와 핸드백에 넣어 운반되는 휴대폰, 휴대용 미디어 재생기 및 기타 소형 기기용 커버

– 커버와 케이스, 스킨 등의 분류는 물품 표면의 재질에 따라 아래의 소호에 분류된다.

4202.31.90 표면 재질이 가죽 혹은 합성가죽인 경우

4202.32.90 표면 재질이 플라스틱 시트이거나 섬유재질인 경우

4202.39.00 기타 그 밖의 재질

HSK 분류체계

4202.3	통상 포켓이나 핸드백에 넣어 다니는 물품
4202.31	외부 표면을 가죽이나 콤퍼지션 레더(composition leather)로 만든 것
4202.31-10	가죽으로 만든 것
4202.31-1030	악어 가죽으로 만든 것
4202.31-1090	기타
4202.31-2000	콤퍼지션 레더로 만든 것
4202.31-3000	페이턴트 레더로 만든 것
4202.32	외부 표면을 플라스틱 시트(sheet)나 방직용 섬유재료로 만든 것
4202.32-10	플라스틱 시트(sheet)로 만든 것
4202.32-1010	폴리염화비닐로 만든 것
4202.32-1020	폴리우레탄으로 만든 것
4202.32-1090	기타
4202.32-2000	방직용 섬유재료로 만든 것
4202.39-0000	기타

2-3. 주머니 혹은 핸드백에 넣어 운반되지 않는 종류의 물품

일반적으로 주머니나 핸드백에 넣어 다니지 않는 랩탑(lap top)과 같이 크거나 무거운 물품용 커버

- 커버나 케이스, 스킨 등의 분류는 물품 표면의 재질에 따라 아래의 소호에 분류된다.

4202.91.90 표면 재질이 가죽 혹은 합성가죽인 경우

4202.92.90 표면 재질이 플라스틱이거나 섬유재질인 경우

4202.99.00 기타 그 밖의 재질

HSK 분류체계

4202.9	기타
4202.91	외부 표면을 가죽이나 콤퍼지션 레더로 만든 것
4202.91-1000	가죽으로 만든 것
4202.91-2000	콤퍼지션 레더로 만든 것
4202.91-3000	페이턴트 레더로 만든 것
4202.92	외부 표면을 플라스틱 시트(sheet)나 방직용 섬유재료로 만든 것
4202.92-10	플라스틱 시트(sheet)로 만든 것
4202.92-1010	폴리염화비닐로 만든 것
4202.92-1020	폴리우레탄으로 만든 것
4202.92-1090	기타
4202.92-2000	방직용 섬유재료로 만든 것
4202.99	기타
4202.99-1000	판지로 만든 것
4202.99-9000	기타

3. 분류 쟁점

3-1. "유사 용기"(similar containers)로 분류되는 이유

제4202호는 광범위한 케이스와 용기(여행용 가방, 핸드백, 카메라 케이스, 쥬얼리 박스 등)를 포함한다. 제4202호에 분류되는 물품의 주 목적은 다른 물품을 감싸는 것이다. 물품을 감싸는 것은 다른 목적을 수행하기도 한다. 물품을 케이스에 넣게 되면 물품을 보호할 수 있고 운반이 쉬워진다. 물품만 있거나 소매용 용기(예: 담배 케이스)에 포장되어 있을 때보다 제품의 가치가 올라가기도 한다. 그러나 용기의 주 목적은 물품을 담는 것이다.

본 가이드라인에 제시된 케이스와 커버, 스킨은 휴대 전자기기용이다. 본 물품의 목적은 기기가 운반, 저장 혹은 사용되는 중에 다양한 유해 환경(예: 먼지, 지문, 물, 외부충격 등)으로부터 기기를 보호하는 것이다. 물품의 홍보나 기기의 외형을 개선하는 추가적인 기능을 갖기도 한다. 그러나 기기를 감싸는 것이 주목적이라고 볼 수 있다. 제4202호에 분류된 용기와 비슷하다.


케이스나 커버가 기기를 부분적으로 감쌀 때, 특히 기기의 앞면 대부분이 노출되는 케이스나

커버를 용기로 분류할 수 있는지를 살펴보자.

부분적으로 감싸는 케이스와 커버의 특성은 다음과 같다.

- 기기가 케이스나 커버로 보호되지만 한 곳 이상 개방된 부분이 있어서 안전하게 보호되는 중에 기기를 사용할 수 있도록 하는 경우

위의 조건을 충족하려면 케이스나 커버는 케이스 범위에서 기기를 보호할 수 있어야 한다. 아래 그림은 두 가지 케이스를 보여주는데 기기 전면은 개방되어 있지만 기기가 안전하게 보호되는 것을 볼 수 있다. (붉은색 부분이 커버)



이와 같은 케이스와 커버는 용기로 볼 수 있는데 한정된 부분 내에서 기기를 감싸고 있기 때문이다. 개방된 부분이 넓다 해도 기기는 케이스나 커버의 범위 안에 '감싸져'(contained)있다.

그러나 이와 같은 물품이 제4202호에 분류된 용기와 유사한지에 대한 의문은 여전히 남아있다. 제4202호에 분류된 용기 유형은 여행용 가방과 같이 내용물을 완전히 감싸거나 핸드백이나 쇼핑백처럼 위가 뚫려있거나 권총집처럼 내용물을 완전히 감쌀 수도 아닐 수도 있는 용기를 포함한다. 물품을 감싸는 정도에 따라서 제4202호의 물품이 개방된 부분이 있는지 없는지 결정한다면 아래 두 가지 의문점이 제기된다.

① 원래 목적이 용기인가(원래 목적이 다른 물품을 감싸기 위한 것인가)?

② 용기로 지정된 물품의 유형인가 또는 용기로 지정된 물품과 유사한가?

3-2. 부분품? 부속품?

케이스나 커버를 부분품으로 분류할 수 없다. 케이스나 커버 없이 기기만으로도 완제품이기 때문이다.

케이스나 커버는 기기의 기능에 영향을 미치지 않는다. 그러나 케이스나 커버는 기기의 외형을 개선할 수 있고 휴대성을 개선할 수도 있다.

이러한 물품은 특정 물품에 대한 고려가 필요하겠지만 부속품으로 볼 수 있는 가능성이 있다.

3-3. 물품 재료의 재질

제4202호의 호의 용어는 두 부분으로 나뉘어있고, 모두 '그리고 유사한 용기'라는 문구와 함께 물품 목록이 나열되어 있다.

앞) 트렁크、슈트 케이스、화장품 케이스、이그잭큐티브 케이스(executive case)、서류가방、학생가방、안경케이스、쌍안경 케이스、사진기 케이스、악기 케이스、총 케이스、권총 케이스와 이와 유사한 용기

뒤) 가죽、콤퍼지션 레더(composition leather)、플라스틱의 시트(sheet)、방직용 섬유、벌커나이즈드파이버(vulcanised fibre)、판지 또는 이러한 재료나 종이로 전부 또는 주로 피복하여 만든 여행가방、식품용이나 음료용 단열가방、화장갑、배낭、핸드백、쇼핑백、돈주머니、지갑、지도용 케이스、담배 케이스、담배쌈지、공구가방、운동용구 가방, 병 케이스、신변장식용품용 상자、분갑、칼붙이집과 이와 유사한 용기

뒷부분은 용기의 재료를 한정한다. 물품의 재료를 한정하는 경우 이런 물품을 나타내는 '유사한 용기'를 정할 필요가 있다.

두 부분 모두 다양한 물품을 운반하는 용기로 시작되고 특정 유형의 용기들이 나열된다.

앞) 트렁크、슈트 케이스、화장품 케이스、이그잭큐티브 케이스(executive case)、서류가방、학생가방、안경케이스、쌍안경 케이스、사진기 케이스、악기 케이스、총 케이스、권총 케이스

HS 해설서에 앞부분의 "유사한 용기"에 대한 설명이 있다.

이 류의 주 제2호와 주 제3호를 제외하고는 이 호의 앞부분에 해당하는 물품은 재질이 어떠한지

에는 상관없다. 앞부분의 “이와 유사한 용기(similar containers)”에는 모자용 상자、카메라 부속 케이스、탄약통、사냥이나 캠핑용 칼집이라든가 휴대용 공구상자나 케이스로서 개개의 공구(부속품이 있는지에 상관없다)를 넣도록 특별히 성형하였거나 내부에 장치를 한 것 등을 포함한다.

앞부분의 “특정 물품”에 대한 용기는 몇 가지 공통적인 특징이 있다.

- 케이스마다 용도에 맞는 물품이 정해져 있다. (예: 일반적으로 특정 바이올린의 경우 그 바이올린에 맞는 케이스를 사용한다. 케이스 하나로 다양한 바이올린을 담아 운반하거나 바이올린 하나에 다양한 케이스를 소지하는 경우는 흔하지 않다.)
- 용기는 일반적으로 담길 내용물에 맞춰 모양과 사이즈가 정해지거나 상대적으로 작은 물품을 담을 수 있도록 제작된다. (예: 챙이 16.5cm인 모자용 상자) 또는 내부에 물품을 고정하는 장치가 있을 수 있다.(예: 특정 모델이나 유형의 카메라를 고정할 수 있도록 만들어진 카메라 케이스)
- 용기와 물품의 수명은 비슷하다. (예: 쌍안경 케이스는 일반적으로 쌍안경 수명만큼 사용된다.)

뒤) 여행가방、식품용이나 음료용 단열가방、화장갑、배낭、핸드백、쇼핑백、돈주머니、지갑、지도용 케이스、담배 케이스、담배쌈지、공구가방、운동용구 가방, 병 케이스、신변장식용품용 상자、분갑、칼붙이집

HS 해설서에는 뒷부분의 “유사한 용기”에 대한 설명이 있다.

뒷부분의 “이와 유사한 용기(similar containers)”에는 노트케이스、필기용 케이스、펜케이스(pen-case)、티켓케이스、바늘케이스、열쇠케이스、시가케이스(cigar-case)、파이프 케이스、공구와 신변장식용품용 상자、신발 넣는 상자、브러시 케이스 등을 포함한다.

뒷부분의 “특정 물품”에 대한 용기는 몇 가지 공통적인 특징이 있다.

- 이러한 용기는 소비재를 담을 수 있도록 설계되어 있어 리필이 가능하고 오랜 시간에 걸쳐 다양한 물품을 담을 수 있도록 고안되었다. (예: 공구 가방이 사용되는 수년의 시간 동안 사용자가 새로 넣거나 빼거나 교체하는 도구는 계속 변경될 수 있다.)
- 용기에 담을 내용물에 맞춰 사이즈와 모양이 정해지고 내부에 고정 장치가 있을 수 있으나 특정 모델이나 브랜드에 맞게 제작되지는 않는다. (예: 쥬얼리 박스는 특정 제품보다 다양한 쥬얼리(반지, 목걸이, 귀걸이 등)를 담도록 제작된다. 필통도 언제든지 내용물을 교체할 수 있다.)

ㅇ 용기의 수명은 용기가 담고 있는 내용물과 직접적인 연관은 없지만 내용물 보다 훨씬 길거나 짧을 수 있다. (예: 담배주머니(tobacco- pouches)는 여러 번 리필하여 사용되고 속에 채워지는 담배보다 수명이 오래간다. 반면 쥬얼리 박스는 내용물의 품질에 따라 수명이 길거나 짧을 수도 있다.)

두 부분의 차이를 설명하는데 좋은 예로 공구 가방이 있다.

공구 가방은 가방의 크기나 견고함 이외에는 특별한 제약 없이 공구를 운반한다. 이러한 내용은 호의 용어의 뒷부분에 제시되어 있다.

HS 해설서에는 앞부분의 유사한 용기의 예로 특정 물품에 맞게 특수 제작되었거나 혹은 내부에 고정 장치가 있는 휴대용 도구 상자/케이스를 예로 들고 있다.

아래 내용은 제4202호 '유사한 용기'의 적용 여부에 대한 요약이다.

제4202호에 '유사한 용기'는 물품의 유형 혹은 등급(class)에 맞춰 제작된 용기를 포함할 수 있다. 이러한 용기가 앞부분 혹은 뒷부분의 "유사한 용기"로 구분되는지는 아래 기준에 따라 결정된다.

A. 아래의 경우

ㅇ 케이스와 내용물을 장기간 같이 사용하도록 의도된 경우

ㅇ 모양이나 사이즈 또는 내부의 고정이 아래와 같이 만들어진 경우:

- 특정 유형이나 등급의 경우, 즉 특별한 모델용이거나 혹은
- 물품 등급의 부분집합이거나 예를 들어 특정 브랜드 혹은 특정 사이즈 범위 안의 물품은 일견 호의 앞부분에 분류될 수 있다. 물품의 재료에 상관없이 적용할 수 있다.

B. 아래의 경우

ㅇ 모양이나 사이즈 또는 내부의 고정이 특정 유형이나 등급의 물품에 맞게 사용되도록 만들어졌지만 물품의 특정 모델에 국한되지 않고 명확하게 규정할 수 있는 물품의 부분집합으로 분류될 수 있는 경우, 그리고

ㅇ 일반적으로 케이스와 내용물 사이에 고정된 관계가 없는 경우, 그리고

○ 호의 뒷부분에 분류될 수 있는 재료로 만들어진 경우는 일견 호의 뒷부분에 분류될 수 있다.

본 가이드라인에서 다루는 케이스나 커버의 유형은 특정 기기용으로 만들어졌고 일반적으로 장기간 기기와 일대일로 사용하도록 고안되었으며 호의 앞부분에 있는 "유사한 용기"이고, 호에 제시된 재료에 국한되지 않는다. 그러나 주(Note)에 제시된 제한의 대상이 된다. (예: They can't be made of netting Chapter 42 Note2(c)).

3-4. 제8473호, 제8522호와 같은 부분품과 부속품 세번 검토

본 가이드라인의 케이스와 커버는 부분품이 아니다. 기기는 케이스와 커버가 없어도 완제품이기 때문이다. 케이스와 커버를 부속품으로 볼 지 여부는 상당히 어려운 문제로 남아있다. 케이스나 커버를 사용한다고 해도 기기의 성능이 개선되거나 추가되지 않기 때문이다. 그러나 기기 보호 기능이 추가되고 외관을 좋아 보이게 할 수는 있다. 케이스나 커버는 논쟁의 여지는 있지만 부속품으로 볼 수 있다. 따라서 케이스나 커버 중 일부는 부속품으로 분류할 수 있다.

제8473호, 제8522호의 용어

○ 84.73 – 제8470호부터 제8472호까지에 해당하는 기계에 전용되거나 주로 사용되는 부분품과 부속품(커버 · 휴대용 케이스와 이와 유사한 물품은 제외한다)

○ 85.22 – 제8519호나 제8521호의 기기에 전용되거나 주로 사용되는 부분품과 부속품

물품을 부속품으로 분류할 수 있다고 해서 부속품 세번으로 분류되는 것은 아니다. 물품은 관세법 별표2(Schedule 2 of the Customs Tariff Act 1995)에 따라 분류되어야 한다.

○ 제8471호로 분류되는 물품의 커버와 케이스, 스킨은 통칙 제1호에 따라 제4202호로 분류된다. 제8471호의 부속품 세번인 제8473호에는 커버와 케이스, 이와 유사한 물품은 제외한다.

○ 제8517호에 분류되는 물품의 커버와 케이스, 스킨은 통칙 제1호에 따라 제4202호로 분류된다. 이러한 물품의 부분품과 부속품에 대한 세번과 부속품 분류를 정하는 법정 주(legal note)는 없다. 이는 제8518호 물품(헤드폰 등)의 케이스에도 적용된다.

ㅇ 만약 물품이 제8522호의 부속품(제8519호와 제8521호의 부속품)이라면 전체 물품은 제4202호와 제8522호에 분류될 수 있다. 통칙 제3호 가목은 이와 같은 상황에서 "물품에 대해 가장 구체적으로 표현한 호가 이것보다 더 일반적으로 표현한 호에 우선하도록" 규정한다.

a) 제4202호에는 용기 기능을 가진 물품을 분류한다. '이와 유사한 용기'라는 표현은 언뜻 보기에 구체적인 표현이 아니라고 생각할 수도 있지만 제4202호 앞부분의 특정 물품용으로 만들어진 용기는 비교적 좁은 의미의 용기를 가리킨다. 이 물품들은 제4202호의 뒷부분과 용기를 분류할 수도 있는 다른 호(heading)들과 구별할 수 있다.

b) 제8522호는 제8519호와 제8521호 물품의 부속품을 분류한다. 제8522호에 분류될 수 있는 물품의 범위는 매우 넓다. 자기 테이프 재생기를 이용한 휴대용 광디스크 재생기로부터 소리를 복제하는 기능이 있는 카세트 모양의 어댑터와 클리닝 카세트, 저울과 같은 다양한 물품을 포함한다.

호(heading)의 특정성을 결정하는 절대적인 규칙은 없다. 그러나 오늘날까지 법적 결정의 중점은 물품해석을 더욱 좁게 하는 호에 집중되어 있었다. 따라서 광범위한 물품을 분류하는 호는 일반적으로 좁은 의미의 해석을 하는 호에 비해 구체적이지 않은 것으로 여겨졌다. 그러나 해석의 범위가 넓은 호도 특정 물품의 다양한 측면을 묘사하고 있다면 더 구체적인 것으로 볼 수 있다.

이런 이슈를 이해하는데 있어서 "Chief Executive Officer of Customs v I.P.L. Datron Pty Ltd & Anor [1998] FCA 1055 (28 August 1998)"가 도움이 된다. 여기서 컴퓨터 리본은 '부속품'이나 타자기 리본과 유사한 '유사한 리본'으로 분류할 수 있다.

타자기 리본의 경우 "타자기 ... 리본"이 "[타자기]에 사용되는 ... 부속품"보다 구체적인 설명이 아니라고 할 수 없다. 따라서 제시된 "유사한 리본 ... 인쇄에 사용할 수 있는 상태"란 표현은 "[자동자료처리기기]에 사용되는 ... 부속품"보다 구체적이다. Cody Burchett J(at 353)은 선택을 좁히는 방식의 하나로 이 경우를 언급한 바 있다.

제8522호는 매우 광범위하다. 다양한 부속품과 부분품을 분류하고 부속품이라는 연관 고리만 있다면 제8522호에 분류될 수 있다.

제8522호, 제9612호의 용어

ㅇ 8522 – 제8519호나 제8521호의 기기에 전용되거나 주로 사용되는 부분품과 부속품

ㅇ 9612 – 타자기용 리본이나 이와 유사한 리본(잉크가 침투되어 있거나 인쇄에 사용할 수 있는 상태인 것을 포함하며, 스풀에 감긴 것이거나 카트리지 모양인지에 상관없다)과 잉크 패드(잉크가 침투되어 있는지 또는 상자들이의 것인지에 상관없다)

제4202호로 분류되는 물품은 '용기(containers)'여야 한다. 용기라는 단어 자체는 물품의 등급(class)과 용도를 동시에 의미한다. 더욱 구체적으로 이러한 물품은 호의 앞부분 '유사한 용기'에 분류됨으로써 자동으로 제4202호로 분류된다. 특정 '유사한 용기' 구절을 통한 분류는 용기인 점 이외에 물품의 추가적인 특성을 가진다고 설명한다. 특정 물품용이거나 특정 물품에 사용되도록 디자인되고 해당 물품과의 수명이 비슷하다는 점이다.

제4202호는 제8522호보다 더 구체적이라고 여겨지기 때문에 통칙 제3호 가목에 따라 제4202호로 분류된다.

벽, 벨트, 운송 수단(예, 자전거나 자동차)이나 다른 곳에 케이스나 내용물이 비영구적으로 장착할 수 있도록 스트랩, 버클, 벨크로 등의 장치가 있는 케이스도 있는데 이러한 물품 또한 통칙 제3호 가목에 따라 제4202호로 분류된다.

3-5. 소호 분류 결정방법

이러한 물품은 5단위 소호 제4202.3호 "통상 포켓이나 핸드백에 넣어 다니는 물품" 또는 제4202.9호 "기타"에 분류된다.

여기에 분류되는 커버나 케이스는 소형 전자기기에 맞도록 설계되었고 일반적으로 제4202.3호 "통상 포켓이나 핸드백에 넣어 다니는 물품"에 분류된다.

사람들은 대부분 모바일 전화나 소형 컴퓨터 혹은 미디어 재생기를 주머니나 가방에 휴대하고 일상적으로 사용한다. 이러한 기기들은 작고 가볍고, 기기에 사용되는 커버나 케이스 또한 일반적으로 얇고 가벼우면서 스크래치나 먼지로부터 기기를 보호한다. 이러한 기기들은 주머니나 핸드백 또는 유사한 물품 안에서 운반되고 사용자가 어떠한 방식으로 사용하는지 상관없이 제4202.3호로 분류된다.

케이스 또는 커버가 크거나 무겁고 주머니나 핸드백에 넣어 다니는 물품에 맞지 않는 것이라면 제4202.9호 "기타"로 분류된다. 랩탑(lap top)과 같은 물품의 케이스가 여기에 해당한다.

다섯 자리 이하 분류는 커버의 외면을 구성하는 재료에 따라 달라진다.

품목분류 동향 (Trend)

국내 분류사례

결정세번	품명	물품설명	이미지
4202.32-1020 2018년 4회 품목분류 위원회 결정	Samsung Galaxy S6 S-View Cover ; EF-CG920P	○ 개요 – 특정 스마트폰의 전용으로 제작된 것으로 스마트폰 본체 전면부에 내장된 Hall IC와 연동되는 마그넷이 내장되어 있어 커버의 개폐여부 인식을 통해 S-View 기능*을 수행 * 필요시만 커버를 개폐하고 커버를 닫은 상태에서 전화 수신, 거절, 메시지 확인 및 각종 정보확인이 가능함으로써 전력소모 20% 이상 절감 가능 ○ 기능 – 후면 커버 분리 없이 바로 장착하여 사용함으로써 외부충격에 의한 파손이나 이물질 오염 등을 보호 – 정품인식을 위한 NFC Tag Chip*이 후면부에 장착 * TAG CHIP에 암호화된 정품인증 코드를 통해, 스마트폰이 커버의 정품 여부를 판단하여 인증 승인된 경우에만 특정 기능이 활성화됨	
4202.32-1020	I ACC HHP, PROTECTIVE COVER,E: ENG,UNIT; EF-ZG99P	○ 기능 및 용도 – 갤럭시 S21 스마트폰과 함께 사용하는 물품으로서, Clear view cover와 S 펜으로 구성됨 – 스마트폰 단말기와는 별도로 소비자에게 액세서리로 판매 ○ 주요 구성요소 – Clear view cover : 휴대폰 본체 후면부를 감싸 외부충격 및 스크래치 등으로부터 휴대폰의 전면, 측면 및 후면을 보호하는 기능 수행 * 커버 외부와 내부에는 폴리우레탄 원단으로 구성 – S 펜 : 스마트폰에 그림이나 글씨를 터치방식으로 입력하고, 직접 필기하는 기능을 수행하며, Clear view cover 측면에 홈이 있어 S 펜을 간편하게 휴대하도록 되어 있음 * 단말기 디스플레이의 센서층에서 발생되는 전자기 신호가 펜과 가까이 있을 때 변화되는 값을 센싱하여 단말기에서 펜의 좌표와 압력값을 인식하는 방식으로 작동	
4202.32-1020	Cellular phone case with outer surface of plastics sheeting of polyurethane	○ 물품개요 지갑형태의 휴대폰 보관(보호)용 케이스로 외부커버는 폴리우레탄 재질이며, 내부에는 휴대폰 결합을 위한 폴리카보네이트 재질의 하우징이 부착되어 있음 – 용도 : 휴대폰 보관(보호)용 커버	

해외 분류사례

결정세번 국가	물품설명	이미지
42023210 HANNOVER	Mobile phone case, so–called protective cover for smart phone, picture see attachment, – with an outer side made of plastic films on a base of textile materials, – hinged on the side; equipped with a flap with magnetic closure, – equipped on the inside with a plastic shell as a holder for a mobile phone, – – forms on the narrow sides the outside, – provided with recesses for the camera lens and to operate the mobile phone, – with the dimensions of approx. 14.5 cm (height) x 7.5 cm (width) x 1.5 cm (depth), – is used for transporting and storing a mobile phone in a bag or handbag, – packed in plastic packaging. "Case–like container, bag or handbag article, with plastic film outside"	
420232200 Yokohama	Protective cover for smartphone Properties: A paper core material is sewn between the outer fabric and the inner fabric, and has a magnetic fastener. A pocket fabric is sewn on the left side inside and a polycarbonate case is attached on the right side. The camera lens part has a hole so that the camera of the smartphone can be used. Material: (Outer fabric / Pocket fabric) Synthetic leather (Inner fabric) Microfiber (Core material) Paper (Case) Polycarbonate Use: Protection of smartphone Size: (Vertical) 155mm x (Horizontal) 78mm x (Thickness) 16.4mm (Closed state) Packaging: 1pc / plastic blister case	이미지 없음
420232 중국	The plastic shell is specially designed for specific models of mobile phones. There is a magnetic block on the front cover, which can be linked with the built–in Hall integrated circuit on the front of the mobile phone. The mobile phone determines whether the front cover is open or closed by detecting changes in the magnetic field. When the front cover is closed, the phone will activate the user interface mode by adjusting the size of the display area to fit the transparent window on the front cover.	이미지 없음

기능단위기계 분류

Classifying Functional Units

1. 기능단위기계 분류

1-1. 가이드라인 내용

본 가이드라인은 제16부 주 제4호 적용에 대한 지침을 제시한다.

제16부 주 제4호는 특정 상황에서 기계 또는 기계 구성품의 전부를 하나의 해당하는 호로 분류하도록 규정한다. 어떠한 상황이 여기에 해당하는지 알아본다.

제90류 주 제3호를 적용하여 제90류 물품을 분류하는데 있어 제16부 주 제4호의 조항을 이용하는 데에도 본 가이드라인이 적용된다.

1-2. 관련 규정

관세법 별표3(Schedule 3 of the Customs Tariff Act 1995)의 품목분류표는 관세법 별표2(별표3 해석에 관한 통칙)의 적용을 받는다. 물품을 품목분류 할 때는 관세법 별표2를 적용해야 한다.

호주는 관세법 별표 2의 규정을 '해석 규정' 혹은 'IRs'로 부른다.

통칙 제1호 내용은 아래와 같다.

> 이 표의 부, 류, 절의 표제는 참조하기 위하여 규정한 것이다. 법적인 목적상 품목분류는 각 호의 용어와 관련 부나 류의 주에 따라 결정하되, 각 호나 주에서 따로 규정하지 않은 경우에는 다음 각 호의 규정에 따른다.

IR 제1호에 따라, 분류하고자 하는 물품에 맞는 관세법 별표3의 주를 적용하여 물품을 분류해야 한다.

제16부 주 제4호의 내용은 아래와 같다.

> 하나의 기계(여러 종류의 기계가 조합된 것을 포함한다)가 각종 개별기기로 구성되어 있는 경우에도(따로 분리되어 있는지 또한 배관, 전동장치, 전력케이블이나 그 밖의 장치로 상호 연결되어 있는지에 상관없다) 이들이 제84류나 제85류 중의 어느 호에 명백하게 규정된 기능을 함께 수행하기 위한 것일 때에는 그 전부를 그 기능에 따라 해당하는 호로 분류한다.

주 제4호를 적용하여 제90류의 물품을 분류할 수 있다. 제90류 주 제3호의 내용은 다음과 같다.

> 제16부의 주 제3호와 제4호는 이 류에도 적용한다.

1-3. 주 적용 방식

제16부 주 제4호를 적용하기 위해서 기계, 구성품 혹은 다수의 기계는 아래의 경우에 부합해야 한다.

- 명백하게 규정된 단일 기능 수행
- 모든 구성부품과 기계가 단일 기능 수행을 위해 기여해야 함
- 기계 기능이 제84류 혹은 제85류의 호에 분류되어야 함

제16부 주 제4호는 호(headings) 중 하나로 분류되는 '명확하게 규정된 기능을 가진'(clearly defined function) 기계와 기계가 조합된 것에만 적용된다.

기계의 각 구성부품 또는 여러 기계로 만들어진 각각의 기계는 기계의 주된 기능에 기여해야 한다.

구성부품 또는 구성 기계는 전체 기계의 특정 기능 수행에 필수적일 때에만 해당 기계로 분류된다. HS 해설서 제16부 주 제4호 내용은 아래와 같다.

> 명백히 한정된 단일 기능을 함께 수행하도록 고안된 것(intended to contribute together to a clearly defined function)이란 전체로서의 기능단위기계에 특유한 기능의 수행에 필수적인 기계와 기계의 조합만을 포함한다. 그러므로 보조적 기능을 수행하는 기계와 전체의 기능을 수행하지 않는 기계나 장치는 제외한다.

제16부 주 제4호는 다양한 기능을 수행하는 물품에는 적용되지 않는다. 제84류, 제85류 또는 제90류에 분류되는 다양한 기능을 수행하는 물품은 일반적으로 따로 분류하거나 다양한 기계가 함께 결합되었을 때에는 제16부 주 제3호에 따라 분류된다.

위 내용은 제90류 주 제3호를 근거로 제90류 물품에 대해 제16부 주 제4호를 이용할 때도 적용된다. 그러나 제90류의 호는 명백하게 규정된 기능을 수행하는 물품을 분류해야 한다.

제16부 주 제3호

두 가지 이상의 기계가 함께 결합되어 하나의 완전한 기계를 구성하는 복합기계와 그 밖의 두 가지 이상의 보조기능이나 선택기능을 수행할 수 있도록 디자인된 기계는 문맥상 달리 해석되지 않는 한 이들 요소로 구성된 단일의 기계로 분류하거나 주된 기능을 수행하는 기계로 분류한다.

1-4. 물품의 기능

제16부 주 제4호를 적용하려면 물품은 함께 작동할 때 명백히 한정된 기능을 지니고 있어야 한다. 물품의 기능은 수입자의 상업적 목적이 아닌 실제 물품의 기능으로 본다.

예시

수입자는 시트(sheet)와 측정기, 도우 피스 칼(cut dough pieces)로 구성된 기계로 비스킷을 만들고자 할 수 있다. 수입자의 목적은 비스킷을 만드는 것이다.

그러나 기계들이 동시에 작동할 때 기계가 하는 일은 도우를 받고 자르는 것이다.

분류 목적상 해당 기계의 기능은 기계가 전체적으로 하는 일, 즉 도우를 자르는 것이라고 볼 수 있다.

어떤 기계의 기능을 설명할 때 기계가 종합적으로 수행하는 기능을 주 기능으로 볼 수 있다. 즉 기능이란 "…를 하는데 적절한 행동 혹은 활동"이다.

예시

액자 제작자가 여러 기계를 수입한다. 기계를 이용해 나무 끝부분을 사선으로 자르고 풀을 붙이고 열을 가해 풀을 녹인 후 양 끝을 연결한 후 압력을 가해 붙인다. 이와 같은 기능을 수행하는 기계를 따로 보았을 때는 제8419호, 제8424호, 제8465호로 분류할 수 있다.

기기의 종합적인 기능은 나무의 앵글 이음을 연결하는 것이다.

모서리를 연결한 나무로 만드는 물품의 유형은 무관하다. 해당 기계는 두 조각의 나무가 무엇으로 완성되는지 상관없이 똑같은 기능을 수행한다.

제8419호, 제8424호, 제8465호

- 8419 – 가열 · 조리 · 배소 · 증류 · 정류 · 살균 · 저온살균 · 증기가열 · 건조 · 증발 · 응축 · 냉각과 그 밖의 온도 변화에 따른 방법으로 재료를 처리하는 기계 · 설비 · 실험실 장치와 전기가열식이 아닌 즉시식이나 저장식 물 가열기
- 8424 – 액체나 가루의 분사용 · 살포용 · 분무용 기기, 소화기, 스프레이건과 이와 유사한 기기, 증기나 모래의 분사기와 이와 유사한 제트분사기
- 8465 – 목재 · 코르크 · 뼈 · 경질 고무 · 경질 플라스틱이나 이와 유사한 경질물의 가공용 공작기계

1-5. 기능에 따른 호의 적용 여부 결정

제16부 주 제4호에 적용하기 위해서는 물품의 기능이 명확히 정의되어야 한다. 또한 제84류 및 제85류의 호로 분류되어야 하고 제90류 주 3호에 따라 분류하기 위해서는 제90류의 적용을 받아야 한다.

'납땜용과 땜질용 혹은 용접용 기기'와 같이 기기의 특정 기능을 명시하는 호도 있고 '액체 펌프'와 같이 특정 기계를 언급하거나 '…을 위한 기기'와 같이 수행하는 기기의 유형을 명시하는 호도 있다.

이와 같은 호는 제16부 주 제4호를 통해 명백하게 적용할 수 있다.

기능에 따라 명확하게 분류 가능한 기계의 경우 해당 기계의 호는 그 기능에 따라 분류한다. 예를 들어 "액체 펌프"는 액체를 펌프하는 기능에 따라 분류한다.

특정 유형의 기계에 의해 작동될 때만 해당 기능을 분류하는 호도 있다. 예를 들어 제8464호는 '돌 가공'을 분류하는 유일한 호지만 '돌 가공용 공작기계'만을 분류한다. 그러나 제16부 주 제4호의 목적상 돌 가공의 기능은 제8464호로 분류되고 따라서 제16부 주 제4호는 제8464호의 범위를 확장해 돌 가공 기능을 지닌 기능단위기계를 포함할 수 있다.

예 시	위 예시에 설명된 기계는 앵글 이음(angle joint)을 만드는 것으로 나무의 두 길이 방향을 조립한다. 제8465호 내용은 다음과 같다. 8465 – 목재 · 코르크 · 뼈 · 경질 고무 · 경질 플라스틱이나 이와 유사한 경질물의 가공용 공작기계(네일용 · 스테이플용 · 접착용과 그 밖의 조립용 기계를 포함한다) 제8465호는 나무를 조립하는 기능을 포함하는 것으로 본다.

1-6. 기능단위기계는 단 하나의 기능만 갖는다.

제16부 주 제4호를 적용하려면 물품의 기능은 한 가지여야 한다. 즉 '기능단위기계'이여야 한다.

일반적으로 공장, 특히 대규모 공장은 다양한 기능단위기계로 이루어져 있다. 수입된 기계가 다양한 기능단위기계를 형성하는 경우 각각의 기능단위기계를 따로 분류해야 한다.

예시	펌프 하우스 설비(지하수 펌프, 모터, 컨트롤러, 플로우 미터 등)와 여과 설비(스크린 필터, 모래 필터 유닛, 할로우 파이버 마이크로 여과 유닛 등)로 구성된 물품은 최소 두 가지의 기능단위 기계인 지하수 펌프 하우스 설비(제8413호)와 여과 설비(제8421호)로 이루어진다. 위와 같은 설비가 연속적으로 사용되더라도 펌프 하우스 설비가 직접적으로 여과 기능에 기여하는 바가 없고 그 반대의 경우도 마찬가지이다. 두 그룹의 기계는 명백하게 다른 기능을 수행하고 각각은 제84류의 호로 분류된다.

1-7. 기능은 별개의 활동이다.

제16부 주 제4호는 모든 구성부품이 유닛(unit)으로써 단일 기능을 수행하고 하나의 호로 분류될 때 적용한다. 기기에 다양한 기능이 있을 때 필수적이거나 연속적인 기능인지 상관없다. 하나 이상의 기능단위기계가 있는 것으로 본다.

예시	재생지를 이용하여 계란 곽(egg cartons)을 만드는 공장을 건설하고 있다. 재생지를 펄프로 만드는 기계(예. 쵸퍼(choppers), 믹서, 분무기 등)는 종이 펄프를 만드는 한 가지 기능을 지니고 이 기능은 제8439호에 분류된다. 계란 곽을 만드는 기계(예: 프레스, 레벨러 등)는 펄프를 계란 곽으로 만드는 한 가지 기능을 지닌다. 이러한 기능은 제8441호로 분류된다. 계란 곽을 만들기 위해서 종이 펄프가 필요하지만 두 가지 기능은 완전히 다르고 각각은 제84류의 호로 분류된다. 펄프를 만드는 과정은 계란 곽을 만들기 이전에 완료된다.

제8439호, 제8441호

- ㅇ 8439 – 섬유소 펄프의 제조용 기계와 종이 · 판지의 제조용이나 완성가공용 기계
- ㅇ 8441 – 그 밖의 제지용 펄프 · 종이 · 판지의 가공기계(각종 절단기를 포함한다)

1-8. 보조 기계는 기능단위기계로 분류되지 않는다.

기능에 대해 보조적인 역할을 하는 기계나 물품은 각각의 기능에 맞게 분류된다. 기능에 직접적으로 기여하지 않는 물품은 제16부 주 제4호로 분류되지 않는다.

2. 관세 양허 등의 신청에 필요한 정보

ㅇ 선적에 필요한 장비 전체 목록

다양한 기기와 기기 구성부품이 기능단위기계를 형성하는지 여부는 구성부품과 전체적인 기능 간의 관계에 달려있다. 구성부품이나 기계를 하나 더하고 빼는 것은 수출에 적용되는 기능단위기계 결정을 바꿀 수 있다.

관세 양허 등의 적용은 수입하고자 하는 물품의 적절하고 전체적인 설명이 포함되어야 한다.

2-1. 제16부 주 제4호 적용에 필요한 정보

제16부 주 제4호를 적용하여 신청하고자 하는 경우 다음 자료를 제출해야 한다.

ㅇ 수입하고자 하는 '기계'의 명확한 설명, 개별 물리적 구성부품과 구성부품이 포함하는 개별 기계 목록

ㅇ '기계'의 기능

ㅇ 아래 목록

- 각 구성품 혹은 구성 기계가 수행하는 기능
- 각 구성품 혹은 구성 기계의 기능이 전체 기능에 기여하는 내용
- 구성품 혹은 구성 기계가 전체 기능에서 함께 수행하는 기능

품목분류 동향 (Trend)

제16부 주 제4호 적용 국내 분류사례

결정세번	품명	물품설명 및 결정사유	이미지
8424.20–9000 2022년 제2회 품목분류 위원회 결정	AIRBRUSH SYSTEM ; RUBY CELL AIRBRUSH SYSTEM	〈물품설명〉 – 전동식 펌프를 이용해 압축공기의 힘으로 화장수(앰플)을 미세하게 분사하는 기기로 가정 등에서 피부관리 목적으로 사용 – 구성 : ① 본체(에어펌프 내장, 780g), ② 에어브러시(96g), 그 외 용기(화장액), 에어호스, 충전기, 가방 등 〈결정사유〉 ○ 본건 물품은 관세율표 제16부 주 제4호의 기능단위기계(functional unit)에 해당하고, 지제박스에 함께 포장된 충전어댑터, 가방, 사용설명서는 부속기기이므로 전체를 그 기능에 따라 분류하여야 함	
8517.62–1020 2022년 제1회 품목분류 위원회 결정	WIRELESS TRANSCEIVERS	〈물품설명〉 ○ 관제탑이나 계류장 관제소 등에서 주파수(RF; Radio Frequency)를 이용하여 관제사와 조종사간에 항공교통업무에 필요한 이·착륙 정보 등을 음성으로 송수신하기 위한 설비로, 송신기와 수신기·RCMS(제어반)·Rack(캐비닛)이 함께 제시되었음 ○ 구성 요소별 기능 – 송신기 : 관제사의 음성을 초단파 신호로 변환하여 항공기로 송신 – 수신기 : 송신기가 보낸 신호정보를 받아 정보를 해석하는 장치 – RCMS : 자동화된 항공관제 송수신 프로세스를 감시 및 제어 – Rack : 장비가 장착되는 19인치 크기의 캐비닛(선반) 〈결정사유〉 ○ 본건 물품은 송신기와 수신기·RCMS 등이 전기케이블로 상호 연결되어 관제사와 조종사간 필요한 정보를 송수신하는 기능을 수행하므로, 제16부 주 제4호에 따라 그 전부를 기능에 따라 해당하는 호로 분류하여야 함	 < 물품 이미지 >

결정세번	품명	물품설명 및 결정사유	이미지
9027.20-0000 2020년 제1회 품목분류 위원회 결정	HPLC 액체 크로마토그래프	〈물품설명〉 - 자동시료주입기, 펌프, 컬럼 오븐, 검출기로 구성된 고성능 액체 크로마토그래피(HPLC) 시스템으로, 물질의 물리적 특성에 따라 컬럼 내 이동속도 차이를 이용하여 혼합용액 중 특정성분의 정성 및 정량을 분석하는 장비 〈결정사유〉 ○ 본건 물품의 경우, 액체를 통과시키기 위해 이동상을 흐르게 하는 펌프(분당 0.1~10ml 범위의 속도)와 이에 맞게 정밀하게 시료를 주입하는 자동시료주입기, 물질의 분리를 위한 컬럼과 분리된 물질을 측정하는 검출기가 하나의 자동자료처리 기계에 의해 제어·작동되며, - 크로마토그래프의 특성상 자동시료주입기로 시료를 마이크로리터 단위로 정밀하게 주입하는 것은 분석의 정밀도에 필수적인 조건으로 볼 수 있으므로, 그 전체를 하나의 기능에 따라 함께 분류하여야 함	
8421.21-9090 2016년 제6회 품목분류 위원회 결정	Ballast water management system	〈물품설명〉 ○ 선박으로 유입되는 선박평형수 내 불순물과 유해한 생물 등을 여과 및 살균하고, 선박에서 배출되는 선박평형수를 중화처리 하는 물품 ○ 구성요소 : ① T-스트레이너, ② 전기분해장치, ③ TRO 농도 측정장치, ④ 자동중화장치, ⑤ 유량 측정장치, ⑥ 전기 전도도 측정센서, ⑦ 전원공급장치, ⑧ 컨트롤 컴퓨터 〈결정사유〉 ○ Functional unit에 해당되는지 여부를 보면, - 본 물품은 T-스트레이너를 통하여 선박평형수 내 포함된 불순물을 여과하고, 여과된 해수를 전기분해하여 전기분해 시 생성된 산화제를 이용하여 박테리아와 미생물 등을 살균 처리하며, - 자동중화장치를 통해 배출되는 선박평형수를 중화처리함으로서 선박평형수를 청정하게 하는 물품이므로 제8421호의 기능을 함께 수행하기 위한 기기에 해당됨 ※ 국제연합 산하 국제해사기구의 선박평형수관리협약 가이드라인에서는 "선박평형수 처리장치"를 개별 단위기기가 아닌 하나의 기능을 가진 설비로 인정	

2018년 품목분류 연구논문 중 **"관세율표 제16부 주 제4호에 의한 기능단위기계에 대한 사례 및 품목분류 기준 연구" 요약 발췌**

기능단위 기계란 여러 개의 장치가 조합되어 특정한 기능, 주로 관세율표 제84류나 제85류의 어느 한 호에 포함되는 명백한 단일 기능을 수행하기 위하여 함께 제시된 일련의 설비 또는 시스템을 말한다. 본 연구는 관세율표 제16부 주 제4호의 기능단위기계의 해석과 관련한 실전적 쟁점에 대한 기준을 제시하는 것을 목적으로 한다.

우선 본고에서 논하고자 하는 몇 가지 쟁점을 공유하는 선행논문을 분석하였으며, 기능단위 기계의 품목분류에 있어서 크고 작은 쟁점이 되는 사항들을 제기하였다.

본론에서는 각각의 쟁점이 가지는 실제적인 문제점과 위험요소를 구체적으로 설명하였고 이들 쟁점에 대한 분류기준 또는 해결방안을 제시하였다. 그 내용은 다음과 같다.

첫째, 가장 먼저 일관된 품목분류를 위하여 기능단위기계의 제시형태나 분류시점을 명확하게 하여야 한다. 기능단위기계는 적어도 수입신고 시점에서 함께 제시되는 일련의 기계나 조합이어야 한다. 사후 수입되는 물품은 원칙적으로 기능단위기계에 포함될 수 없으나, 여러 가지 이유로 분할 선적될 수밖에 없는 경우 기능단위기계의 제시상태의 확정 또는 품목분류의 시점에 대한 정의가 필요하다.

둘째, 기능단위기계 품목분류 원칙은 수입자의 편익에 선택적으로 적용할 수 없다. 수입신고 시점 또는 B/L 기준으로 함께 제시된 일련의 설비가 기능단위기계의 요건을 충족한다면 그 설비는 기능단위기계로 분류하여야 한다. 수입자가 절세를 위한 수입선 변경이나 거래시점의 다변화를 택할 수도 있겠지만, 그것이 통상적인 거래형태인지 조세회피를 위한 허위신고인지는 조사나 사후심사 차원에서 검증이 따를 수도 있는 문제이다.

셋째, 기능단위 기계 해당 여부를 판단할 때 '명백한 단일의 기능'이란 관세율표 제84류나 제85류의 어느 호에 포함된 기능을 의미하는데, 각 호에서 포함하는 기능(또는 기계)의 형태와 범주가 다양하기 때문에 관련 호의 용어 해석이 매우 중요하다. 이러한 맥락에서 '명백히 한정된 단일 기능'에는 관세율표 제8479호와 제8543호의 '기타 고유한 기능'을 포함하는 것으로 해석해야 한다.

넷째, 기능단위 기계에서 부속기기와 보조장치의 품목분류 원칙은 엄격히 지켜져야 한다. 경우에 따라서 보조장치의 판단 여부가 부속기기의 품목분류에도 영향을 미칠 수 있으며, 보조장치가 기능단위기계의 실제 기능에 기여하는지 또는 해당 장치의 부재 시 기능단위 기계가 실제로 기능할 수 있는지 등의 기준으로 판단할 수 있다.

다섯째, 기능단위 기계 구성요소의 일부가 누락되었거나 일부 구성요소가 미완성인 상태로 제시되는 경우 관세율표 해석에 관한 통칙 제2호 가목과 연계하여 판단할 수 있다. 즉, 제시된 상태에서 일부 구성요소가 완전하지 않더라도 완성된 기능단위기계의 본질적인 특성을 가진 상태라고 판단된다면 통칙 제1호(제16부 주 제4호)와 통칙 제2호 가목을 적용하여 완성된 기능단위 기계로 분류할 수 있다.

여섯째, 소형의 기계 또는 전기기기들로 구성된 기능단위 기계는 통칙 제3호 나목의 규정의 충족하는 것처럼 보이는 '소매용 세트' 형태로 제시될 수도 있다. 이 경우 전체 조합의 기능이 명백하게 제16부의 어느 한 호에 포함되는 것이라면 통치 제1호를 우선 적용하여 기능단위 기계로 분류하여야 한다.

마지막으로 기능단위기계 규정을 적용하여 6단위 소호까지 결정된 설비가 10단위 HSK 분류에서 어려움을 겪는 경우가 발생할 수 있다. 가장 큰 원인은 현행의 HSK 체계가 통계적인 실익이 없는 물품을 지나치게 세분하거나 실제 무역환경을 반영하지 못하고 있기 때문이다. 이를 위하여 가장 먼저 불필요한 HSK 코드의 개정에 대한 노력이 필요하다. 그리고 동일한 6단위 체계 내에서 둘 이상의 HSK 코드로 분류 가능한 물품에 대한 명확한 국내 분류지침을 마련해야 한다.

불완전 차량 분류

Classifying Incomplete Vehicles

1. 가이드라인 내용

본 가이드라인은 섀시(chassis)와 하나 이상의 주요 조립품(subassembly) 또는 시스템(예: 조향 어셈블리, 제동 시스템, 운행 시스템 등)을 포함하는 제87류 차량을 다룬다. 또한, 조립되지 않았거나 분해된 상태로 제시되는 차량도 다룬다. 차체(bodies)의 분류도 제시한다.

제87류 차량은 여객 수송용 차량, 화물 수송용 차량, 특수용으로 제작한 차량과 오토바이를 포함한다.

2. 제87류 주 제3호와 추가 주 제2호(호주 자체 주)

주 제3호) 운전실이 있고 원동기를 부착한 자동차 섀시는 제8706호로 분류하지 않고 제8702호부터 제8704호까지로 분류한다.

운전실이 있고 원동기를 부착한 자동차 섀시는 완전한 자동차로 제8702호, 제8703호, 제8704호 중 적절한 호에 분류한다.

추가 주 제2호) 이 류에서 특정 유형의 차량은 동력이 없이 제시되는 해당 차량을 포함한다.

제87류 추가 주 제2호 내용상 차량의 동력은 엔진과 기어박스를 통해 발생한다. 추가 주 제2호에 따라 차량에 대한 언급은 엔진 그리고/또는 기어박스의 유무와 상관없이 해당 차량을 언급하는 것으로 본다.

원문 비교

3. Motor chassis fitted with cabs fall in headings 8702 to 8704, and not in heading 8706.

   Motor chassis with cabs are classified as complete motor vehicles under the appropriate heading out of 8702, 8703 or 8704.

   Additional Note 2 to Chapter 87 clarifies that:

2. In this Chapter, a reference to a vehicle of a particular kind includes a reference to a vehicle of that kind presented without its motive power.

※ 한국은 'Motor chassis'의 Motor를 '원동기'로 번역하고 있으나, Motor를 '자동차'로 번역이 문맥상 어울림

3. 통칙 제2호

통칙 제2호 가목의 내용은 아래와 같다.

통칙 제2호 가목) 각 호에 열거된 물품에는 불완전한 물품이나 미완성된 물품이 제시된 상태에서 완전한 물품이나 완성된 물품의 본질적인 특성을 지니고 있으면 그 불완전한 물품이나 미완성된 물품이 포함되는 것으로 본다. 또한 각 호에 열거된 물품에는 조립되지 않거나 분해된 상태로 제시된 완전한 물품이나 완성된 물품(이 통칙에 따라 완전한 물품이나 완성된 물품으로 분류되는 것을 포함한다)도 포함되는 것으로 본다.

통칙에 따르면 호(소호)에 언급된 차량 유형은 차량의 본질적인 특성을 갖은 불완전 차량을 말하는 것과 같다고 볼 수 있다.

통칙 제2호는 호에 언급된 물품이 조립되지 않거나 분해된 상태로 제시된 물품도 포함하는 것으로 본다.

제87류에 언급된 차량은 다음을 포함한다.

- 엔진 그리고/또는 기어박스가 있거나 없는 차량
- 조립되지 않거나 분해된 상태로 제시되고, 엔진 그리고/또는 기어박스가 있거나 없는 차량
- 부분품이 아닌 차량의 특성을 갖으며 엔진 그리고/또는 기어박스가 있거나 없는 불완전하거나 미완성의 차량
- 조립되지 않거나 분해된 상태로 제시되고 부분품이 아닌 차량의 특성을 가지고 있으며 엔진 그리고/또는 기어박스가 있거나 없는 불완전하거나 미완성의 차량

조립되지 않거나 분해된 차량은 조립형(knocked-down) 차량과 조립되지 않은 키트(kit) 차량도 포함한다. 이러한 차량은 조립된 것과 같이 취급된다.

4. 자체 호에 분류되는 조립부품

제8706호와 제8707호에 분류될 수 있는 물품은 완전 차량으로 분류하지 않는다.

제8706호 – 엔진을 갖춘 섀시(제8701호부터 제8705호까지의 자동차용으로 한정한다)

제8701호부터 제8705호까지에 열거된 자동차용의 것으로 엔진을 장착한 섀시-프레임이나 조합된

섀시-차체(단일 차체나 모노코크 구조)는 제8706호로 분류된다. 엔진과 파워트레인, 제동장치, 조향장치, 바퀴가 차체에 탑재된 물품을 포함한다.

모노코크 구조

자동차는 엔진과 변속기 시스템을 사용하여 동력을 공급하고, 서스펜션 시스템이 지지하는 바퀴를 움직입니다. 엔진 및 기타 시스템 지지를 위해 지지 구조가 사용됩니다. 널리 사용되는 지지 구조의 범주 중 하나를 모노코크 구조하고 합니다. 모노코크 구조의 경우 금속으로 형성된 스킨을 사용하여 응력을 견딜 수 있습니다.



섀시-프레임이나 섀시-차체에 운전석(완성되지 않아도 상관없다)이 있다면 이 호에 분류될 수 없다. 이러한 물품은 완전한 차량(제87류 주 제3호 참고)으로 분류된다.

제8706호는 완성된 차량(예: 일부 트랙터)이나 실질적으로 완전한 차량을 분류하지 않는다. 실질적으로 완전한 차량은 일반적으로 통칙 제2호에 따라 완전한 차량으로 분류한다.

제8707호 – 차체(운전실을 포함하며, 제8701호부터 제8705호까지의 자동차용으로 한정한다)

제8701호부터 제8705호까지 분류되는 차량용 차체와 운전실은 제8707호로 분류된다.

5. 불완전 자동차의 본질적 특성 접근 방법

물품의 본질적 특성은 물품의 고유성(identity)과 관련된다.

차량이라고 해도 될 만큼 완성된 차량은 현재 조립 여부와 상관없이 차량의 본질적 특성을 가지고 있다.

본질적 특성을 가질 만큼 완성된 물품은 부분품 또는 차량에 조립될 예정인 부분 조립품(sub-assembly) 이상으로 볼 수 있다. 대신 이러한 물품은 완성을 위해 부분품이 조립될 예정인 불완전 차량이다.

예를 들어 드라이브 트레인(drive train)은 명확한 차량용이지만 부분품, 부분 조립품(sub-assembly)일 뿐이며 불완전 차량은 아니다. 차량에 전용된다는 것은 특성을 결정하기 위한 기준이 될 수 없다.

드라이브 트레인

자동차 공학에서 드라이브 트레인은 구동 바퀴에 동력을 전달하는 모터비클의 부품들을 가리킨다. 여기에는 동력을 생산하는 엔진이나 모터를 제외된다. 이와 반대로, 파워트레인은 드라이브트레인뿐 아니라 엔진 및 모터를 모두 아우르는 것으로 간주된다. (위키백과)

운전이 가능한지 아닌지는 특성을 결정하는 기준이 될 수 없다. 배터리가 없는 자동차 또는 트럭이 작동하지 않는다고 해도 명백히 자동차 또는 트럭으로 분류될 수 있다. 배터리와 같은 주요한 시스템이나 부분품이 없다고 해서 물품이 불완전한 것은 아니다. 그러나 물품에는 반드시 물품의 특성에 핵심적인 시스템이나 부분품이 탑재되어 있어야 한다.

법정 주(legal notes)에 따라 아래와 같은 물품은 완전 차량으로 구분한다.

- 섀시와 운전실 또는
- 엔진 그리고/또는 기어박스가 있거나 없는 차량

기타 형태의 실질적으로 완전한 차량은 통칙 제2호 가목에 따라 완전 차량으로 분류될 수도 있다. 실질적으로 완전한 차량의 예를 전부 나열하는 건 불가능하다. 부분 차량을 수입할 때, 차량의 본질적 특성이 있다면 분류를 위해 수입 상태를 고려하여야 한다.

품목분류 동향 (Trend)

제8702호 분류사례

결정세번	품명	물품설명	이미지
8702.10-1010	수출 : Motor vehicle 수입 : Camping car	○ 개요 – 화물 또는 승합 차량을 중국에 수출하여 운전석 뒤편 차체 제거 후 미완성 상태의 캠핑카로 구조를 개조하여 재수입	

제8707호 분류사례

결정세번	품명	물품설명	이미지
8707.10-0000	Camper Body For RV	○ 개요 – 철제 프레임에 복합 알루미늄 판넬로 외장 처리하고 내부는 단열 방음 시공한 직사각형상의 캠퍼 바디 – 운전실과 연결되는 전면 : 벽(Wall)이 없는 Open 상태 – 스타렉스 차량의 바디를 제거한 후 새시(스타렉스) 위에 영구 고정(공업용 실리콘 접착제로 접합, BOLTING)하여 캠핑카로 사용하거나, 카라반의 섀시 위에 영구 고정하고 전면부를 막아 카라반으로 사용 ○ 결정사유 – 본 품은 수입 후 제8703호에 분류되는 "모터홈(캠퍼)" 또는 제8716호의 "여행용 트레일러"로 개조하기 위한 Camper Body로서, – 전면이 완전히 뚫린 개방형이므로 운전실이 있는 차량(제8701호부터 제8705호까지)의 섀시에 영구 장착되어 "캠핑카"로 사용하기 적합한 물품이고, – 제8716호의 여행용 트레일러인 "카라반"으로 개조하기 위해서는 국내에서 조달한 카라반 섀시 위에 장착한 후 카라반의 형상에 맞게 전면을 추가 조립 등 하여야 하는 물품이며 제시된 상태에서는 차륜이 없어 밀거나 끌기 위한 "여행용 트레일러에 전용 또는 주로 사용되는 물품으로 보이지 않음. – 따라서, 본 품은 제17부 주 제3호 규정에 따라 제8703호의 "모터홈"에 주로 사용하기 위한 "차체"로 보는 것이 타당함.	

결정세번	품명	물품설명	이미지
8707.90–1090	트랙터용 캐빈	○ 물품개요 – 농업용 트랙터 캐빈으로서 비바람, 소음, 먼지 유입을 차단 – 에어컨, 히터, 냉장고, 오디오시스템 등을 장착하여 운전자가 보다 안락하게 작업할 수 있도록 구성됨 – 캐빈 내에 보조의자가 설치되어 있어 1명이 동승하여 작업장으로 이동가능	

해외 분류사례

결정세번 국가	물품설명	이미지
8706.00.1900 Wien	Chassis for a motor vehicle of heading 8701, consisting of a chassis frame with spark–ignition (engine capacity not exceeding 1000 cc), including transmission and steering and axles. It is used for assembly of new four–wheel–driven off–road vehicles of the type ATV. The goods on the basis of their equipment, no complete or constitute in itself be regarded vehicle ○ 분류사유 General rules for the interpretation of the Combined Nomenclature (AV) 1 and 6, note 2 to Chapter 87; HS Explanatory Notes to Chapter 87, General, paragraph 1, the HS Explanatory Notes to heading 8706, first Paragraph.	
8706.00.99 BERLIN	Chassis for motor vehicles of headings 8701 to 8705, with reciprocating internal combustion piston compression ignition (diesel) of a cylinder capacity of 2,148 cc, for use with various structures. Known as the chassis product mainly consists of the chassis with axles and wheels, the motor drive technology and a putative pedestal part is that the engine block receives and is provided with a body approach, with roof frame, sides and roof are missing. The seat boxes with seats are available. It is intended to be equipped with different superstructures. The structure can not be found in the current state, so that the vehicle will be placed in the last possible subheading.Description: Mercedes Benz Sprinter 906–F50	이미지 없음

제8701호 트랙터의 정의

Identifying tractors of 8701

1. 목적

본 가이드라인은 트랙터의 분류 기준을 규정한다.

2. 한계

본 가이드라인은 관세법(the Customs Tariff Act 1995)을 대체하지 않는다.

발간 시점에 품목분류가 맞다 하더라도 최근 개정 관세법만이 유효하므로 품목분류 확인을 위하여는 관세법을 참조해야 한다.

품목분류를 위한 개념 정립 목적으로 그 밖의 기계류나 운송 수단에서 트랙터를 분리하는 것은 복잡한 문제일 수 있다. 본 지침은 트랙터 정립에 대한 모든 것을 담고 있지 않다. 트랙터의 품목분류가 궁금하다면 전문적인 자문을 위해 호주국경청에 문의하는 것이 바람직하다. 품목분류가 확실치 않을 경우에 관세자문서비스(Tariff Advice Service) 이용을 추천하며, 관련 정보 및 신청 방법은 웹사이트(www.border.gov.au.)에서 찾을 수 있다.

3. 규정

모든 품목분류를 포함하는 입법적 절차에 더하여, 다음의 주(Note), 추가 주(Note) 및 품목분류는 트랙터를 특정하고 있다.

제17부

제87류 주 제2호

2. 이 류에서 "트랙터"란 주로 다른 차량 · 기기 · 화물을 끌거나 밀기 위하여 제작된 차량을 말한다(트랙터의 주 용도에 따라 공구 · 종자 · 비료나 그 밖의 물품의 수송용 보조기구를 갖추었는지에 상관없다).
   호환성 장치로서 제8701호의 트랙터에 부착시키도록 설계된 기계와 작업 도구는 트랙터와 함께 제시된 경우에도 각 해당 호로 분류하며 이들이 트랙터에 장착된 것인지에 상관없다.

추가 주

1. 이 별표에서, "농업용 트랙터"는 다음을 의미한다
   (a) 농업, 원예 또는 포도 재배에 전용 또는 주로 사용되는 2륜 구동 트랙터; 또는
   (b) 농업, 원예 또는 포도 재배에 전용 또는 주로 사용되도록 설계된 그 밖의 트랙터

8701 트랙터(제8709호의 트랙터는 제외한다)

8701.10.00 – 보행운전형 트랙터(Pedestrian controlled tractors)

8701.20.00 – 세미트레일러 견인용의 도로 주행식 트랙터(Road tractors for semi–trailers)

8701.30.00 – 무한 궤도식 트랙터(Track–laying tractors)

8701.90 – 기타(Other):

8701.90.1 ·····농업용 트랙터(Agricultural tractors):

8701.90.11 ·····다음의 것(Goods, as follows):
(a) 엔진 동력이 15킬로와트 또는 그 이상 (having an engine power of 15 kW or greater)인 트랙터;
(b) 엔진 동력이 15킬로와트 미만의 것으로 단일 PRO(power take–off)와 후방 축이 장착되고 후방이며 후방 수압 리프트가 3 포인트 연결 장치로 부착된 트랙터

8701.90.19 ·····기타(Other)

8701.90.20 ·····덤프트럭용 트랙터(Tractors for dumpers)

8701.90.90 ·····기타(Other)

특정 트랙터는 또한 제8709호에 분류될 수 있다.

8709 (...) 철도역의 플랫폼에서 사용하는 형의 트랙터; (...)

호주 관세율표 제8701호 (HS2022 개정)

8701.10.0001 – Single axle tractors
8701.2 – Road tractors for semi–trailers
8701.21.0010 –
8701.22.0020 –
8701.23.0030 –
8701.24.0040 –
8701.29.0090 –
8701.30.0011 – Track–laying tractors
8701.9 – 기타, 엔진 동력에 의한 것으로 한정한다.
8701.91 – 18kW 이하인 것
8701.91.1 –농업용 트랙터
8701.91.1102 – 다음의 것: (a) 엔진 동력이 15킬로와트 또는 그 이상인 트랙터; (b) 엔진 동력이 15킬로와트 미만의 것으로 단일 power take–off와 후방 축이 장착되고 후방이며 후방 수압 리프트가 3 포인트 연결 장치로 부착된 트랙터
8701.91.1903 – 기타
8701.91.9004 – 기타
8701.92 –18kW 초과 37kW 이하인 것
8701.92.1006 –농업용 트랙터
8701.92.9007 – 기타
8701.93 –37kW 초과 75kW 이하인 것
8701.93.1008 –농업용 트랙터
8701.93.9009 – 기타
8701.94 –75kW 초과 130kW 이하인 것
8701.94.1010 –농업용 트랙터
8701.94.9012 – 기타
8701.95 –130kW를 초과하는 것
8701.95.1013 –농업용 트랙터
8701.95.9014 – 기타

4. 주 규정의 효과

4-1. 목적

제87류 주 제2호에서 트랙터는 끌거나 밀기 위해 제작된 차량이여야 한다.

이것은 트랙터를 운송이나 기계 작동을 위해 구성된 차량 또는 기계류와 구분한다.

4-2. 보조 규정

이것이 보조 규정이고 끌거나 미는 것이 기계의 주된 사용과 관련된다는 것을 전제로 하면 이것은 물품을 운송하는 능력으로 트랙터를 제한하거나 금지하지 않는다.

작업 도구(예: 쟁기 또는 철거 날)를 끌거나 미는 것은 끌거나 미는 것에 본질적인 특성이 있다.

그러나 많은 트랙터 및 이와 유사한 차량 또는 기계들은 더 복잡한 방식으로 도구들을 작동시킨다. 도구를 작동할 수 있는 능력이 그 물품을 트랙터 이외에 어떤 것으로 간주하는지는 그 물품이 여전히 끌거나 미는 용도로 남아있는지에 달려있다.

이 점이 본 문서에서 논의될 것이다.

4-3. 트랙터 도구

제87류 주 제2호에는 트랙터에 부착되도록 설계된 기계와 작업 도구는 트랙터와 함께 제시되는지 또는 별도로 제시되는지 관계없이 제8701호에 분류할 수 없다. 이들 물품은 보통 제84류의 각 해당 호에 분류된다.

4-4. '농업용 트랙터'의 명확화

제87류 추가 주 제1호는 '농업용 트랙터'의 의미를 명확하게 한다.

이륜구동 트랙터에 관하여, 농업, 원예 또는 포도 재배에 전용 또는 주로 사용되는 것이다.

기타 트랙터는 엄격한 시험기준을 가지며 이것들은

- 농업, 원예 또는 포도 재배에 사용되도록 설계되고,

– 농업, 원예 또는 포도 재배에 전용 또는 주로 사용되어야 한다.

"농업"이라는 용어는 넓은 범주의 행위에 있어서 다양할 수 있다. 이 경우 두 개의 활동 분야를 별도로 규정하도록 하였고 농업 이외에 원예 및 포도 재배 같은 개념이 포함될 수 있다. 이는 "농업"이 작물 수확(이와 연관된 토양 경작) 및 가축 사육이라는 협의의 의미라고 설명하는 내용을 제시한다.

5. 끌거나 미는 것(Hauling or Pushing)

일반적으로 모든 차량은 어느 정도 끌거나 밀 수 있다. 트랙터와 다른 차량의 구분은 트랙터가 끌거나 미는 용도의 차량으로 특별히 제작되었다는 점이다.

트랙터는 높은 토크의 엔진을 가지며, 저속에서 트랙터 무게에 비해 큰 견인력을 제공한다. 트랙터는 저속으로 장시간 동안 계속해서 매우 무거운 하중을 끌 수 있도록 설계되었다.

이러한 특징은 제84류에 분류되는 이동식 기계류에 일반적이다. 제84류 이동식 기계류와 제87류 트랙터의 차이는 특화된 정도 또는 리프팅이나 땅파기와 같은 기능에 맞춰서 제작된 정도이다.

트랙터로 간주하기 위해서는 끌거나 밀기 작업과 관련되지 않은 모든 제작 특징은 사고하거나 보조적이어야 한다.

모터로 작동되는 쟁기, 롤러 및 써레(harrowers)와 같은 물품들은 끌거나 미는 것이 아닌 특정 용도로 제작되었기 때문에 제8701호의 트랙터로 분류되지 않는다(제8432호). 자주식 수확기와 건초 포장기 등은 트랙터처럼 보일 수 있으나 제8433호의 기계들이다.

제8432호, 제8433호

- 8432 – 농업용 · 원예용 · 임업용 기계(토양 정리용이나 경작용으로 한정한다)와 잔디용이나 운동장용 롤러
- 8433 – 수확기나 탈곡기(짚이나 건초 결속기를 포함한다), 풀 베는 기계, 새의 알 · 과실이나 그 밖의 농산물의 세정기 · 분류기 · 선별기(제8437호의 기계는 제외한다)

6. 물품의 운반

소량의 물품을 운반할 수 있다고 해서 차량을 이 호에서 제외하지는 않는다. 이들 물품의 운반은 그 기계의 주된 사용과 관련되어야 한다. 예를 들어, 파종 도구에 씨를 다시 채우기 위해 종자 포대를 운반하는 기능은 트랙터의 주된 사용과 관련하여 부수적인 기능으로 간주할 수 있다.

그러나 물품을 운반하는 규정이 중요하다면 예를 들어, 내장 트레이 백(a built-in tray-back, 농장에서 물품을 운반하는데 사용할 수 있는) 차량은 관세율표에서 정하는 트랙터의 정의를 충족하지 않는다.

7. 작업 도구를 작동하는 능력

범용성 동력인출 장치(PTO)와 같은 전동 공구를 작동시키는 설비가 있다고 해서 물품을 이 호에서 제외하지 않는다. 이러한 설비는 트랙터에 일반적이며 트랙터의 다용도 능력을 향상한다.

차량과 기계가 끌거나 밀도록 제작된 기능을 유지하는지 확인할 필요가 있다. PTO가 범용적인지 또는 특정 도구에만 특화된 것인지 확인이 필요하다.

작업 도구를 작동(상승, 하강 등)하기 위한 간단한 장치가 있다고 해도 주 규정 기준을 충족하고 있으므로 이 물품을 제8701호에서 제외하지 않는다.

PTO (Power take-off system)

동력인출장치를 뜻한다. 엔진의 회전력을 해당 장치의 원래 목적이 아닌 용도로 사용하고자 할 때 쓰는 장치이며, 여기에는 공기압축기, 발전기, 기타 동력 장치를 연결할 수 있다.

8. 부착 도구

영구적으로 부착되어 있거나 정상적인 사용 상태에서 부착되는 일반적으로 유지/수선을 위해서만 제거되는 도구가 있는 기계는 보통 제87류에서 제외된다. 이러한 기계들은 기본적으로 부착된

도구를 작동시키기 위해 제작된다고 간주한다.

예를 들어, 잔디 깎는 데크(mower deck)가 장착되어 수입되는 잔디 깍는 '트랙터'나 정원용 '트랙터'는 일반적으로 다양한 유지보수 목적(예: 클리닝, 칼날 교체 등)으로 데크를 제거할 수 있는 장치가 있다. 이러한 기계들은 잔디 깎는 용도로 제작된 것으로 간주하고 제8433호에 분류한다. 트레일러와 같은 가벼운 부착물을 끌거나 밀기 위한 연결 장치가 있어도 제8433호에 분류한다.

제87류의 트랙터

제8701.10.00의 보행운전용 트랙터

이들은 하나 또는 둘의 바퀴로 움직이는 단일 구동축을 갖춘 소형 트랙터이다. 이들 물품의 다른 이름은 "이륜 트랙터" 및 "걷는 트랙터"이다.



이들은 보통 농업 용도로 사용되나 산업 용도로 사용될 수도 있다.

제8701호에 해당하는 형태는 영구 부착되는 특정 도구를 갖지 않는다.

보행운전형 경운기(tillers), 회전식 괭이(hoes) 등과 같은 중요한 고정 도구를 갖는 유사한 물품들은 제8701호에 해당하지 않으며 제8432호와 같은 그들 기능에 따라 적절한 호에 다시 분류되어야 한다.

제8701.20.00의 세미트레일러 견인용 도로주행식 트랙터

세미트레일러 견인용 도로주행식 트랙터는 호주에서 원동기로 간주된다. 이들은 트랙터 기기로 잘 알려져 있다.



도로주행식 트레일러의 유일한 목적은 세미트레일러를 견인하는 것이다. 세미트레일러의 뒷부분에는 바퀴가 있고, 앞의 끝부분은 도로주행식 트랙터에 의해 지탱된다.

트레일러용 원동기(전체 트레일러는 자체 바퀴에 의해 지탱되고 단순하게 원동기에 연결된다)는 세미트레일러 견인용 도로주행식 트랙터는 아니다. 이들은 보통 제8704호(화물자동차)에 분류된다.

제8701.30.00의 무한궤도식 트랙터

이들은 제87류 주 제2호를 충족하는 차량이며 무한궤도식이다.



무한궤도식 트랙터는 두 개의 반복되는 트랙(무한궤도)으로 움직이며 이는 함께 회전하는 다수의 플레이트 또는 패드로 구성된다. 각각의 트랙은 차량의 각 사이드에서 두 개의 바퀴를 둘러싸고 있다.

그 밖의 트랙터

ㅇ 제8701.90.1의 농업용 트랙터

이들은 농업, 원예 또는 포도 재배에 사용되는 트랙터이다.

농업용 트랙터가 무엇인지 결정에 있어서 제87류 주 제2호를 해석할 때 위에서 기술된 문제들 이외에 추가 주 제1호에 주목할 필요가 있다.

추가 주를 고려하기 전에 그 물품이 먼저 주 제2호의 트랙터인지 확인해야 한다.

일단 특정 물품이 트랙터라고 결정된다면, 농업용 트랙터 여부를 결정하기 위하여 추가 주 제1호를 추가로 검토해야 한다.

- 이륜구동 트랙터가 농업, 원예 또는 포도 재배에서 전용 또는 주로 사용되는 것이어야 한다.
- 그 밖의 트랙터는 농업, 원예 또는 포도 재배에서 사용되도록 설계되어야 한다.

다음은 농업용 트랙터에서 볼 수 있는 특징이다.

- 엔진, 변속기 및 후방 구동 트레인이 모두 견고한 주물에 수용(하우징)되는 완전체 구조
- 농업용 타이어;
- 일반적으로 퀵-히치(quick-hitch)를 가진 쓰리-포인트-히치(three- point-hitch, 대부분 농기구에 필요함)
- 클러치가 사용 중일 때 계속 장비가 작동할 수 있게 하는 라이브(live) 또는 독립된 PTO(power take-off) (오래된 트랙터는 변속기 PTO가 있을 수 있으나 새로운 농업용 트랙터에는 요구되지 않음);

· 후방 유압 배출구;

· 1차 경운(耕耘) 또는 사일리지 절단 같은 작업을 위한 충분한 전력

· 작업자가 하루 종일 작업하기 적합한 인체공학적 운전실 설계 기능; 및

· 전복 방지 구조(ROPS, Roll Over Protection Structure).

three-point-hitch (출처 : 위키백과)
농업용 트랙터에 쟁기 및 기타 도구를 부착하는데 사용되는 유형의 히치

사일리지 (silage)
겨울에 소를 먹이기 위해 먼저 말리지 않고 잘라서 저장한 풀

농업용 트랙터는 농업, 원예 또는 포도 재배에서 특정 활용을 위한 특수 트랙터도 포함한다.

특히, 원예 및 포도 재배는 특수 트랙터가 필요한 사항들이 있다.

여기에는 스트래들(straddle) 트랙터, 오버더로우(over-the-row) 트랙터, 하이클리어런스(high-clearance) 트랙터와 줄 사이 작업을 위한 매우 좁은 트랙터를 포함한다.





만약 물품이 트랙터이나 농업용 트랙터를 위한 요건들을 충족하지 않는다면 제8701호에는 해당하지만 농업용 트랙터 소호에 분류되지는 않는다.

○ 제8701.90.20의 덤퍼용 트랙터(Tractor for dumpers)

이 소호는 덤퍼, 덤프트럭, 덤퍼 트레일러 또는 기타 덤핑 기계류를 포함하지 않는다.

덤퍼용 트랙터는 굴절식 화물트럭(hauler) 또는 굴절식 덤퍼의 앞부분을 말한다. 따라서 추가 제조를 위해 나오는 덤퍼용 트랙터만을 말한다.

차량은 통상 두 개의 바퀴를 가지며 일단 제조가 완료되면 트레일러와 함께 단일 차량을 형성한다. 그것이 덤퍼 트레일러가 전체 차량의 영구적인 일부분으로서 추가되는 것이다.




Figure 1 DR 631 articulated hauler[3]

ㅇ 제8701.90.90의 “기타 트랙터”

이 호는 제87류 주 제2호에 있는 트랙터로서 다양한 차량을 포함한다.

다음은 완전하지 않지만, 이 호에 분류되는 차량의 표본들이다.

– 제8709호 트랙터를 제외한 바퀴 달린 산업용 트랙터

산업용 트랙터는 농업용이 아니라 건축 및 제조 등과 같은 산업용으로 제작된다.

이런 유형은 작업 트럭 또는 철도역 플랫폼 트랙터를 포함하지 않는다. 이것들은 제8709호에 분류된다. 또한 제87류의 트랙터와 유사한 기계가 아님에 유의해야 한다.

– 임업용 트랙터

임업용으로 설계된 트랙터는 ‘기타 트랙터’로 취급되며 농업용 트랙터에 포함되지 않는다.

임업용 트랙터와 농업용 트랙터는 유사하나, 임업용에 전용 또는 주로 사용되도록 설계된 트랙터는 구별되는 특징들을 갖는다.

이들은 거친 지형에서 작동되도록 만들어지고 보통 추가적인 다음과 같은 보호장치를 갖는다.

- 엔진 하우징과 라디에이터 주변을 보강하여 나뭇가지와 통나무 잔해에 의한 펑크 및 충격으로부터 보호;
- 암석 및 그루터기와 같은 지면의 잔해로 인한 충격으로부터 보호하기 위한 트랙터 아랫부분의 보호장치(일반적으로 강철 벨리 팬);
- 운전실이 없는 트랙터용 브랜치 디플렉터(branch deflectors)나 운전실 창문용 메쉬 형태에서 파손된 톱 체인으로 인한 체인 샷(shot)으로부터 작업자를 보호;
- 전복 보호 구조(ROPS)는 농업용과 임업용 트랙터 모두 공통적이나, 낙하물 보호 구조(FOPS, Falling Object Protection Structure)가 추가로 있는 것은 임업용 트랙터에서 일반적임; 그리고
- 잔해가 타이어와 바퀴 림(wheel rim) 사이에서 찌르는 것을 방지하기 위한 바퀴 림 보강.

이들은 통상 다음과 같은 작업 유형 및 유사한 지형을 반영하는 기타 특징들을 갖는다.

- 나무 그루터기 위에 반복적으로 '걸림'을 피하기 위하여 50센티미터 이상(농업용 트랙터는 일반적으로 35에서 40센티미터)의 지면 정리;
- 특히 폭이 넓고 임업용 등급의 타이어;
- 수평 조향 및 수직 비틀림 운동을 수용하도록 설계된 중앙 피봇 조인트를 가진 '프레임 조향'이 일반적임(전통적 방식의 농업용 디자인은 대개 '견고한 프레임'임);
- 트랙터를 운전하면서 운전자가 후방을 향할 수 있는 능력; 및
- 통나무를 드래그하는 동안 안정성을 향상시키는 전방 끝의 무게

일반적으로 임업용 트랙터는 윈치가 있고 다른 임업 관련 부착물(예: 통나무 스키더(log skidders), 임업용 멀처(forestry mulchers), 통나무 그래플log grapples) 등)과 제시될 수 있다.

– 잔디 깎는 트랙터 또는 정원용 트랙터

잔디용 트랙터는 주로 잔디 깎기 용도로 설계되었다. 또한 이것은 작은 트레일러 또는 스프레더를 끌고 눈 송풍기를 작동하는 것과 같은 그 밖의 간단한 작업을 수행할 수 있다. 잔디 깎는 트랙터와 제8433호의 잔디 깎는 기계 사이에 회색 영역이 있다: 아래 관련 부분을 살펴보자

정원용 트랙터는 잔디 깎는 트랙터에서 한 단계 더 강력하다. 이것은 잔디 깎는 트랙터보다

집 주변에서 더 많은 작업을 수행하기에 충분한 파워를 가지고 있으며 보통 전면 장착 로더를 포함해서 폭넓은 범주의 기구들을 작동시킬 수 있다.

이들이 소규모 농장의 일부 작업에 충분한 성능과 다용성이 있다고 해도 이들은 일차적으로 조경 및 원예용으로 설계되었다. 이러한 이유로 이들은 추가 주 제1호의 기준을 충족하지 않으며 제8701.90.90호에 분류된다.

– 소형 트랙터

소형 트랙터는 정원용 트랙터보다 더 높은 능력과 파워를 가진다. 이들은 조경용으로 주로 사용되는 모델부터 농장 작업용으로 설계된 모델까지 다양하다.

특정 모델이 농업용 트랙터인지 제8701.90.90호의 '기타 트랙터'인지 결정하기 위해서는 아래 기준에 따라 설계 및 용도를 고려해야 한다.

- 농업, 원예 또는 포도 재배에 전용 또는 주로 사용되는 종류의 것(이륜구동 트랙터인 경우); 또는
- 농업, 원예 또는 포도 재배에 전용 또는 주로 사용되도록 설계되고 사용되는 것(만약 이륜구동이 아닌 경우)

제84류의 트랙터와 유사한 기계

1. 토목용 중장비(Earthmoving bases)

토목용 중장비의 주행부(propelling base)는 트랙터에서 발전하였다. 그러나 이들은 몇 가지 특징들에 의해 구분된다.

토목용 중장비는 토양, 암석 및 광물을 다룰 때 압력과 충격을 견디도록 설계된다. 몸체는 특히나 견고하며, 무거운 지지 블록(heavy supporting blocks), 판(plates)과 빔(beam)이 부착되어 보강되기도 한다. 토목용 중장비가 다루는 암석과 거친 토양으로부터 보호하기 위하여 하부 보호장치가 있다. 일부 토목용 중장비는 무거운 하중을 위로 들어 올릴 때 발생하는 수직 압력을 견디도록 설계된다.

또한 토목용 중장비는 특별한 서브 프레임(sub-frame)을 가질 수 있다. 예를 들어, 연결 장치에서 메인 프레임 레일로 하중(loads)을 전달하고 리프트 암(lift arms) 등을 견고하게 장착하기 위해 메인 프레임에 장착하는 로더 타워(loader tower)를 가질 수 있다.

이와 같은 토목용 중장비는 부착되는 도구와 하중의 무게를 고려해 평행추(counterbalance)를 장착하기도 한다.

제8429호, 제8430호


- ㅇ 8429 – 자주식(自走式) 불도저(bulldozer) · 앵글도저(angledozer) · 그레이더(grader) · 레벨러(leveller) · 스크레이퍼(scraper) · 메커니컬셔블(mechanical shovel) · 엑스커베이터(excavator) · 셔블로더(shovel loader) · 탬핑머신(tamping machine) · 로드롤러(road roller)
- ㅇ 8430 – 그 밖의 이동용 · 정지(整地)용 · 지균(地均)용 · 스크래핑(scraping)용 · 굴착용 · 탬핑(tamping)용 · 콤팩팅(compacting)용 · 채굴용 · 천공용 기계(토양용 · 광석용 · 광물용으로 한정한다), 항타기와 항발기, 스노플라우(snow-plough)와 스노블로어(snow-blower)

2. 승용식 잔디 깎는 기계(Ride on mowers)

잔디 깎는 데크(deck)가 부착된 승용식 잔디 깎는 기계는 제8433호에 분류된다. 잔디 깎는 데크는 보수 및 수리를 위해 탈부착이 가능할 수도 있다.

하부 작동 잔디 깎는 데크(under-carriage mowing decks)와 함께 사용하기 위해 설계되고, 끌거나 밀기 위한 목적으로 설계되지 않은 잔디 깎는 트랙터는 제87류 트랙터 조건을 충족하지 않는다. 이와 같은 잔디 깎는 트랙터는 잔디 깎는 데크와 함께 수입되며 잔디 깎는 기계로 분류된다.

Ride on mowers (출처 : 구글)



제8433호

제8433호

○ 8433 – 수확기나 탈곡기(짚이나 건초 결속기를 포함한다), 풀 베는 기계, 새의 알 · 과실이나 그 밖의 농산물의 세정기 · 분류기 · 선별기(제8437호의 기계는 제외한다)

– 공원이나 운동장의 잔디 깎는 기계

8433.11 – 동력식(수평으로 회전하는 절단장치를 갖춘 것으로 한정한다)
8433.19 – 기타
8433.20 – 그 밖의 풀 베는 기계[트랙터 장착용 커터바(cutter bar)를 포함한다]
8433.30 – 그 밖의 건초제조용 기계
8433.40 – 짚이나 건초 결속기[픽업(pick-up)결속기를 포함한다]
– 그 밖의 수확기와 탈곡기
8433.51 – 수확 · 탈곡 겸용기
8433.52 – 그 밖의 탈곡기
8433.53 – 구경(球莖)이나 괴경(塊莖)의 수확기[근채(根菜) 수확기]
8433.59 – 기타
8433.60 – 새의 알 · 과실이나 그 밖의 농산물의 세정기 · 분류기 · 선별기
8433.90 – 부분품

품목분류 동향 (Trend)

제8701.30호

세번	품명	물품설명	이미지
8701.30–0000	Track laying tractor; Snow grooming machine	○ 개요 – 스키 노선을 유지하고 고르기 위해 설계된 것으로 자주식이고 디젤엔진을 가진 무한궤도식 트랙을 가진 차량과 정설장비가 함께 제시 – 차량의 트랙 사이에 Blade를 삽입하여 눈에서도 작업할 수 있게 특수 제작된 정설차임 – 앞에 눈을 다져주거나 깍아주는 shredder, 상하좌우로 눈을 밀어주는 장비인 all–way blader가 설치되어 사용되고, 뒷부분에는 눈을 평평하게 다져주는 장비인 multiflex tiller가 부착됨 ○ 결정 사유 – 운전실 내부에 조작장치가 있는 무한궤도식 트랙터부분과 트랙터 앞, 뒤에 설치하도록 만들어진 정설장비가 같이 제시되었으나 하나의 기계로 볼 수 없고 각각 분리하여 품목분류 – 정설장비와 무한궤도식의 트랙터는 분리하여 분류, 무한궤도식의 트랙터는 8701.30–0000에 분류	이미지 없음

제8701.90호

세번	품명	물품설명	이미지
8701.90–9110	AGRICULTURAL MINI DUMPER	○ 개요 – 디젤엔진(4륜) 다목적 농업용 차량(속도: 15.5Km/h) – 운전석, 이송기어박스 및 동력취출장치(PTO), 샤시, 화물을 실을 수 있는 미니 덤프박스로 구성 ○ 결정 사유 – 화물을 운반할 수 있도록 미니 덤퍼박스가 결합되어 있고 동력취출 장치가 있어 트랙터로도 사용 가능하므로 제8701호와 제8704호 검토 – 속도가 저속(15.5Km/h)이고 화물 적재 중량이 700kg으로 경량이므로 제8704호의 화물 운반 목적으로 설계된 일반적인 화물차량과는 구별되며, – 미니 덤퍼를 제거하고 동력취출장치와 농업용 기계를 연결하면 농업용 기기를 끌 수 있으므로 제87류 주 제2호에서 규정한 8701호의 “트랙터” 정의를 충족하고, 제87류 주 제2호 후단에서 ‘물품의 수송용 보조기구를 갖추었는지의 여부를 불문한다’라고 규정하고 있으므로, – 본 품에 결합된 “화물운반 가능한 덤퍼 박스”는 전체 기능에 있어 보조적인 것으로 보아, 제8701호의 농업용의 트랙터로 분류	

Household 와 Domestic의 의미

The Meaning of Household and Domestic

1. 본 가이드에서 다루는 물품

관세법 별표 3(Schedule 3 of the Customs Tariff Act 1995)에서 'household'와 'domestic' 두 단어가 "가정용품" 혹은 "가정 내 사용 목적을 가지는 물품"의 범위를 한정하는 수식어로 많이 사용된다. 예를 들어, 제3924호는 "Tableware, kitchenware, other household articles and hygienic or toilet articles, of plastics"이 분류되고, 제8419호에는 "other than machinery or plant of a kind used for domestic purposes"라고 규정하고 있다.

이러한 문맥에서 'household'의 의미가 무엇인지에 대해 혼란이 있어 호주 이민국경보호국의 견해를 밝히고자 한다.

제3924호, 제8419호

- 3924 – 플라스틱으로 만든 식탁용품 · 주방용품 · 그 밖의 가정용품 · 위생용품 · 화장용품
- 8419 – 가열 · 조리 · 배소(焙燒) · 증류 · 정류 · 살균 · 저온살균 · 증기가열 · 건조 · 증발 · 응축 · 냉각과 그 밖의 온도 변화에 따른 방법으로 재료를 처리하는 기계 · 설비 · 실험실 장치[전기가열식(제8514호의 노(爐)와 오븐과 그 밖의 장비는 제외한다), 실험실용을 포함하며 일반적으로 가정용으로 사용하는 것은 제외한다]와 전기가열식이 아닌 즉시식이나 저장식 물 가열기

2. 'household'와 'domestic'의 의미

○ 사전적 정의

– household

(맥쿼리 사전)

명사 1. 한 가구에 사는 식구를 집단으로 정의; 과거에는 하인 등을 포함한 한 가족을 의미; 한 가정

형용사 2. 가구에 관련된; 가정의; 가구(furniture)

3. 집을 관리하고 유지하는데 사용되는

(옥스퍼드 사전)

명사 한 단위로 여겨지는 가구와 거주자: *모든 식구가 잠들었다*
[수식어] : 고지서(household bills)

- domestic

(맥쿼리 사전)

형용사 1. 집과 가구, 가정사에 관련된

(옥스퍼드 사전)

형용사 1. 가정 관리 혹은 가족관계와 관련된; 집안일, 가정폭력

· 산업용 혹은 사무실 환경이 아닌 집 및 집에서의 사용과 관련된:
가정용수 공급(domestic water supplies)

3. Household와 domestic의 구분

3-1. 가정(Domestic)환경에서의 사용

물품은 크게 사용장소, 용도와 사용자에 의해 분류 가능하며, domestic/ non-domestic의 용도 분류는 용량(Capacity)과 출력(output), 품질(build quality), 사용의 용이성(ease of use), 물품의 기타 특징(other features) 등에 따라 나눌 수 있다.

'Household'와 'domestic'의 물품은 가정 환경에서 사용되도록 특별히 제작된 물품이다. 이들은 가족 구성원 개인 또는 가족 전체가 가정을 돌보는데 일상적으로 사용할 수 있도록 고안된 물품을 가리킨다. 이러한 물품은 가정용을 벗어나는 범위에서 사용되지 않는다.

'Household' 또는 'domestic' 물품은 상업 및 산업용, 기관용으로 고안된 물품에 포함되지 않는다.

3-2. 가정용(Domestic use)

가정(domestic)에서 사용된다고 해서 모두 '가정용품(household goods)'으로 볼 수 없다.

예를 들어, 플라스틱 조각상은 가정환경에서 쉽게 찾아볼 수 있지만 가정을 돌보는데 사용되는 물품은 아니다. 플라스틱 조각상은 가정용품이 아닌 제3926.40.00호에 '작은 조각상과 그 밖의 장식용품'으로 분류된다.

마찬가지로 차고에서 차량 유지에 사용되는 도구는 가정환경에서 사용되지만 가정을 돌보는데 사용되는 것은 아니다. 따라서 도구에 적합한 호에 분류될 것이다.

3-3. 객관적인 특성에 따른 '용도'의 결정

물품이 'domestic' 또는 'household' 가전제품인지 아닌지에 대한 주장을 뒷받침하기 위해서는 이러한 결정을 가능하게 하는 디자인 특성이 명확히 명시되어야 한다.

예를 들어, 물을 끓이는데 약 5분이 소요되는 일반적인 1.7리터 전기 주전자는 'domestic' 또는 'household' 가전제품으로 간주 된다. 집에서 차를 마실 때 필요한 물을 끓이기 위한 주전자의 용량과 물을 끓이는 속도가 적당하기 때문이다. 그러나 상업용 음료 제작에는 적합하지 않다.

시간당 175~200잔을 만들 수 있는 40리터 용량의 커피메이커(urn)는 그 용량과 성능을 보았을 때 상업용, 기관용으로 적합하기 때문에 'domestic' 또는 'household' 가전제품으로 볼 수 없다.

3-4. 다양한 실제 사용 범위

물품의 특성을 보면 특정 용도에 대해 전용으로 또는 주로 사용되도록 제작되었는지 알 수 있다. 그러나 실제 사용 범위는 보다 광범위할 수 있다.

앞서 언급한 1.7리터 전기 주전자는 사무실이나 가게 또는 그 밖의 환경에서도 사용될 수 있다. 그러나 가정이 아닌 다른 곳에서 사용한다고 해서 물품의 객관적인 특성이 바뀌는 것은 아니다. 가정용으로 주로 사용되도록 만들어졌다는 사실에는 변함이 없다.

마찬가지로 40리터 커피메이커를 가정용으로 구입하는 소비자도 있을 수 있지만 40리터 커피메이커가 상업용으로 제작되었다는 사실은 변함이 없다.

특정 물품이 가정용이나 비(非)가정용으로 전용 또는 주로 사용되더라도 물품의 제작 의도는 중요한 요소로 고려되어야 한다. 가정환경에서 벗어난 범위에서 사용되거나 가정에서 사용할 물건을 상업용으로 구매했다고 해서 물품의 특성에 영향을 미칠 수는 없다.

'사례 No.19928500'에도 아래와 같이 제시된 바 있다.

"제3924호에는 가정에서 준비, 서빙 혹인 섭취되는 식음료에 필요한 물품과 일반적으로 집 안이나 주변에서 사용되는 유형의 물품을 분류한다. 위와 같은 물품은 다른 환경에서 사용된다고 하더라도 제3924호로 분류된다. 예를 들어 피크닉 세트나 테이크아웃용 플라스틱 식기구, 도시락, 가구 슬립 커버 등은 집 밖이나 상업 환경에서 사용되더라도 제3924호에 분류된다."

결정사례 No.19928500

물품설명) Plastic drinking bottles of the types usually called "sports bottles" and are designed specifically for repetitive filling and re-use and are intended for sale to the ultimate purchaser as empty bottles. These bottles usually have either a pop-top opening or plastic straw and stopper construction and may have either a separate push top or flip top cover to protect the drinking top/straw. The types of bottles covered by this precedent are not designed for the packaging and conveyance of commodities to the consumer and hence have no tamper-proof or tamper-evident features such as snap rings.

결정사유) While 3923 covers plastic bottles for the conveyance or packing of goods, these bottles are not designed to be filled with beverages and sold in a filled condition to the ultimate consumer. They are designed to be filled by the consumer and to hold beverages for drinking. While the consumer may convey the bottle from one place to another before, or while, drinking, the purpose of these bottles is to hold the beverage in a fashion that facilitates its consumption while the consumer is in motion. 3924 covers tableware, kitchenware and other household articles of plastic. The Macquarie Dictionary relevantly defines household as (noun) "the people of a house collectively; in previous times, a family, including servants, etc.; a domestic establishment" and (adjective) "of or relating to a household; domestic". The types of articles covered by 3924 are those that are used in the normal course of living (in, or by the members of, the household) as opposed to goods appropriate to the spheres of industry or commerce. 3924 covers articles for the preparation, serving or consumption of food and beverages in domestic situations as well as the types of goods typically used in or around the home. These goods remain here even when they may be used in other settings. For example picnic sets, take-away plastic cutlery, lunch boxes, furniture slip covers etc remain classified although they may be used outside of the home or in commercial settings. These bottles are not tableware, nor are they kitchenware. However they are classifiable as other household articles to 3924.90.00.

3-5. Household / domestic의 의미는 물품의 이차적 사용에는 적용되지 않는다.

일부 상업용 혹은 산업용 물품은 가정용으로 이차적인 사용이 가능하다. 캔, 박스, 유리병 같은 운송 또는 포장을 위한 물품을 내용물을 비운 후 가정용으로 사용하는 것이 가장 일반적인 예라고 할 수 있다. 이러한 이차적 사용이 운송 또는 포장을 위해 설계된 상품의 특성을 변화시키지는 않는다.

3-6. 가정환경은 물리적인 의미의 집 이상을 의미

'Domestic'은 일반적으로 비상업적인 일상 활동을 위해 가정 내에서 사용되는 물품과 관련이 있다. 또한 집과 연결되거나 집에 속한 집 주변의 야외 공간에서 사용되는 물품과도 관련이 있다. 따라서 이러한 환경에서 사용되도록 만들어진 실외용 가구, 우편함, 화분 및 기타 물품은 이러한 환경에서 사용하도록 설계된 경우 'Household' 혹은 'Domestic'으로 분류할 수 있다.

Household 또는 Domestic 물품은 가구의 구성원이 집 밖이나 집과 연결된 장소에서 사용하더라도 일반적으로 가정용으로 분류된다. 예를 들어 제7418호에는 "...household articles and parts thereof, of copper;..."이 분류된다. 여기에는 여행이나 캠핑을 할 때 물을 끓이거나 요리를 하기 위해 사용하는 구리 스토브도 분류된다. 구리 스토브는 가정용으로만 적합하며 가족 구성원이 집 밖이나 인접한 곳에서 가정용 기능을 수행하는데 사용된다.

제7418호

○ 7418 – 구리로 만든 식탁용품 · 주방용품이나 그 밖의 가정용 물품과 이들의 부분품, 구리로 만든 용기 세정용구와 세정용이나 폴리싱용 패드 · 글러브와 이와 유사한 것, 구리로 만든 위생용품과 그 부분품

영문) Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or polishing pads, gloves and the like, of copper; sanitary ware and parts thereof, of copper.

3-7. domestic/non-domestic 용도에 모두 적합한 물품

가정용과 비가정용을 가리지 않고 사용 범위가 매우 광범위한 물품들이 있다. Household 또는 domestic 용으로 흔히 사용되는 물품의 경우 그러한 용어로 물품을 언급하는 호에 분류하는 것을 고려해 볼 수 있다. 관세법 별표2에 제시된 해석 규정이 법적 근거로 적용된다.

예를 들어 가정이나 소매 판매점, 호텔 또는 세탁소에서 모두 같은 용도로 사용되도록 제작된 철강제 옷걸이의 경우 제7323호 "...other household articles and parts thereof, of iron or steel;..."에 분류할 수 있다.

제7323호

○ 7323 – 철강으로 만든 식탁용품 · 주방용품이나 그 밖의 가정용품과 이들의 부분품, 철강의 울, 철강으로 만든 용기 세정용구와 세정용이나 폴리싱용 패드 · 글러브와 이와 유사한 것

영문) Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel.

3-8. 주로 비가정용 용도를 위한 물품

비가정용 물품의 경우 가정환경에서 사용되더라도 비가정용으로 분류된다.

예를 들어, 동시에 최대 6잔의 에스프레소나 카푸치노를 동시에 지속적으로 생산할 수 있는 커피 머신은 상업용으로 고안된 것이 분명하다. 개인이 가정용으로 수입했을지라도 상업용 기계로 분류하며 가전제품으로 분류할 수 없다.

품목분류 동향 (Trend)

2000년 3월 WCO 제25차 HSC

1	2
NC0228E1	Study of the scope of the terms "domestic" and "household" in the Nomenclature and the Explanatory Notes.

DECISIONS OF THE HARMONIZED SYSTEM COMMITTEE (O. Eng.)

1. The Committee agreed with the conclusions of the Secretariat that :

   (a) there would appear to be no situations in the HS which required a dividing line between "domestic" on the one hand and "household" on the other. In other words, there was no (sub)heading covering (certain) articles for domestic use versus a (sub)heading covering the same articles for household use; and

   (b) there was no need to establish definitions in the HS delineating the scope of the two terms. Furthermore, the two terms did not differ in scope and were interchangeable, and there was no need to align texts.

2. On the basis of the foregoing conclusions the Committee agreed that there was no further action necessary.

○ HSC 결정

1. 위원회는 아래의 사무국 결론에 동의함

(a) HS에는 "domestic"과 "household"의 구분선이 필요한 상황이 없는 것으로 보인다. 즉, "domestic" 물품을 다루는 호(소호)도 없고, "household" 물품을 다루는 호(소호)도 없다.

(b) HS에서 두 용어의 정의를 설정할 필요가 없다. 또한, 두 용어는 범위가 다르지 않고 서로 바꿔서 사용할 수 있으며, 텍스트를 교정할 필요가 없다.

2. 위원회는 위를 결론으로 더 이상 논의하지 않기로 하였음.

국내 분류사례

세번	품명	물품설명 및 결정사유	이미지
8419.81–0000	TOS Auto drip coffee machine	○ 물품설명 – 커피 전문 매장에서 사용하는 드립커피 머신 – 온수공급 보일러와 제어기(전기가열식 온수탱크, 온수급수 펌프, 기포제거장치, 온도 자동차단기, 온도센서, 수위감지센서, 스위치 등 제어장치)위에 제어용 터치패드와 커피를 추출하는 헤드(온수 노즐, 드리퍼, 드립커피 서버, 서버받침대 회전용 모터박스 등) 2개가 양옆으로 일체형으로 조립 ○ 결정사유 – 본 품은 자동으로 드립커피를 추출하는 전기기기인 커피머신으로, 관세율표 제8438호(식음료 제조 기계)에서 제8419호의 물품은 제외되므로 가정용이 아닌 경우 관세율표 제8419호에 분류되며, 가정용인 경우 관세율표 제8516호에 분류됨. – 본 품이 가정용 기기에 해당하는 지 검토해 보면, · 통상 드립커피는 사람이 직접 주전자를 이용해 뜨거운 물을 붓는 방식으로 소량 생산하지만, · 본 품은 물통의 용량이 5.2리터이고, 커피 추출하는 헤드가 2개이면서 설정시 양쪽에서 연속으로 커피를 추출할 수 있어 다수의 커피를 추출할 수 있으므로 가정용이 아닌 '카운터형의 커피여과기'에 해당함.	
8418.69–2090	MINI CAR REFRIGERATOR	○ 물품설명 – 차량의 시거잭(또는 가정용 전기코드)으로 전원을 연결하여 냉장 또는 온장 기능을 수행하는 차량용 냉온장고로 가정용 또는 사무실용으로도 사용 가능 ○ 결정사유 – 따라서 본 물품은 차량의 시거잭(또는 가정용 전기코드)으로 전원을 연결하여 냉장 또는 온장 기능을 수행하는 차량용 냉온장고로 "그 밖의 냉장기구"에 해당하므로 관세율표 해석에 관한 통칙 제1호 및 제6호 규정에 따라 HSK 8418.69–2090호에 분류함	
8418.29–9000	미니 냉온장고	○ 물품설명 – 열전소자를 이용하여 냉 · 온장 기능을 수행하며, 가정 · 사무실 · 학교 및 차량 등에서 사용가능한 물품 – 가정 · 사무실에서 사용, 기숙사에서 사용, 미용기구 · 화장품 보관, 여름에 모유 보관, 상비약 보관, 식품 · 음료수 보관 ○ 결정사유 – 본 물품은 수치 · 설계 · 용량 · 용적 등을 살펴봤을 때 가정에서 사용이 가능한 형식을 갖추고 있으며, 가정용으로서의 필요성을 초과하는 경우로 볼 수 없음	

해외 분류사례

세 번 참조번호	물품설명
7323.99 .9060 HQ 959513	RE: Stackable CD Racks; Headings 7323, 7326 and 4421; subheadings 7323.99.9060 and 7326.20.0050; Other Articles of Wood; Table, Kitchen or Other Household Articles of Iron or Steel; Other Articles of Iron or Steel; NY 896635, revoked. FACTS: The two models of CD racks are made of steel wire and wood sides that together are capable of holding 25 single, or 21 single and two double CDs. They measure approximately 16 inches long by 6.5 inches wide by 5.5 inches high. The CD racks are identical in all respects, but for the finish on the wooden side panels. The wooden sides have a black finish (item number 128–258) or a natural finish (item number 129–259). The CDs will be placed between and supported by the steel wires. Although they are sold individually, the CD racks are designed to be stacked one upon the other. The CD racks are packaged and sold in a box displaying a CD rack on a shelf of a wall unit along with books, a candle, and what appears to be a stereo or video component. ISSUE: Whether the CD racks are classifiable as household articles of iron or steel under heading 7323, HTSUS, as other articles of iron or steel under heading 7326, HTSUS, or as articles of wood under heading 4421, HTSUS. LAW AND ANALYSIS: EN 73.23, at page 1123, indicates that heading 7323 comprises a wide range of iron or steel articles, not more specifically covered by other headings of the Nomenclature, used for table, kitchen or other household purposes. The EN further provides that this group includes other household articles such as wash coppers and boilers; dustbins, buckets, coal scuttles and hods; watering–cans; ash–trays; hot water bottles; bottle baskets; movable boot–scrapers; stands for flat irons; baskets for laundry, fruit, vegetables, etc; letter–boxes; clothes–hangers, shoe trees; luncheon boxes. Accordingly, we must determine whether the CD racks are household articles. The U.S. Court of International Trade (CIT) has noted Webster's New World Dictionary of American English 654 (3d College ed. 1988)'s definition of the term "household" as "of a household or home; domestic." The Court determined that when "household" is used with the term "articles" a use provision is created. Hartz Mountain Corp. V. United States, 903 F.Supp. 57, 59, CIT Slip Op. 95–154(Sept. 1, 1995). The Court found the phrase "household articles" to be a use provision within the context of subheading 3924.90.50. Similarly, we believe that, within the context of heading 7323, when "household" is used with the term "articles" a use provision is created. Additional U.S. Rule of Interpretation 1(a), HTSUS, states that in the absence of special language or context which otherwise requires, a tariff classification controlled by use (other than actual use) is to be determined in accordance with the use in the United States at, or immediately prior to, the date of importation, of goods of that class or kind to which the imported goods belong, and the controlling use is the principal use. The subject articles will thus fall under heading 7323 if they belong to the class or kind of articles principally used in the home. The Court has established various factors, which are indicative but not conclusive, to apply when determining principal use within a particular class or kind. They include: general physical characteristics, the expectation of the ultimate purchaser, channels of trade, environment of sale (accompanying accessories, manner of advertisement and display), use in the same manner as merchandise which defines the class, economic practicality of so using the import, and recognition in the trade of this use. See Hartz Mountain Corp., 903 F.Supp. at 59. In this instance, these factors are helpful in determining whether the CD racks are intended for home use.

세 번 참조번호	물품설명
	The CD racks are made to hold CDs. They are packaged and sold in a box displaying a CD rack on a shelf of a wall unit along with books, a candle, and what appears to be a stereo or video component. They are sold by a retailer directly to the consumer as a merchandise which would organize a collection of CDs. The consumer will generally be expected to store such articles within the home. The evidence presented indicates that the CD racks are principally used in the home and that it would be impracticable to give them a different use. We therefore find that, since the CD racks will be used for household purposes, they are classifiable under subheading 7323.99.9060, as other household articles of iron or steel.

관세율표 상 가정용품 (출처 : '21년 품목분류 논문 "관세율표상 가정용품의 개념 정의 및 분류 기준 등의 부재와 그 필요성에 관한 연구")

– 관세율표 상 가정용품

호	정의	범주	예시	주요 내용
제3924호	×	×	○	(C) 그 밖의 가정용품 : 예를 들면, 재떨이·온수병·성냥갑홀더·쓰레기통·물통·물뿌리개·도시락 상자·커튼 등
제4016호	×	×	○	(14) 소형의 흡입혹(suction hooks)·식탁깔개·개수대 마개·개수대 플런저(plunger)·문 버팀쇠(doorstops)·가구의 다리용 고무 발과 그 밖의 가정용품
제6912호	×	×	○	(C) 그 밖의 가정용품 : 재떨이·온수용의 그릇·성냥통의 대
제7114호	×	×	○	(E) 그 밖의 가정용품이나 이와 유사한 용도의 것 : 예를 들어, 흉상·작은 조각상과 그 밖의 실내 장식용의 상(像); 보석상자; 테이블 중앙 장식품·화병·장식용 화분; 그림액자; 등
제7321호	×	○	○	(Ⅲ) 보통 가정이나 캠핑(camping)용으로 사용하는 것. 이러한 기구들은 형식에 따른 전체의 규격·디자인·최대발열량(액체연료용의 것인 경우) 노용적(爐容積 : furnace or grate capacity), (고체연료용의 것인 경우) 연료탱크의 용적 등에 관한 하나 이상의 특징적 양식에 의해서 확인될 수 있다. 이러한 특징을 판단하기 위한 표준은 해당 기구가 가정에서 사용하는데 필요한 요건을 넘지 않는 한도 내에서 쓸 수 있는가에 있다.
제7323호	×	○	○	이 그룹에는 이 표의 다른 호에 해당되는 것을 제외하고, 식탁용·주방용이나 그 밖의 가정용의 광범위한 철강 제품으로 구성되며; 즉, 호텔·식당·하숙집·병원·주점·병영 등에서 사용하는 동일한 물품을 포함한다. (3) 그 밖의 가정용품 : 즉 세탁용 가마솥과 보일러; 쓰레기 통·버킷(bucket)·석탄 담는 그릇; 물통; 재떨이; 온수용 병; 등
제7418호	×	○	○	이 호에는 제7321호·제7323호와 제7324호의 해설을 준용한다. 이 호에는 특히 가정용에 사용하는 종류의 것으로서, 구리로 만든 조리용과 가열 기구를 포함하며, 예로는 여행용·캠핑용 등과 가정용에 사용하는 소형의 가열기구[석유·파라핀(paraffin)·알코올을 사용하는 스토브(stove)]가 있다. 또한 이 호에는 제7322호의 해설서에서 설명한 가정용의 기구도 포함한다.
제7615호	×	○	○	이 호에는 제7323호와 제7324호의 해설서에 설명한 것과 동일한 모양의 제품(특히 주방용품·위생용과 화장용의 것)을 분류한다. 또한 제7418호의 해설서에 설명한 유사한 알루미늄으로 만든 조리나 가열기구를 포함한다.
제7907호	×	×	○	(5) 가정용품과 위생용품 : 예를 들면, 양동이·물통·쓰레기통·목욕통·물뿌리개·관주기(douches)·빨래판 등
제8007호	×	×	○	(3) 물병·쟁반·절시·큰 컵·사이펀헤드(syphon heads)와 맥주 컵 뚜껑 등과 같은 가정용품
제8205호	×	×	○	다리미[가스·파라핀(등유)·목탄 등을 사용하는 것이 해당되고 제8516호에 열거된 전기다리미는 제외한다]와 헤어아이론(curling irons); 병마개 따는 것·코르크스크루(cork screws)·단순 캔 오프너[키(key)를 포함한다]; 너트크래커(nut-crackers); 과실핵 제거기(스프링형); 버튼 훅(button hooks); 구두주걱 등
제8210호	×	×	×	
제8213호	×	○	○	(1) 가정용·사무용이나 재봉용의 보통 가위(직선 모양이나 곡선 모양의 칼날을 가지고 있는 것으로 한정한다)
제8306호	○	×	○	가정용품은 보통 실용적인 목적에 사용하도록 본래부터 설계되며 다른 장식은 보통 그 물품의 실용성이 상실되지 않을 정도로 이차적으로 부착되어 있다. 그러므로 이러한 장식된 물품이 장식되지 않은 동종 물품과 같은 정도 이상의 실용성을 갖는다면 해당 물품은 이 호에 분류하지 않고 가정용품으로 분류한다. (b) 가정용품이 아닌 물품으로서 금속 제품이 해당되는 각 류의 가장 마지막 호에 해당되는 물품(예: 흡연세트·보석상자·담배상자·향대·향단지·성냥그릇)
제8418호	×	×	×	
제8421호	○	×	×	(1) 가정 용수 필터 : 가압형 가정용 필터는 수도관이나 탭에 붙이도록 설계되어 있고, 보통 금속 용기에 들어 있는 원통상의 도자제 여과용 엘리먼트(element)로 구성되어 있다. 중력식의 것도 유사한 구조로 되어 있으나 때로는 보다 대형이다.
제8422호	○	×	×	소호 제8422.11호 이 소호에는 전기식의 것인지에 상관없으며, 가정형의 접시세척기를 분류한다(그들의 의도된 용도에는 상관없다). 바닥에 세워놓을 경우 이들 기계의 외부치수는 다음과 같다. 폭 : 65㎝ 이하 높이 : 95㎝ 이하 깊이 : 70㎝ 이하 테이블이나 카운터 위에 세워놓을 경우 이들 기기의 치수는 상당한 정도로 작을 수도 있다.
제8423호	×	×	×	
제8450호	×	○	×	이 호에는 가정형이나 세탁소형 세탁기를 포함한다(전기식인지와 중량이 어떠한지에는 상관없다). 이들은 보통 린넨과 완제품 옷을 세탁하기 위하여 가정, 상업용 세탁소, 병원 등에서 사용한다.
제8452호	○	×	×	가정이나 양복점·양장점 등에서 사용하는 보통 재봉기 이외에도 이 호에는 다음과 같은 종류의 재봉에 전용되는 특수 재봉기도 포함한다. [소호해설] 소호 제8452.10호 소호 제8452.10호는 다음의 재봉기와 재봉기 머리부분에 적용되며, 이들은 모두 적어도 박음질 작업을 할 수 있다. (a) 발이나 손으로 작동되는 재봉기 (b) 120와트 이하의 출력을 갖는 전동기를 결합한 재봉기 (c) 모터(motor)를 제시하지 않은 동력구동식의 재봉기로서 재봉기 두부의 무게가 16kg 이하인 것 이 소호는 또한 구조와 수행능력으로 보아 앞에서 설명한 것과 유사한, "오버록(overlock)"이나 "서어저(serger)"라 불리우는 출력 120watt 이하의 전동기가 내장되어 있고 3, 4나 5가닥의 재봉사로 작동하는 재봉기와 재봉기의 머리부분에도 해당한다. 이들은 박음질 이외의 작업을 할 수 있으나 구동속도가 일반적으로 분당 1,500땀 이하라는 점에서 가정용으로 설계된 것이다.
제8479호	×	×	×	
제8509호	○	×	○	이 호에서 "가정용 기기(domestic appliances)"란 일반적으로 가정에서 사용하는 기기를 말한다. 이들 기기는 형식에 따라 총체적인 수치·설계·용량·용적 등 하나 이상의 특징에 의해 구별된다. 이들 특징을 판단하는 기준은 해당 기기가 가정용으로서의 필요성을 초과하는 레벨로 작동되어서는 안 된다는 것이다.
제8516호	×	×	○	(c) 카운터형의 커피여과기·차나 밀크탕비기·소테냄비와 칩 냄비(예를 들면, 침가게에서 사용하는 것)과 보통 가정에서 사용하지 않는 그 밖의 전열기기(제8419호 등)
제8543호	×	×	×	

오일이나 가스 배관용 라인 파이프 품목분류 가이드

Tariff Classification Guide on Line Pipe of a Kind Used for Oil or Gas Pipelines

1. 개요

이 가이드라인은 무역 커뮤니티에 지침과 정보를 제공하기 위한 것이다. 본 가이드라인은 발행일 현재 내무부의 해당 법률 또는 규정에 대한 입장 또는 해석을 반영한다. 어떤 식으로든 해당 법률이나 규정을 대체하지 않으며 최신 법률과 규정만 신뢰할 수 있다.

본 가이드라인은 관세법 별표 3(Schedule 3 of the Customs Tariff Act 1995)의 제73류에 있는 "오일이나 가스 배관용 라인파이프" 소호에 해당하는 물품의 품목분류에 대해 내무부의 정책을 명확하게 하고자 하는 것이다.

본 가이드라인은 품목분류에 대한 새로운 접근법을 제시하거나 품목분류 원칙에 인정된 사례에서 벗어나거나 새로운 해석을 제공하지 않는다. 이는 이 소호에 해당하는 파이프의 정확한 분류에 대한 내무부의 견해만을 제공하며 법적 자문을 구성하는 것은 아니다.

1-1. 요약

소호 7304.11.00, 7304.19.00, 7305.11.00, 7305.12.00, 7305.19.00, 7306.11.00 및 7306.19.00에는 다음의 철강 파이프만을 분류한다.

- 라인 파이프, 및
- 천연가스 및 메탄과 같은 석유 또는 연료 가스용 고압 장거리 전송 파이프라인용의 것

위 소호의 파이프로 분류되기 위해서는 일반적으로 오일 또는 가스 파이프라인용으로 사용되거나, 다른 용도로 수입되더라도 오일 또는 가스 파이프라인용으로 사용되는 물품과 동일하거나 유사해야 한다. 이 기준을 충족하지 않는 파이프는 이 소호로 분류되어서는 안 되며 다른 유형의 파이프로 분류되어야 한다.

수입자가 위의 소호로 분류를 주장할 때는 해당 파이프가 오일이나 가스 파이프라인용으로 사용되거나 오일이나 가스 파이프라인에 사용되는 라인 파이프와 모든 면에서 질적으로 동일한 종류의 것이라는 사실을 증명하는 문서를 제출해야 한다.

HSK 제7304호, 제7305호, 제7306호 분류 체계

73.04 – 철강(주철은 제외한다)으로 만든 관(管)과 중공(中空)프로파일(profile)[무계목(無繼目)으로 한정한다]
– 오일이나 가스 배관용 파이프라인
7304.11 – 스테인리스강으로 만든 것
7304.19 – 기타

73.05 – 철강으로 만든 그 밖의 관(管)[예: 용접 · 리벳(rivet)이나 이와 유사한 방법으로 봉합한 것]으로서 횡단면이 원형이고, 바깥지름이 406.4밀리미터를 초과하는 것)
– 오일이나 가스 배관용 파이프라인
7305.11 – 세로 방향으로 서브머지드아크(submerged arc) 용접한 것
7305.12 – 기타(세로 방향으로 용접한 것으로 한정한다)
7305.19 – 기타

73.06 – 철강으로 만든 그 밖의 관(管)과 중공(中空)프로파일(profile)[예: 오픈심(open seam) · 용접 · 리벳(rivet)이나 이와 유사한 방법으로 봉합한 것]
– 오일이나 가스 배관용 파이프라인
7306.11 – 용접한 것(스테인리스강으로 만든 것으로 한정한다)
7306.19 – 기타

1-2. 가이드라인 목적

본 가이드라인은 수입자와 관세사가 호주로 수입하는 상품을 분류하는데 도움을 주기 위한 것이다.

본 가이드라인은 관세법을 대체하지 않는다.

물품의 품목분류는 복잡할 수 있다. 발행 시점에서 제공된 품목분류가 정확한지 확인을 위해 주의를 기울였으나, 최근 개정 관세법만이 권위가 있다. 품목분류를 확인하기 위하여 여전히 관세법을 참조하여야 한다.

만약 파이프를 수입하고 물품의 품목분류에 대한 의문이 있는 경우, 전문가 자문을 받거나 내무부의 도움을 받는 것이 바람직할 수 있다. 수입업자 또는 관세사들이 물품의 분류가 불확실하다고 생각되면 Tariff Advice System을 이용할 것을 추천한다. 관련 정보와 연락처는 호주 관세청 홈페이지 https://archive.homeaffairs.gov.au/busi/cargo-support-trade-and-goods/importing-goods / tariff-classification-of-goods) 에서 찾을 수 있다.

1-3. 이전 사례들

본 가이드라인은 쟁점물품의 이전 사례를 대체한다. 과거 내무부에 의한 하나 이상의 영역에서 물품에 대한 서로 다른 사례 또는 이전에 공표된 다른 해석들이 있었거나 있는 것으로 보이는 부분에서 본 가이드라인은 현재 인정된 사례를 제공하는 것으로 간주 될 것이다.

2. 소호

본 가이드라인에서 언급하는 관, 파이프 또는 라인 파이프는 철(주철 제외) 또는 강으로 만든 파이프를 의미한다. 다른 재료로 만들어진 물품에는 적용되지 않는다. 본 가이드라인은 연안 파이프라인용 해저 관 및 파이프에 대해 구체적으로 설명하지 않지만 동일한 원칙이 적용된다.

본 가이드라인에 관련된 호는 제7304호, 제7305호 및 제7306호이다. 이들 호에는 관 또는 파이프 연결구류는 포함하지 않는다. 연결구류는 제7307호 – 철강으로 만든 관(管) 연결구류[예: 커플링(coupling)、엘보(elbow)、슬리브(sleeve)]]로 분류된다.

참고로, 호 전체 발췌문은 첨부 A에 포함되어 있다. 본 가이드라인의 초점은 다음 소호에 있다.

7304	철강(주철은 제외한다)으로 만든 관(管)과 중공(中空)프로파일 (profile) [무계목(無繼目)으로 한정한다]
7304.1 –	오일이나 가스 배관용 파이프라인
7304.11.00 ——	스테인리스강으로 만든 것
7304.19.00 ——	기타
7305	철강으로 만든 그 밖의 관(管)[예: 용접 · 리벳(rivet)이나 이와 유사한 방법으로 봉합한 것]으로서 횡단면이 원형이고, 바깥지름이 406.4밀리미터를 초과하는 것
7305.1 –	오일이나 가스 배관용 파이프라인
7305.11.00 ——	세로 방향으로 서브머지드아크(submerged arc) 용접한 것
7305.12.00 ——	기타(세로 방향으로 용접한 것으로 한정한다)
7305.19.00 ——	기타
7306	철강으로 만든 그 밖의 관(管)과 중공(中空)프로파일(profile) [예: 오픈심(open seam) · 용접 · 리벳(rivet)이나 이와 유사한 방법으로 봉합한 것]

7306.1 –　　오일이나 가스 배관용 파이프라인
7306.11.00 —　용접한 것(스테인리스강으로 만든 것으로 한정한다)
7306.19.00 —　기타

3. 품목분류

물품의 정확한 품목분류를 위해서는 두 가지 기본 단계가 필요하다.

(1) 물품의 식별

(2) 품목분류를 위한 관세법 별표 2의 해석 기준 적용

물품의 정확한 식별은 품목분류에 필수적이다. 식별은 수입 당시 물품에 대한 객관적이고 분석적인 평가를 통해 이루어진다. 물품은 수입 후 어떻게 사용되든지 어떤 변형이 이루어지든 상관없이 수입된 시점의 상태로 분류된다. 식별은 주로 물리적 특성을 기초로 하지만 관세율표에서 요구하는 수준으로 물품을 식별하려면 물품에 대한 충분한 지식이 필요하다.

대부분 물품은 최소한 이름, 재료, 해당 상품의 등급 및 디자인 용도로 식별된다.

식별의 트리돈(Tridon) 원칙

“Re Tridon Pty Limited and Collector of Customs [1982] AATA 119 (17 June 1982)”에서 행정 항소 재판소(AAT)는 상품 식별 원칙 기준을 제시했습니다. 이 원칙은 연방법원에 의해 승인되었습니다. 이 기준에 특히 중요한 사항은 (i), (iii), (iv) 및 (vii)입니다.

Tridon 식별의 8가지 원칙

(i) 식별은 정보 검토 단계에서 제시된 물품의 특징에 대해 객관적이여야 합니다.

(ii) 물품 식별은 품목분류표에서 채택된 물품명에 의해 조정될 수 없습니다.

(iii) 그럼에도 물품을 식별할 때 품목분류표의 구조, 즉 물품이 분류되는 기준 및 복잡한 분류 작업과 관련될 수 있는 물품의 특성을 인지할 필요가 있습니다.

(iv) 물품을 식별할 때 물품을 거래하는 사람들이 물품을 설명하는 방법에 대한 지식은 일반적으로는 관련이 있지만 반드시 결정적인 것은 아닙니다.

(v) 물품을 공정하게 식별할 수 있는 특정 및 일반적인 모든 설명 용어는 관세율표 내 물품의 품목분류와 관련될 수 있습니다.

(vi) 설명 용어는 특게 정도를 다르게 할 수 있습니다(예: 윈드스크린 와이퍼 블레이드 리필 물품, 윈드스크린 와이퍼용 부분품 또는 자동차용 부분품). 일반적인 설명은 물품이 제조되는 원재료 또는 물질을 참조할 수 있습니다.

(vii) 식별은 물품의 설계 특성 또는 수입 시 물품에 대한 정보로부터 나오는 특징에 적합한 특정 용도에 관한 물품의 묘사로 확장될 것입니다. 이러한 특성이 물품의 최종 품목분류에 적절할지도 모르며 수입 후 해당 물품의 용도에 대한 입증은 품목분류표의 용어에 달려있습니다.

(viii) 개별적으로 식별할 수 있는 구성요소가 있음에도 불구하고 복합물품은 개별 단위의 존재가 조합된 것에 종속된 것이라면 하나의 새로운 실체로 식별할 수 있습니다.

분류의 원칙은 수입자가 물품을 어떻게 사용하려고 하는 것이 아니라 물품이 무엇인지 식별하는 것입니다. 수입 후 물품의 의도된 용도가 아니라 상품의 디자인 및 객관적인 특징이 핵심입니다.

그러나 많은 호와 소호의 용어는 기능 또는 용도로 물품을 설명하며, 트리돈 원칙(vii)에서 언급한 바와 같이 물품의 설계 특징 또는 특정 용도에 대한 적합성 관점은 품목분류에 적절할 수 있습니다. 식별 절차는 물품이 관세율표에서 설명하는 물품의 설계 의도, 적합성, 특정 용도 여부를 결정하기 위해 해당 물품의 속성에 대한 신중한 검토를 요구합니다.

수입 시 물품의 특성과 특징들에 대한 모든 필수적인 사실관계는 품목분류 전에 수입자 또는 대리인으로부터 얻어야 합니다. 청구된 품목분류에 대해 문의하는 경우 증빙 서류를 재무부에 제공하여야 합니다.

3-1. 오일이나 가스 배관용 파이프라인

3-1-1. 문맥과 품목분류표의 구조

관세율표는 호주가 조인한 HS 협약에 근거합니다. HS는 WCO에 의해 개발되었으며 HS 유지는 WCO의 우선 사항입니다.

HS 제도에서 물품의 품목분류에 대한 국제적 통일성을 유지하는 것이 재무부의 정책입니다.

200개 이상 국가 및 경제 주체들이 관세 목적의 근거로써 HS를 이용하고 있습니다. WCO 및 회원국들에게 있어 HS의 주 목적은 주로 국제무역 통계 수집을 위해 통일된 품목분류를 하는 것입니다.

품목분류는 HS를 사용하는 모든 국가에 있어 6단위 수준을 국제적으로 동일하게 하는 것입니다.

1980년대에 WCO는 (1988년부터 발효된) HS 제도를 만들기 위해 이전 시스템(관세협력이사회)에 대해 중요한 재검토를 수행했습니다. 금속의 품목분류 구조는 급진적으로 바뀌었으며 재검토 프로세스는 본 지침의 핵심인 3개 호를 만들었습니다. 즉 제7304호, 제7305호 및 제7306호와 이에 수반되는 소호들입니다. 이 호들은 현행 HS에서 주요한 변화 없이 남아있습니다.

HS 제7조는 "HS의 해석에 대한 지침으로써" 해설서에 대한 준비를 규정하고 있습니다. 이들은 HS해설서(HSENs)로 알려져 있습니다. WCO는 회원국을 위한 HS의 해석에 관한 지침서로써 해설서를 유지하고 있습니다.

3-1-2. 제7304호, 제7305호 및 제7306호의 구조

호의 발췌문은 본 가이드라인 끝에 있습니다.

제7304호, 제7305호 및 제7306호에서, 첫 번째 두 소호들은 오일과 가스 산업용 파이프, 케이싱 및 튜빙(오일이나 가스 배관용 파이프라인 및 유정용이나 가스정용 케이싱·튜빙·드릴파이프)을 위하여 1980년대 재조정시에 추가 되었습니다. 구성의 의도는 소호를 규정하여 고압 장거리 전송용 오일 및 가스 산업에 특정되는 파이프, 케이싱 및 튜빙을 위한 무역 통계를 목표로 하는 것입니다.

이들 호의 파이프를 위한 오직 산업에 특정된 소호들은 오일 및 가스 산업을 위한 것입니다. 다른 소호들은 파이프와 튜빙 등을 사용되는 산업에 관계없이 단면 크기, 제조 공정 또는 용접에 따라 구분합니다. 오일이나 가스 배관용 파이프라인 또는 유정용이나 가스정용 케이싱、튜빙、드릴파이프가 아닌 튜브, 파이프 및 중공 프로파일은 이들 소호에 분류되지 않으며 후 순위 소호에 분류됩니다. 이는 HS 호 해설서에서 확인할 수 있습니다. 이들 HS해설서는 각 호에 포함되는 파이프 유형 예시들을 규정하고 있으며, 각각 예시에서 오일 및 가스 생산용 파이프, 케이싱 및 튜빙은 첫 번째에 나열되어 있고, 다른 용도에 사용되는 파이프들이 개별적으로 뒤에 나열되어 있습니다.

ㅇ 제7304호 해설서

이 호는 다음의 것을 포함한다.

- 기름이나 가스 수송용으로 사용하는 종류의 라인파이프(line pipe)
- 기름이나 가스 시추용으로 사용하는 종류의 케이싱(casing)、튜빙(tubing)과 드릴파이프(drill pipe)
- 보일러、과열기、열교환기、응축기、정련용 로(爐)、발전소용의 급수가열기용에 적합한 관(管)과 파이프

– 고압이나 중압증열기용이나 건물 내의 가스나 물 배관용의 아연도금 관(管)이나 흑관(가스관이라 부른다)은 물론
– 물이나 가스의 가로배관용의 본관용관

이 이외에 다음의 제조용에 사용되는 관
– 자동차용이나 기계용의 부분품
– 볼베어링(ball bearing)、원통형、테이퍼드형(tapered)이나 니들형 베어링용(needle bearing)의 링이나
– 그 밖의 기계용의 링
– 스카폴딩(scaffolding)용 관상의 구조물용이나 건물 건축용의 링

ㅇ 7305호 해설서

이 호는 다음의 것을 포함한다.
– 기름이나 가스 수송용으로 사용하는 종류의 라인파이프
– 유정(油井)이나 가스 정(井)용의 케이싱
– 장거리 급수관용의 관(管)이나 석탄이나 그 밖의 고체 재료용의 슬러리(slurry)용 본관(本管)
– 파일링(piling)용이나 구조물용의 기둥용 관은 물론
– 보통 링(ring)으로 보강된 수력발전용의 도관(conduits)

ㅇ 7306호 해설서

이 호는 다음의 것을 포함한다.
– 기름이나 가스 수송용으로 사용하는 종류의 라인 파이프(line pipe)
– 기름이나 가스 시추용으로 사용하는 종류의 케이싱(casing)과 튜빙(tubing)
– 보일러、과열기、열교환기、응축기、발전소용의 급수가열기용에 적합한 관(管 : tubes、pipes)
– 고압이나 중압 증기용이나 건물 내의 물 배관용의 아연도금 관(管 : tubes、pipes)이나 흑관(black tubes : 가스관이라 부른다)은 물론
– 물이나 가스의 가로배관용의 본관용 관

이 이외에 관(管)과 중공(中空) 프로파일(profile)
– 자동차용이나 기계용의 부분품, 자전거용 프레임, 프램(pram)의 제조용이나

– 그 밖의 구조물용, 스카폴딩용(scaffolding)이나 관(管) 모양의 구조물이나 건물 건축용의 부분품 제조용
– "오픈 심(open seam)" 관(管)은 예를 들면, 금속가구용 프레임으로 사용한다.

3-1-3. 오일 또는 가스 파이프라인

이들 소호의 맥락에서, 재무부의 입장은 다음과 같다.

– 'Oil or gas'는 천연가스 및 메탄과 같은 석유 오일 또는 연료 가스를 의미합니다.

– 'pipelines'는 고압 장거리 전송 파이프라인을 의미합니다.

맥커리 사전 정의 (https://www.macquariedictionary.com.au):
pipeline
명사 1. 석유, 석유제품, 천연가스 등의 수송용 도관을 형성하는 한 개의 파이프 또는 몇 개의 파이프 조합

옥스퍼드 사전 정의 (https://en.oxforddictionaries.com):
pipeline
1. 오일, 가스 등을 장거리 운반하기 위해 일반적으로 지하에 매설하는 긴 파이프

그러므로, 재무부 의견은 관련 소호들의 라인 파이프는 천연가스 및 메탄과 같은 고압 장거리 석유 오일 또는 연료 가스용의 것. 오직 전송용 파이프라인들만 이라는 것입니다. (저압은 장거리 전송용에 사용되지 않는다는 것에 주목)

이 소호들은 예를 들면, 석유 생산 및 처리 공장, 가스 제조 공장, 탱크 농장 및 가스 분배 시스템에서 사용하는 파이프를 포함하지 않습니다.

3-2. 오일 또는 가스 파이프라인용 파이프의 확인

3-2-1. Of a kind used for

'of a kind used for'는 관세율표에서 자주 볼 수 있으며, 일반적으로 법 규정에 사용됩니다. 연방 법원은 이 용어의 해석에 관하여 몇 가지 결정들을 만들어 왔습니다.

'of a kind used for'는 보통 특색있는 물품의 종류, 범주 또는 속(genus,屬)을 말합니다. 이 용어는 먼저 실체가 확인되는 설명으로 망라되는 물품의 속(genus), 종류 또는 유형을 필요로 합니다.

이 경우에, 종류(class or genus)는 사용(오일 또는 가스의 전송에 사용되는 종류의 것)에 의해

결정됩니다. 관세율표상 많은 호와 소호는 물품을 설명함에 있어 'used for' 또는 '이와 유사한(or similar)'를 포함합니다. 트리돈 원칙 (vii)에서 행정심판원(AAT)이 말한 대로, 특정 용도에 대한 물품의 설계 및 적합성은 관세율표 용어에 따라 관련이 있습니다.

종류(class or genus)는 오일 또는 가스 파이프라인을 위해 사용되는 라인 파이프입니다. 즉, 고압 장거리 석유 오일 및 가스 전송용 파이프라인입니다. 이것은 파이프에 특정되고 특화된 종류입니다. 이러한 파이프에 모든 면에서 동일한 파이프 및 이러한 사용을 위한 용도에 적합한 파이프는 비록 그렇게 사용되도록 의도되지 않았다 하더라도 이러한 종류(class or genus)의 부류이며 동일한 라인 파이프 소호들에 분류해야 합니다.

동일한 제품이 아닌 파이프 및 이러한 사용을 위한 용도에 적합하지 않은 파이프는 이러한 종류(class or genus)의 부류가 아니며, 라인 파이프 소호에 분류될 수 없습니다.

오일 또는 가스 전송 파이프라인용 라인 파이프는 고강도 카본 스틸로 구성되고 오일 또는 가스 전송에 사용하기 적합한 표준 규격으로 제조되어야 합니다. 이것은 이런 종류의 파이프에 있어서 중요한 전제조건입니다. 라인 파이프가 오일 또는 가스 파이프라인용으로 사용되든지 또는 다른 목적으로 사용되든지, 라인파이프는 이러한 파이프 종류임이 확인되도록 오일 또는 가스 라인파이프용 기준에 맞게 제작되어야만 합니다. 증명서와 같은 입증자료로 수송 용도의 라인 파이프를 구체적으로 확인하여야 합니다.

3-2-2. 적절한 표준

호주의 표준은 "AS 2885 - 파이프라인 - 가스 및 액화 석유"입니다. 가장 일반적으로 사용되는 국제 표준은 미국 석유협회의 API 규격 5L, 라인 라이프용 규격입니다. API 규격 5L의 46번째 개정판이 최근에 발간되었습니다. 국제표준기구(ISO) 동등 규격은 ISO 3183입니다. 수송 파이프라인이 고압하에 액체를 운반하기 때문에 표준 규격은 스틸의 질, 용접 및 벽 두께 등을 구체적으로 명시합니다. 수입 물품인 파이프가 고압 장거리 전송 파이프라인에 사용되는 라인 파이프용의 국제 표준 또는 규격을 준수한다는 주장은 자료에 의하여 확인되어야 합니다.

호주에서 파이프라인으로 사용하기 위해 AS 2885는 API 5L 또는 ISO 3183 규격으로 만들어진 라인 파이프는 '필수적이나 충분하지 않다'라고 말합니다. 호주에서 사용을 위해서는 추가 테스트가 필요하기 때문입니다. 그러므로 호주에서 파이프라인으로 사용하기 위해 수입되는 라인 파이프는 AS 2885를 충족해야 합니다. 그러나 품목분류 목적상 국제 기준의 하나로 만들어진 라인 파이프는 비록 다른 용도로 수입한다 해도 다른 특징들에 의해 오일 또는 가스 파이프라인용으로 사용되기 부적합하지 않다면 오일 또는 가스 파이프라인용 라인 파이프로써 승인됩니다.

라인 파이프로 입증되기(identified) 위하여 관련 표준에 명시된 대로 정확하게 표기되어야 합니다. API 5L 45차 마킹 규격은 마킹 규격 11장(Section 11 Markings)에 있습니다. 11.2.2 장에 다음이 명시되어 있습니다.

a) 파이프 D ≤ 48, 3mm(1.900 in), 마킹은 다음 위치에 하나 이상에 있을 것:

1) 번들에 고정된 태그

2) 번들을 묶는데 사용되는 스트랩 또는 밴딩 클립

3) 각 파이프의 한쪽 끝

4) 길이를 따라 연속

b) 파이프 D 〉 48, 3mm(1.900 in), 특정 표면이 구매주문서에 구체적으로 명시되지 않았다면, 마킹은 다음과 같아야 합니다.

1) 파이프 양끝의 하나로부터 450mm와 760mm 사이의 한 지점에서 시작하여 11.2.1에서 열거된 순서대로 파이프의 외부 표면에

2) 파이프 양끝의 하나로부터 적어도 150mm 한 지점에서 시작하여 파이프의 내부 표면에

(D = 파이프의 특정 외부 직경, 밀리미터(인치)로 표기)

그 밖의 표준으로 제조된 라인 파이프는 그 표준의 양질과는 무관하게 오일 또는 가스 파이프라인용으로 사용되는 라인 파이프의 종류가 아닙니다. 이런 파이프는 제7304.1호, 제7305.1호 또는 제7306.1호 소호에 분류되지 않으며, 기타 파이프로서 다른 소호에 분류됩니다. 라인 파이프가 오일 또는 가스 파이프라인용 라인 파이프로서 이들 소호 중 하나로 분류되기 위하여 라인 파이프는 다른 용도에 적합한지 여부와 무관하게 오일 또는 가스 전송 파이프라인에 일반적으로 사용되는 것으로 국제적으로 인정되는 표준들의 하나에 맞는 파이프 공장에서 생산되어야 합니다.

위 기준들의 하나에 따르는 것은 만약 이 특정 부류의 파이프에서 일반적으로 발견되지 않는 다른 특징들을 갖는다면 오일 또는 가스 파이프라인용 라인 파이프로서 파이프를 인정하기에 충분하지 않습니다.

– 도포(Coatings)

파이프라인은 대기, 음극 또는 전류 현상에 의한 부식이 쉽게 일어납니다. 안전 목적상, 결함과 이에 따른 누수를 예방하는 특수 에폭시 코팅, 가장 일반적으로 퓨전 본드 에폭시(FBE, fusion bonded epoxy) 또는 3개층 코팅(3PE, three layer coating)을 도포하여 부식 및 녹을 방지합니다.

이것은 수입 시 제시되지 않고 수입 후에 적용될 수도 있습니다. 이러한 도포가 없다고 해서 파이프가 라인 파이프로 분류되지 않는 것은 아닙니다.

그러나 아연도금 파이프는 오일 또는 가스 파이프에 일반적으로 사용되지 않습니다. 아연도금은 파이프를 손상하고 이음 용접을 저해합니다. 그러므로, 아연도금 파이프는 오일 또는 가스 파이프라인에 사용되는 라인 파이프가 아니며 또한 오일 또는 가스 파이프라인에 사용되는 종류의 것도 아닙니다.

아연도금 파이프는 제조표준에 관계없이 오일 또는 가스 파이프라인에 사용되는 종류의 라인 파이프로써 분류할 수 없습니다. 이는 미국의 결정사례 HQ954256에서도 확인되며, 이에 동의합니다.

HQ 954256 (일부 발췌)

FACTS:

As described in your August 18, 1992, ruling request, the pipe in issue is welded, nonalloy steel pipe in various lengths, typically 21 feet, having outside diameters ranging from 0.5 inch to 4 inches. The inquiry covered both zinc coated or galvanized pipe and uncoated or "black" pipe. (아연 코팅 또는 아연 도금 파이프와 코팅되지 않거나 "검은색" 파이프) Both types were said to be certified by the manufacturers as pipe satisfying the API-5L technical specification regarding pressure and burst limitations. Galvanizing of this pipe is said to be for purposes of corrosion resistance.

You stated that pipe conforming to the API-5L specification is intended to accommodate the high pressures and adverse chemical environments associated with movement by pipe of volatile petrochemical products. As such, you proposed that both types be classified under the provision for tubes, pipes and hollow profiles of iron or steel, line pipe of a kind used for oil or gas pipelines, in subheading 7306.10.10, Harmonized Tariff Schedule of the United States (HTSUS).

ISSUE:

Whether nonalloy steel pipe that has been galvanized belongs to a class or kind of pipe that is principally used for oil or gas pipelines. (아연 도금된 비합금 강관이 오일 또는 가스 파이프라인의 종류에 포함되는지 여부)

LAW AND ANALYSIS:

The language in subheading 7306.10 "of a kind used for" explicitly invokes use as a criteria for classification and in such cases principal use is controlling. Group Italglass U.S.A., Inc. v. United States, Slip Op. 93-46, decided March 29, 1993. For tariff purposes, principal use is that use which exceeds any other single use of the goods. HQ 954370, dated September 1, 1993.

Technical information available to us indicates that for both environmental and safety reasons it is not common practice to galvanize pipe used in oil or gas pipelines. Metallurgically, there are elements in the soil that tend to attack zinc and would therefore compromise its anti- corrosive qualities. Similarly, petroleum products are high in sulfur which attacks zinc, thus contaminating the petroleum and corroding the inside of the pipe. Mechanically, most oil and gas line pipe is welded end-to-end and galvanized pipe cannot be effectively welded, as the presence of zinc weakens the weld and may cause the weld point to rust. Likewise, for safety reasons it is not common practice to coat line pipe with zinc as zinc conducts electricity and would therefore attract stray underground electrical charges. In addition, heat generated by the welding process tends to vaporize the zinc which may prove hazardous to the welder.

기술 정보에 따르면 환경 및 안전을 이유로 아연도금 하는 것은 일반적이지 않습니다. 토양에는 아연을 공격하는 경향이 있어 부식 방지 특성을 손상시키는 요소가 있습니다. 유사하게, 석유 제품은 아연을 공격하는 황 함량이 높아 석유를 오염시키고 파이프 내부를 부식시킵니다. 기계적으로 대부분의 오일 및 가스 파이프는 끝과 끝이 용접하는데 아연도금 파이프는 효과적으로 용접할 수 없습니다. 아연은 용접을 약화시키고 용접 지점을 녹슬게 하기 때문입니다. 마찬가지로, 안전상의 이유로 아연이 전기를 전도하기 때문에 라인파이프를 아연 코팅하는 것은 일반적이지 않습니다.

For these and other reasons, we are of the opinion that the galvanized AP1-5L steel line pipe in issue does not belong to that class or kind of pipe principally used for oil or gas pipelines.

- 파이프 길이

오일 또는 가스 파이프라인용 라인 파이프는 파이프 결합을 위한 용접 부분을 최소화하기 위하여 12미터(40피트) 길이('더블 랜덤'으로 불림) 또는 그 이상의 길이(예; 트리플 랜덤)로 공급됩니다. API 5L의 부속서 I 의 Ⅰ.4장에서 "만약 달리 합의되지 않는다면, TFL 파이프는 결합부위 없이 12미터(40피트) 랜덤 길이로 제공될 것입니다. TFL은 'through the flowline'을 말합니다. 40피트 파이프용 '랜덤' 길이는 37.5피트와 42.5피트 사이에 제공되는 파이프의 평균 길이를 의미

합니다. 오일 또는 가스 파이프라인용 라인 파이프로 확인하기 위하여 파이프는 비록 API 5L과 같은 라인 파이프 표준대로 제작되었다 하더라도 오일 또는 가스 전송 파이프라인에 일반적으로 사용되는 길이의 것 이여야 합니다. 오일 또는 가스 파이프라인용에 일반적으로 사용되는 것보다 짧은 길이의 라인 파이프 수입 물품은 그렇게 사용되는 종류의 것이 아니며 기타 파이프로 분류됩니다.

제조 과정에서 짧은 길이 컷 오프 라인 파이프(off-cuts)임이 주장되는 파이프는 오일 또는 가스 파이프라인용 라인 파이프가 아닙니다. off-cut 이라는 사실 자체로 라인 파이프가 아니라는 것을 증명합니다. 이들 짧은 길이의 파이프는 오일 또는 가스 파이프라인용 라인 파이프로서 사용하기에 적합하거나 유사하지 않으며 기타 파이프로써 분류되어야 합니다.

3-3. 7304.1, 7305.1 및 7306.1 소호에 파이프라인 분류

관세법 Section 7(1)은 물품이 관세율표 별표 2(Schedule 2 of the Tariff)에 제시된 통칙에 따라 별표 3((Schedule 3)에 분류할 수 있음을 규정하고 있습니다. 나머지 통칙에 따라 이러한 호 또는 주가 달리 요구되지 않는다면 통칙 1은 품목분류가 이 표의 호의 용어와 관련 부 또는 류의 주에 따라 결정되고 있음을 규정하고 있습니다.

물품은 관련 호의 용어에 따라 우선 설명되어야 합니다.

본 가이드에 근거하여, 재무부의 입장은 '오일 또는 가스 파이프라인용 라인 파이프'라는 용어를 가진 소호에 대한 스틸 파이프(강관)의 품목분류는 다음의 파이프에 따라 달라진다는 것입니다.

- 라인 파이프 및
- 오일 또는 가스 파이프라인용

즉, 파이프는 다음과 같아야 합니다.

- 오일 또는 가스 파이프라인 산업에서 이해되는 라인 파이프. 그리고
- 고압 장거리 석유 오일 또는 천연가스 같은 연료 가스 전송 파이프라인을 위한 사용 또는
- 고압 장거리 석유 오일 또는 천연가스 같은 연료 가스용 전송 파이프라인에 사용되는 파이프와 동일한 종류의 것

그러므로, 소호는 수입자 또는 제품의 최종 사용자가 의도하는 용도에 관계없이 오일 또는 가스 파이프라인에 사용되는 라인 파이프 및 또한 오일 또는 가스 파이프라인에 사용되는 것과 같은 종류의 라인 파이프를 포함합니다.

AAS 2885 또는 PI 5L과 같은 알맞은 오일 또는 가스 파이프라인 기준 또는 오일 및 가스 파이프라인 기준을 포함하는 다양한 기준들(다양한 활용에 사용되기 위한)에 맞게 제조된 라인 파이프는 이들 소호에 분류됩니다. 다만 오일 또는 가스 파이프라인에 사용하기 부적합한 다른 특징들(예; 일부 코팅 또는 아연 도금)이 없어야 합니다.

라인 파이프가 오일 및 가스 파이프라인용 라인 파이프에 대한 인정된 국제 기준에 맞게 제조되지 않았다면 이들 소호에 분류되지 않아야 합니다.

중공구조강(HSS, Hollow structural steel)은 오일 또는 가스 파이프라인용 라인 파이프와 모든 면에서 같지 않다면 이들 소호에 분류되지 않습니다.

수입자가 제품이 오일 또는 가스 파이프라인용이라는 증빙을 제시하지 않는다면 파이프를 이들 소호에 분류할 수 없습니다. 이 경우에 파이프는 기타 파이프로 적절한 호에 분류되어야 합니다.

재고 목적으로 스틸 파이프를 수입하는 수입업자의 경우에 있어서, 고객에 의한 "최종 사용(End use)"은 고객이 오일 및 가스 파이프라인에 파이프를 사용하기 위해 수입하는 경우 또는 고객들이 오일 또는 가스 파이프라인용으로 정확히 동일한 파이프를 사용하는 경우에만 관련이 있습니다. 만약 수입자가 이러한 경우에 대한 서류를 가지고 있다면, 파이프가 오일 또는 가스 파이프라인용 라인 파이프로 분류될 수 있음이 명백합니다.

라인 파이프의 개별 운송은 해당 운송에 대해 호주국경청(Australian Border Force)에 제출된 시험성적서와 직접 연동할 수 있어야 합니다. 특정 오일 또는 가스 파이프라인에 실제 사용하기 위해 수입되는 라인 파이프는 이들 소호에 정확하게 분류됨을 설명하기 위해 파이프라인 생산자와의 계약서 및 위에서 언급한 개요 표준들과 같은 충분한 서류가 있어야 합니다. 상품에 대한 특성들에 관한 모든 필수 사실들은 물품 분류 및 확인 전에 구비 해야 합니다. 주장하는 품목분류에 의문이 있는 경우 지정 서류들을 재무부에 제출하여야 합니다.

오일 또는 가스 파이프라인 이외에 최종 사용을 위해 수입되는 라인 파이프의 경우와 수입자가 상품이 이들 소호에 분류됨을 주장하는 경우 품목분류에 관한 수입자의 주장은 해당 서류 및 자료로 증빙해야 합니다. 수입자는 요청 시 서류와 증빙 자료를 재무부에 제출해야 합니다.

첨부 A

Headings 7304, 7305 and 7306

Heading 7304

7304 TUBES, PIPES AND HOLLOW PROFILES, SEAMLESS, OF IRON (OTHER THAN CAST IRON) OR STEEL:

7304.1 - Line pipe of a kind used for oil or gas pipelines:
7304.11.00 - - Of stainless steel
7304.19.00 - - Other
7304.2 - Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:
7304.22.00 - - Drill pipe of stainless steel
7304.23.00 - - Other drill pipe
7304.24.00 - - Other, of stainless steel
7304.29.00 - - Other
7304.3 - Other, of circular cross-section, of iron or non-alloy steel:
7304.31.00 - - Cold-drawn or cold-rolled (cold-reduced)
7304.39.00 - - Other
7304.4 - Other, of circular cross-section, of stainless steel:
7304.41.00 - - Cold-drawn or cold-rolled (cold-reduced)
7304.49.00 - - Other
7304.5 - Other, of circular cross-section, of other alloy steel:
7304.51.00 - - Cold-drawn or cold-rolled (cold-reduced)
7304.59.00 - - Other
7304.90.00 - Other

Heading 7305

7305 OTHER TUBES AND PIPES (FOR EXAMPLE, WELDED, RIVETED OR SIMILARLY CLOSED), HAVING CIRCULAR CROSS-SECTIONS, THE EXTERNAL DIAMETER OF WHICH EXCEEDS 406.4 MM, OF IRON OR STEEL:

7305.1 – Line pipe of a kind used for oil or gas pipelines
7305.11.00 – – Longitudinally submerged arc welded
7305.12.00 – – Other, longitudinally welded
7305.19.00 – – Other
7305.20.00 – Casing of a kind used in drilling for oil or gas
7305.3 – Other, welded:
7305.31.00 – – Longitudinally welded
7305.39.00 – – Other
7305.90.00 – Other

Heading 7306

7306 OTHER TUBES, PIPES AND HOLLOW PROFILES (FOR EXAMPLE, OPEN SEAM OR WELDED, RIVETED OR SIMILARLY CLOSED), OF IRON OR STEEL:

7306.1 – Line pipe of a kind used for oil or gas pipelines
7306.11.00 – – Welded, of stainless steel
7306.19.00 – – Other
7306.2 – Casing and tubing of a kind used in drilling for oil or gas:
7306.21.00 – – Welded, of stainless steel
7306.29.00 – – Other
7306.30.00 – Other, welded, of circular cross-section, of iron or non-alloy steel
7306.40.00 – Other, welded, of circular cross-section, of stainless steel
7306.50.00 – Other, welded, of circular cross-section, of other alloy steel
7306.6 – Other, welded, of non-circular cross-section:
7306.61.00 – – Of square or rectangular cross-section
7306.69.00 – – Of other non-circular cross-section
7306.90.00 – – Other

품목분류 동향 (Trend)

WCO 사무국 분류 의견서

결정세번	제품설명 및 사무국편지내용
7304.10 7306.10	ㅇ 제품설명 CRITERIA TO BE USED FOR DISTINGUISHING BETWEEN TUBES, PIPES AND HOLLOW PROFILES USED AS LINE PIPES FOR OIL OR GAS PIPELINES OF SUBHEADINGS 7304.10 AND 7306.10 AND TUBES, PIPES AND HOLLOW PROFILES FOR OTHER PURPOSES SUCH AS THE END DISSEMINATION OF GAS OR OIL INTO OR WITHIN BUILDINGS (제7304.10호와 제7306.10호의 오일이나 가스용 파이프라인 관과 빌딩에서 오일이나 가스를 공급하는 기타 목적을 위해 사용되는 관을 구별하는 기준) ㅇ 사무국편지내용 This is with reference to your letter of 10 January 2006, seeking guidance vis–à–vis the classification in the Harmonized System (HS) of line pipes of a kind used for oil or gas pipelines of subheadings 7304.10 and 7306.10, respectively. In particular, you would like to know whether there is a criterion in order to distinguish between tubes, pipes and hollow profiles used as line pipes for oil or gas pipelines of subheadings 7304.10 and 7306.10 and tubes, pipes and hollow profiles for other purposes such as the end dissemination of gas or oil into or within buildings. The Secretariat would like to point out that the Subheading Explanatory Note for subheading 7304.10 stipulates that all such articles irrespective of the standards or technical specifications which they meet (e.g., American Petroleum Institute (API) standards 5L or 5LU for line pipes) are covered by that subheading. It is the Secretariat's understanding that these standards refer to pipes used in the transport of oil or gas and not in the distribution. (제7304.10호 소호 해설을 고려하면, 미국석유협회의 라인파이프에 대한 표준규격 또는 공업규격은 오일이나 가스의 수송용 파이프를 의미) There are no other specific criteria to distinguish the above–mentioned products, such as high pressure or low pressure type of pipes, though this might be inherent on the intended use (i.e., for transport or for distribution). That being said, the Secretariat would be happy to give its view on the HS classification of a specific product, once it has received a complete description.

국내 분류사례

결정세번	품명	물품설명 및 결정사유	이미지
7306.40-2000 2022년 3회 품목분류 위원회 결정	Pre-Insulated Tube (Stainless Steel 304 Welded)	○ 개요 – 스테인리스 용접관*을 보온재(유리섬유), 열반사 테이프(알루미늄) 및 난연 자켓(PVC)으로 감싼 물품 * 스테인리스 플레이트를 성형, 용접, 인발 공정으로 제조한 용접관(외경 12.7mm) – 용도 : 스팀(증기) 이송용 (석유화학플랜트 등) ○ 결정사유 – 본건 물품은 스팀을 이송하는 스테인리스 재질의 용접관으로 외부를 보온재 등으로 보강하였으나 본질적인 특성은 '스테인리스 관'에 있고, · 용도를 고려해 보면, 본건 물품은 스팀의 온도를 유지하면서 이송하기 위해 제작된 것으로 외경이 12.7mm에 불과하여 오일이나 가스를 수송하기 위한 파이프 라인으로 볼 수 없으며, · 소호 제7306.1호의 '오일이나 가스'는, 석유 또는 천연가스와 같은 '연료'로 보는 것이 타당하므로 본건 물품과 같이 증기를 수송 또는 분배(distribution)하는 관은 '그 밖의 관'으로 분류함이 타당함	 < 물품 이미지 >
7306.40-2000	Pipe of stainless steel;THIN STAINLESS PIPE SPLT 2-100	○ 개요 – 용접하여 봉합한 것으로 횡단면이 원형인 스테인레스강(SUS304)으로 만든 관 – 용도 : 히터, 배관용 파이프, 주입용 노즐, 안테나 등 ○ 결정사유 – 용접하여 봉합한 것으로 횡단면이 원형인 스테인레스강 으로 만든 관(바깥지름이 114.3 밀리미터 이하인 것)	

해외 분류사례

결정세번 국가	물품설명
7306.30.5055 7306.30.5090 New York	The product under consideration is described as nonalloy Electric Resistance Welded (ERW) pipe. **(비합금 전기저항 용접관)** You state that the ERW pipe is made to both ASTM A53, the standard specification for Pipe, Steel, Black and Hot–Dipped, Zinc–Coated, Welded and Seamless and ASTM A500, the standard specification for Cold–Formed Welded and Seamless Carbon Steel Structural Tubing in Rounds and Shapes. The pipe has outside diameters ranging from 3.5 inches (88.89 mm) to 10.75 inches (273.05 mm) and wall thicknesses ranging from .188 inch (4.77 mm) to .365 inch (9.7 mm). It will have beveled or plain ends and will either be varnished (non–metallic coating) or not coated (bare). In your letter, you indicate that the pipe made to ASTM A53 will be used in pressure applications (steam, water, gas, air) while the pipe made to ASTM A500 will be used for signs and structures. **(ASTM A53은 압력관련(증기, 물, 가스, 공기)에 사용되고, ASTM A500은 표지판이나 구조물용으로 사용됨)** The applicable subheading for the nonalloy ERW pipe made to either ASTM A53 or A500 and having a wall thickness of 114.3 mm or less will be 7306.30.5055, Harmonized Tariff Schedule of the United States (HTSUS), which provides for other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel, other, welded, of circular cross section, of iron or nonalloy steel, having a wall thickness of 1.65 mm or more, other, other, with an outside diameter not exceeding 114.3 mm, other, other. The rate of duty will be free. The applicable subheading for the nonalloy ERW pipe made to either ASTM A53 or A500 and having a wall thickness more than 114.3 mm will be 7306.30.5090, HTSUS, which provides for other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel, other, welded, of circular cross section, of iron or nonalloy steel, having a wall thickness of 1.65 mm or more, other, other, with an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm, other. The rate of duty will be free.

호주 품목분류 가이드
(원문)

- Classifying Cases or Covers for Small Portable Electronic Devices and Similar Goods
- Classifying Functional Units
- Classifying Incomplete Vehicles
- Identifying tractors of 8701
- The Meaning of Household and Domestic
- Tariff Classification Guide on Line Pipe of a Kind Used for Oil or Gas Pipelines

Australian Government
Department of Immigration and Border Protection

Classifying Cases or Covers for Small Portable Electronic Devices and Similar Goods

The Department of Immigration and Border Protection's Tariff Classification Guide on the classification of cases or covers for small portable electronic devices and similar goods

NOTICE:

This publication is intended to provide guidance and information to the trade community. It reflects the position on, or interpretation of, the applicable laws or regulations by the Department of Immigration and Border Protection as of the date of publication, which is shown on the front cover. It does not in any way replace or supersede those laws or regulations. Only the latest official version of the laws or regulations is authoritative.

Published August 2015

Table of Contents

Introduction 3

What goods are covered by this guide? 3

What goods are not covered by this guide? 3

Classification 4

Where do we classify the goods? 4

Of a kind normally carried in the pocket or in the handbag 4

Not of a kind normally carried in the pocket or in the handbag 4

Classification Questions 5

Why are they 'similar containers'? 5

Are they parts or accessories? 5

What about the materials the goods are made of? 6

What about parts & accessory headings like 8473 or 8522? 8

How do you determine subheading classification? 9

What if I'm still uncertain about my goods? 9

Change record 9

Introduction

What goods are covered by this guide?

This Tariff Classification Guide seeks to provide clarification of the Department of Immigration and Border Protection's approach to the tariff classification of cases (also called covers or skins) for portable electronic devices[1].

Cases for portable electronic devices refers to removable cases or covers (also known as 'skins'), not being integral cases and covers. They are shaped and/or fitted for use with particular models or types of small portable electronic devices, being:

- shaped cases or covers that completely encase a device and from which the device would normally be removed to access the device; or
- shaped cases or covers that partially encase the device in such a way that the device is secured in the case or cover. However, the case or cover has one or more permanent openings that allow the user to operate the device while it remains secured in the case or cover.

These cases and covers are intended for use when the device is carried on the person or by a person (whether in pockets of apparel, in handbags, briefcases or the like, attached to belts or by any other like means) in order for the device to be accessible during the normal course of a person's day.

They may be decorative and may have designs and colours to make them attractive to certain age groups. However, the primary function of the cases and covers is to hold and protect the device.

What goods are not covered by this guide?

This guide does not cover any of the following.

- Pouches, boxes or cases that are not specifically shaped to contain a particular portable electronic device or a particular type of such devices.
- Cases and covers that form part of the actual device. This guide is only concerned with after-market cases and covers.
- Cases and covers, which would otherwise fall within the scope of this guide, are not included if presented with the relevant device.

[1] 'Portable electronic devices' in this document refers to small devices such as smart-phones and mobile phones, tablet computers, digital cameras, digital media players and the like.

Classification

Where do we classify the goods?

The goods covered by this guide are classified to heading 4202 as "similar containers". Classification within heading 4202 is dependent upon the characteristics of the cases, covers and skins.

Of a kind normally carried in the pocket or in the handbag

This includes covers etc. for mobile phones, handheld media players and other small devices that are commonly carried in pockets or handbags.

Classification for covers, cases, skins etc. will fall into one of the following subheadings dependent upon what material the outer surface is made of.

4202.31.90 where the outer surface is of leather or of composition leather

4202.32.90 where the outer surface is of plastic sheeting of or textile materials

4202.39.00 where the outer surface is of other materials

Not of a kind normally carried in the pocket or in the handbag

This includes covers etc. for larger and/or heavier devices such as laptops which are not normally carried in pockets or handbags.

Classification for covers, cases, skins etc. will fall into one of the following subheadings dependent upon what material the outer surface is made of.

4202.91.90 where the outer surface is of leather or of composition leather

4202.92.90 where the outer surface is of plastic sheeting of or textile materials

4202.99.00 where the outer surface is of other materials.

Classification Questions

Why are they 'similar containers'?

4202 covers a wide range of cases and containers (suitcases, handbags, camera cases, jewellery boxes etc.). The common denominator is that the primary purpose of goods in 4202 is to contain other goods within their confines. This containment also fulfils other purposes. Containing the goods protects the goods inside and makes them more easily carried. It also can provide a more attractive or discrete appearance to the goods than either the bare goods or the retail container provides (e.g. cigarette cases). The primary role however is still containing the goods.


The primary purpose of the cases, covers and skins that this guide covers is to contain portable electronic devices. They hold and protect these devices from various environmental hazards (e.g. dust, fingerprints, water, knocks, etc.) while the devices are being carried, stored and, in some instances, while they are being used. The goods may have additional purposes, for example advertising or improving the appearance of the device, but containing the devices is their primary purpose. They are similar containers to those of 4202

We also considered whether a case or cover that only partially encases a device, particularly when the front of the good held is mostly exposed, was also a container.

Partially encasing cases and covers are those goods that are:

- shaped cases or covers that partially encase the device in such a way that the device is secured in the case or cover, but there are one or more permanent openings that allow the device to be operated while remaining secured.

In order to meet this definition the cases or covers must be able to secure the devices within the limits of the case. These drawings illustrate front views of two examples of case types which leave the front of the device largely uncovered yet still hold it secured. (Cover shown in red)



We do consider these types of cases or covers to be containers. They hold their contents within the fixed limits of the case or cover. Even with extensive openings, the goods are still 'contained' within the bounds of the case or cover.

This still leaves the question of whether they are similar containers of 4202. The types of containers named in 4202 includes containers that completely enclose the goods such as suitcases; containers that may have open tops such as handbags and shopping bags; and containers, which may not, or do not, completely cover the goods, such as holsters. Based on the range of goods covered, we determined that the goods of 4202 may have permanent openings through which the other goods contained within could be accessed or even used. The two questions to be answered would be:

(a) whether or not they were primarily containers (that is, their primary purpose was to contain other goods), and

(b) were they either a type of container named or a similar container to those named.

Are they parts or accessories?

The goods are not identifiable as parts. The device is complete without the case or cover.

The cases and covers do not contribute to the performance of the functions of the equipment that they will hold, nor do they add to the functions the device performs. The goods may however provide a subjective improvement of appearance of the device and may contribute to improved portability.

There is a potential to regard these goods as accessories - although as always it would require consideration of the particular good.

What about the materials the goods are made of?

There are two parts to the terms of 4202 which both include a list of goods followed by 'and similar containers'.

> Trunks, suit-cases, vanity-cases, executive-cases, brief-cases, school satchels, spectacle cases, binocular cases, camera cases, musical instrument cases, gun cases, holsters **and similar containers:**
>
> Travelling-bags, insulated food or beverages bags, toilet bags, rucksacks, handbags, shopping bags, wallets, purses, map-cases, cigarette-cases, tobacco-pouches, tool bags, sports bags, bottle-cases, jewellery boxes, powder-boxes, cutlery cases **and similar containers**, of leather or of composition leather, of sheeting of plastics, of textile materials, of vulcanised fibre or of paperboard, or wholly or mainly covered with such materials or with paper.

The second part is restricted to containers of various materials. We need to determine which 'similar containers' refers to these goods to work out if the materials limitations apply.

Both parts begin with containers that carry a range of goods and follow these with containers for specific types of goods.

Part 1

> TRUNKS, SUIT-CASES, VANITY-CASES, EXECUTIVE-CASES, BRIEF-CASES, SCHOOL SATCHELS
>
> SPECTACLE CASES, BINOCULAR CASES, CAMERA CASES, MUSICAL INSTRUMENT CASES, GUN CASES, HOLSTERS

The HSEN also provides examples of "similar containers" for Part 1.

Subject to Notes 1 and 2 to this Chapter, the articles covered by the first part of the heading may be of any material. The expression "similar containers" in the first part includes hat boxes, camera accessory cases, cartridge pouches, sheaths for hunting or camping knives, portable tool boxes or cases, specially shaped or internally fitted to contain particular tools with or without their accessories, etc.

In Part 1, the "good specific" containers share some common characteristics.

- There is usually a one-to-one relationship between the case and its intended contents.

  Example: people normally use a violin case for one specific violin. It would be uncommon to own one case and multiple violins or multiple cases for one violin.

- The containers are normally sized and shaped to the make or model of goods which they are intended to contain, or to a relatively narrow group of the class of goods (e.g. 16.5 cm brim hat boxes) and may have internal fittings for the goods.

  Example: camera cases are made to hold a specific type or model of camera.

- There is normally a similar longevity between the container and the good it is intended to contain.

  Example: binocular cases are generally used for the lifetime of the binoculars.

Part 2

> TRAVELLING-BAGS, INSULATED FOOD OR BEVERAGES BAGS, TOILET BAGS, RUCKSACKS, HANDBAGS, SHOPPING BAGS, WALLETS, PURSES
>
> MAP-CASES, CIGARETTE-CASES, TOBACCO-POUCHES, TOOL BAGS, SPORTS BAGS, BOTTLE-CASES, JEWELLERY BOXES, POWDER-BOXES, CUTLERY CASES

The HSEN also provides examples of "similar containers" for Part 2.

The expression "similar containers" in this second part includes note-cases, writing-cases, pen-cases, ticket-cases, needle-cases, key-cases, cigar-cases, pipe-cases, tool and jewellery rolls, shoe-cases, brush-cases, etc.

In Part 2, the good specific containers also share some common characteristics.

- These containers are designed for holding consumables, and hence will be refilled or are designed to hold variable goods over time.

  Example: over the years that a tool bag is in use, the tools carried will usually vary as the owner obtains, discards or replaces tools.

- While they are often sized and shaped for the type of goods they are intended to contain and may also have internal fittings, they are generally not specific to a particular make or model.

  Examples: a jewellery box will normally hold a variety of jewellery types (rings, necklaces, earrings etc.) rather than specific pieces. A writing case holds stationary that will be replaced as used.

- The longevity of the container is not directly related to the goods it contains and may be significantly longer or shorter.

  Examples: tobacco pouches will be refilled multiple times and would be expected to outlast any particular fill of tobacco, while a jewellery box may have a longer or shorter lifespan as the jewellery dependent on the relative quality.

An example that is helpful in showing the distinction between the two parts, is the variable treatment of tool containers.

- Tool bags simply carry tools – with no limitation except those imposed by the size and strength of the bag. These are in the terms of the *second part* of the heading.
- The HSEN uses portable tool boxes/cases specially shaped or internally fitted to contain particular tools as examples of similar containers to those of the *first part*.

The following is a summary of how we determine which 'similar containers' of Heading 4202 may apply.

- In 4202, 'similar containers' *can* include containers that are specifically made for a type or class of goods. Whether these containers are covered as "similar containers" in either the first part or the second part is determined as follows.

  A. Those containers that:

     - are normally intended to have long-term relationship between the case and its intended contents, **and**
     - are designed, whether by shaping, sizing or internal fittings, for either:
       - a specific instance of that type or class of goods, that is for a specific model, **or**
       - for a clearly definable subset of the class of goods, for example a specific make or a specific size range,

     are prima facie classifiable in the first part of the heading. This applies regardless of the material of which they are made.

  B. Those containers that:

     - are designed, whether by shaping, sizing or internal fittings, for use with a type or class of goods, but which are not specific to any particular model of such goods or any clearly definable subset of such goods, **and**
     - which do not normally have a fixed relationship between the case and particular contents, **and**
     - which are made of materials allowable in the second part of the heading,

     are prima facie classifiable in the second part of the heading.

As the type of cases and covers this guide covers are designed for specific devices and are generally intended to be used on a long-term, one-to-one basis with a device, they are "similar containers" of the first part and are not restricted to the materials mentioned in the heading. They

are still subject to restrictions imposed by the Notes (e.g. they cannot be made of netting Chapter 44 Note 2(c)).

What about parts & accessory headings like 8473 or 8522?

The cases and covers of this guide are not parts. The devices are complete without after-market cases or covers. The question of whether a good is an accessory or not, is an issue that has posed considerable difficulty. In this case, they do not improve the functioning of the devices nor do they add functionality. They do however protect the devices and may be considered to improve the appearance, so a case can be made that they are accessories, albeit it one that may be open to debate. Therefore, we can conclude that some of these goods might be identifiable as accessories.

Simply because a good may be identifiable as an accessory, does not automatically direct it to a heading which mentions accessories. Good must be classified according to Schedule 2 of the *Customs Tariff Act 1995,* which gives the "General Rules for the Interpretation of Schedule 3" or the 'IRs'.

- Covers, cases and skins, for goods classified to heading 8471, are classified to heading 4202 by application of IR 1. The relevant heading for accessories (8473) excludes covers, cases and the like.
- Covers, cases and skins, for goods classified to heading 8517, are classified to heading 4202 by application of IR 1. There is no heading for parts and accessories for these goods and no legal note directing classification of accessories. This also applies to cases for goods of heading 8518 – headphones etc.
- If the good is an accessory of 8522 (accessories to goods of 8519 and 8521) then both headings 4202 and 8522 can cover the entire good. IR 3(a) specifies that under such circumstances, the "heading which provides the most specific description shall be preferred to headings providing a more general description".

  a) Heading 4202 covers goods that are containers. While the phrase 'and similar containers' may not on first consideration appear a very specific description, the goods-specific containers described in the first part of the heading, including those covered by 'similar containers', are a relatively narrow group of containers. They are distinguishable from those of the second part of 4202 and from other headings, which may cover containers.

  b) Heading 8522 covers goods that are accessories for goods of 8519 or 8521. The range of goods that may be covered is broad. It includes a range of different goods such as; cassette shaped adapters that enable sound reproduction from a portable optical disc player through a magnetic tape player, cleaning cassettes and scales showing the point reached in dictation.

  There are no absolute rules for determining specificity of headings. However, the judicial rulings to date have focused on determining which heading more narrowly pinpoints the goods. So, a heading, which covers a wide range of goods, is normally considered less specific than one that covers a narrower range. However, a wider ranging heading may still be more specific, if it describes more aspects of the good.

  Great assistance is given in understanding this issue by the case "*Chief Executive Officer of Customs v I.P.L. Datron Pty Ltd & Anor* [1998] FCA 1055 (28 August 1998)". In that case, the goods were computer ribbons that were classifiable either as 'accessories' or as 'similar ribbons' to typewriter ribbons.

  > It could not be suggested that, in the case of typewriter ribbons, "typewriter . . . ribbons" is not a more specific description than "accessories for use . . . with [typewriters]". So in the present case "similar ribbons . . . prepared for giving impressions" is a more specific description of the subject goods than "accessories for use . . . with [automatic data processing machines]". In Cody Burchett J referred (at 353) to the use of an article as one way of narrowing the area of choice.

  Heading 8522 is very broad; covering many parts and accessories, and the only connection required for entry is an associative connection, i.e. being an accessory.

For any good to gain entry to Heading 4202 the goods need to be containers – a term that inherently describes both a class of goods and a use. More particularly, these goods gain entry to the Heading by falling within the 'similar containers' in the first part of the heading. Classification through this specific 'similar containers' phrase describes that in addition to being containers, the goods have additional specific characteristics: they are specific to a particular good and designed for use on a one-to-one basis with the good that they will contain, generally for the life or near life of that good.

Heading 4202 is considered more specific than 8522 so classification falls to 4202 under IR 3(a).

There are some cases that have devices such as straps, buckles, Velcro or the like to enable non-permanent mounting of the case and contents to walls, belts, vehicles (e.g. bicycles or cars) or other places. These also remain primarily containers for the devices and classification falls to 4202 under IR 3(a).

How do you determine subheading classification?

Classification at five-digit subheading level for these goods falls to either 4202.3 "*Articles of a kind normally carried in the pocket or in the handbag"* or to 4202.9 "*Other*".

Those covers and cases designed to fit small electronic devices will generally fall to subheadings of 4202.3 *Articles of a kind normally carried in the pocket or in the handbag*.

Many people carry devices such as mobile phones, palm computers or media players around with them, in the pocket or bag, for use during day-to-day activities. They are small and light to enable this and the covers and cases are also generally thin and light; thereby providing protection against the scratches and dust the devices may be subject to in bags while still avoiding making the devices bulky or heavy. These cases and covers are of a kind normally carried in a pocket, handbag or the like and are classified under 4202.3 regardless of how an individual user intends to use them.

If the case or cover is large and bulky and not for the kind of article normally carried in a pocket or handbag then it is classified under 4202.9 as "other". This would apply to covers for larger goods such as laptops.

Classification below the five-digit level varies depending on the material that forms the outer surface of the cover.

What if I'm still uncertain about my goods?

In you are still in doubt about the classification of your particular goods, we recommend that you either seek professional advice or approach Australian Border Force for assistance. It is recommended that commercial importers or brokers use the Tariff Advice Service where they believe that classification is uncertain. Relevant information and contact details can be found on the website www.border.gov.au.

Change record

03/12/2013	First publication
August 2015	Republication to reflect the change to the Department of Immigration and Border Protection. No substantive change to content. Minor typographical issues corrected.

Australian Government
Department of Immigration and Border Protection

Classifying Functional Units

The Department of Immigration and Border Protection's Tariff Classification Guide on the use of Section XVI Note 4 in Section XVI and Chapter 90

NOTICE:

This publication is intended to provide guidance and information to the trade community. It reflects the position on, or interpretation of, the applicable laws or regulations by the Department of Immigration and Border Protection as of the date of publication, which is shown on the front cover. It does not in any way replace or supersede those laws or regulations. Only the latest official version of the laws or regulations is authoritative.

Published August 2015

Table of Contents

Classifying 'Functional Units' 3

What is covered in this Tariff Classification Guide 3

The legal provisions 3

How the Note is applied 3

What is the function 4

Determining if a function is covered by an allowable heading 4

A functional unit has only one function 5

A function is a discrete activity 5

Auxiliary machines are not covered in a functional unit 6

Information required with Applications for Tariff Advices or Tariff Concession Orders 6

Complete equipment list for shipments 6

Information required to support using Section XVI Note 4 6

Change record 6

Classifying 'Functional Units'

What is covered in this Tariff Classification Guide

This guide provides advice on how the Department of Immigration and Border Protection applies Section XVI Note 4 in Schedule 3 of the *Customs Tariff Act 1995* (Section XVI Note 4).

This Note allows groups of goods, being machines or components of a machine, to be classified together to a single classification under certain circumstances. This Tariff Classification Guide (TCG) helps to explain what those circumstances are.

This TCG also applies to using the provisions of Section XVI Note 4 to classify goods in Chapter 90 by applying Chapter 90 Note 3.

Also provided is advice on the information you need to supply with Tariff Advice or Tariff Concession Order Applications claiming Section XVI Note 4. An application for a Tariff Advice or Tariff Concession Order may be rejected or reclassified if you do not meet these requirements.

The legal provisions

Classification in Schedule 3 of the *Customs Tariff Act 1995* (the Act) is governed by Schedule 2 of the Act (GENERAL RULES FOR THE INTERPRETATION OF SCHEDULE 3). The Act requires that you must use Schedule 2 to classify goods.

The Rules in Schedule 2 are usually referred to in Australia as the 'Interpretive Rules' or 'IRs'.

The first Rule is IR 1, which reads as follows.

> The titles of Sections, Chapters and sub-Chapters are provided for ease of reference only; for legal purposes, classification shall be determined according to the terms of the headings and any relative Section or Chapter Notes and, provided such headings or Notes do not otherwise require, according to the following provisions:

Under IR 1, you are required to classify in accordance with any Notes in Schedule 3 that apply to your goods.

Section XVI Note 4 reads as follows.

> Where a machine (including a combination of machines) consists of individual components (whether separate or interconnected by piping, by transmission devices, by electric cables or by other devices) intended to contribute together to a clearly defined function covered by one of the headings in Chapter 84 or Chapter 85, then the whole falls to be classified in the heading appropriate to that function.

You may also use this Note to classify goods in Chapter 90. Provision for this is given by Chapter 90 Note 3, which reads as follows.

> The provisions of Notes 3 and 4 to Section XVI apply also to this Chapter.

How the Note is applied

In order for Section XVI Note 4 to apply, the machine, being the group of components or machines, must:

- have a single clearly defined function, and
- all components or machines of the group must contribute together to that function, and
- the function must be covered by one of the headings of Chapter 84 or Chapter 85.

Section XVI Note 4 only applies to machines and combinations of machines, which have a 'clearly defined function' that is covered by one of the headings.

Each individual component of the machine, or the individual machines where the machine is made up of a number of machines, must contribute to that function.

A component or component machine will only be classified as contributing to the function of the overall machine when it is essential to the performance of the specific function of the overall machine. The Harmonized System Explanatory Notes on Section XVI Note 4 explain this further:

> *..the expression "intended to contribute together to a clearly defined function" covers only machines and combinations of machines essential to the performance of the function specific to the functional unit as a whole, and thus excludes machines or appliances fulfilling auxiliary functions and which do not contribute to the function of the whole.*

Section XVI Note 4 does not apply to goods that perform multiple functions. Such goods, when they are classifiable in Chapters 84, 85 or 90, are usually classified either separately, when they consist of multiple machines, or under the provision of Section XVI Note 3.

The above also applies to the use of Section XVI Note 4 for Chapter 90 goods through Chapter 90 Note 3. However, a heading in Chapter 90 must cover the clearly defined function.

What is the function

In order to use Section XVI Note 4, the goods must all contribute together to a clearly defined function. The function is what the goods actually do rather than the business purpose of the importer.

Example

An importer, who brings in machines comprising a number of units that sheet, gauge and cut dough pieces, may plan to make biscuits. The importer's purpose is making biscuits.

However, what the imported machines do when they work together is to take dough and cut it into slices.

For classification purposes, the function of the machines when shipped together would be the overall activity that the group of machines performed, which in this case is cutting dough.

In describing the function, the function is the action that the machines collectively perform. That is, the function is "the kind of action or activity proper to a … thing"[1]

Example

A manufacturer of picture frames brings in a group of machines. The machines function to angle-cut one end of lengths of wood; apply glue to the angled ends; apply heat to activate the glue; position two ends to make joints; and apply pressure to the joint to set the join. Individually, the machines are variously classifiable to 8419, 8424 and 8465.

The collective activity of the machines is to assemble an angle joint between lengths of wood.

The type of article that this joined wood might be used to make is irrelevant. The machines would perform the same actions regardless of what might eventually be made of the two pieces of wood.

Determining if a function is covered by an allowable heading

To classify by this Note, the function must be a clearly defined function. It must also be covered by a heading in Chapter 84 or 85, or, if using Chapter 90 Note 3, Chapter 90.

Some headings clearly refer to specific functions, e.g. 'Machinery and apparatus for soldering, brazing or welding'. Others refer to specific machines e.g. 'Pumps for liquids' or specific types of machines for performing a function, e.g. 'Machine-tools for …'.

Those covering a function are clearly usable by Section XVI Note 4.

[1] The Macquarie Dictionary Online © Macquarie Dictionary Publishers Pty Ltd.

Where specific machines are clearly defined by the function they perform, a heading for the machines also covers that function. For example, "Pumps for liquids" covers the function of pumping liquids.

Some headings only cover a function when performed by a specific type of machine. For example, heading 8464 is the only heading that covers working stone, but it only covers "Machine-tools for working stone". However, for the purposes of Section XVI Note 4, we consider that the function of working stone is covered by 8464 and hence Section XVI Note 4 can extend the coverage of 8464 to include functional units with the function of working stone.

Example

The group of machines described in the example above assembled two lengths of wood by forming an angle joint.

Heading 8465 covers:

> MACHINE-TOOLS (INCLUDING MACHINES FOR NAILING, STAPLING, GLUEING OR OTHERWISE ASSEMBLING) FOR WORKING WOOD, CORK, BONE, HARD RUBBER, HARD PLASTICS OR SIMILAR HARD MATERIALS:

We would consider 8465 to cover the function of assembling wood.

A functional unit has only one function

To use Section XVI Note 4, the goods must together perform one function: that is they are a 'functional unit'.

Generally a plant, particularly a large-scale plant, consists of multiple functional units. Where goods imported form multiple functional units, you must classify each individual functional unit separately.

Example

A shipment for a factory that consists of pump house equipment (groundwater pumps, motors, controllers, flow meters, etc.) and filtration equipment (screen filters, sand filtration units, hollow fibre micro-filtration units, etc.) consists of at least two functional units – the groundwater pump house equipment (8413) and the filtration equipment (8421).

Although the equipment groups may be used sequentially, the pump house equipment does not directly contribute to the action of filtration or visa-versa. The two groups of equipment perform different clearly defined functions, each covered by a heading in Chapter 84.

A function is a discrete activity

Section XVI Note 4 applies where all of the components, as a unit, perform a single function that is covered by a heading. Where there are multiple functions, whether or not pre-requisite or sequential functions, there is more than a functional unit.

Example

A factory is being set up that will pulp recycled paper and then mould it into egg cartons.

The machines (e.g. choppers, mixers, water sprayers etc.) for turning the recycled paper into pulp have a function – making paper pulp. This function is covered by 8439.

The machines (e.g. presses, levellers etc.) for moulding egg cartons have a function of making paper pulp up into egg cartons. This function is covered by 8441.

Although you must have paper pulp first before you can mould it into egg cartons, the two functions are two clearly defined separate functions, each covered by a heading in Chapter 84. The function of making the pulp is completed prior to the making of the egg cartons.

Auxiliary machines are not covered in a functional unit

Machines or goods that are auxiliary to the function must be classified in their own right. Goods that do not directly contribute to the function are not covered by the Note.

Information required with Applications for Tariff Advices or Tariff Concession Orders

Complete equipment list for shipments

Whether or not various machines or machine components form a functional unit depends on the inter-relationship between the components and the overall function. Adding or subtracting one component or machine can potentially change the functional unit determination that applies to an import.

Applications for Tariff Advices and Tariff Concession Orders must therefore include a full and proper description of all the goods a person intends to import in a shipment.

Information required to support using Section XVI Note 4

Applications seeking classification using Section XVI Note 4 must include all of the following:

1. a clear description of the 'machine' to be imported, including a list of the individual physical components or individual machines that it includes
2. the function that the 'machine' performs, and
3. a list of
    - the functions that each component or component machine performs
    - how each component or component machine's function contributes to the performance of the overall function, and
    - how the components or component machines work together in the performance of the overall function.

Change record

22/09/2014	First publication
August 2015	Republication to reflect the change to the Department of Immigration and Border Protection. No substantive change to content. Minor typographical issues corrected.



Australian Government

Department of Immigration and Border Protection

Classifying Incomplete Vehicles

The Department of Immigration and Border Protection's Tariff Classification Guide on the classification of partially assembled or partially disassembled motor vehicles under IR2(a) 'Incomplete Vehicles'

NOTICE:

This publication is intended to provide guidance and information to the trade community. It reflects the position on, or interpretation of, the applicable laws or regulations by the Department of Immigration and Border Protection as of the date of publication, which is shown on the front cover. It does not in any way replace or supersede those laws or regulations. Only the latest official version of the laws or regulations is authoritative.

Published August 2015

Table of Contents

CLASSIFICATION OF INCOMPLETE MOTOR VEHICLES 3

What does this Guide cover? 3

Chapter 87 Note 3 and Additional Note 2 3

General Rule of Interpretation 2 3

Assembled components which are classified in their own heading 4

How do we assess the essential character of incomplete motor vehicles? 4

Change record 4

CLASSIFICATION OF INCOMPLETE MOTOR VEHICLES

What does this Guide cover?

This guide covers vehicles of Chapter 87 that include the chassis and more than one major subassembly or system (e.g. steering assembly, braking system, drive system etc.). It also covers such incomplete vehicles presented unassembled or disassembled. For clarification, the classification of bodies is also given.

Chapter 87 vehicles include passenger motor vehicles, goods vehicles, special purpose vehicles and motor cycles.

Chapter 87 Note 3 and Additional Note 2

3.- *Motor chassis fitted with cabs fall in headings 8702 to 8704, and not in heading 8706.*

Motor chassis with cabs are classified as complete motor vehicles under the appropriate heading out of 8702, 8703 or 8704.

Additional Note 2 to Chapter 87 clarifies that:

2.- *In this Chapter, a reference to a vehicle of a particular kind includes a reference to a vehicle of that kind presented without its motive power.*

For the purposes of Additional Note 2 to Chapter 87 the engine and gearbox supply the motive power to a vehicle. Therefore, this Additional Note requires that any reference to a vehicle is a reference to the vehicle with or without its engine and/or gearbox.

General Rule of Interpretation 2

Interpretive Rule 2(a) states:

2. (a) *Any reference in a heading to an article shall be taken to include a reference to that article incomplete or unfinished, provided that, as presented, the incomplete or unfinished article has the essential character of the complete or finished article. It shall also be taken to include a reference to that article complete or finished (or falling to be classified as complete or finished by virtue of this Rule), presented unassembled or disassembled.*

This Interpretive Rule requires that any reference to a type of vehicle in a heading (or subheading) also refers to incomplete vehicles that have the essential character of a vehicle.

Interpretive Rule 2 also provides that references in headings to goods also refer to those goods disassembled or unassembled.

Any reference to a vehicle in Chapter 87 is a reference to:

- a vehicle with or without its engine and/or gearbox;
- a vehicle with or without its engine and/or gearbox, presented unassembled or disassembled;
- an incomplete or unfinished vehicle with or without its engine and/or gearbox, provided that the incomplete vehicle has the character of a vehicle rather than of parts;
- an incomplete or unfinished vehicle with or without its engine and/or gearbox, presented unassembled or disassembled, provided that the incomplete vehicle has the character of a vehicle rather than of parts.

Unassembled and disassembled includes knocked down vehicles and unassembled kit vehicles. These are treated as if they are assembled.

Assembled components which are classified in their own heading

Goods which can be correctly classified in the following two headings are not considered to be complete vehicles.

8706 - Chassis fitted with engines, for the motor vehicles of headings 8701 to 8705.

Chassis- frames or the combined chassis- body framework (unibody or monocoque construction) fitted with an engine are classifiable in 8706 if they are for a motor vehicle of headings 8701 to 8705. This includes goods where the engine, power train, brakes, steering system and wheels are mounted on a frame.

If the chassis-frame or chassis-body framework has a cab, even if the cab is incomplete, it is not classified here. These goods are classifiable as complete vehicles (see Chapter 87 Note 3).

In addition, 8706 does not cover goods that are either complete vehicles in this form (e.g. some tractors) or are substantially complete vehicles. Substantially complete vehicles will usually be classified as complete vehicles under Interpretive Rule 2.

8707 - Bodies (including cabs) for the motor vehicles of headings 8701 to 8705.

Bodies and driving cabs for vehicles are classified in 8707 if they are for vehicles of 8701 to 8705.

How do we assess the essential character of incomplete motor vehicles?

Essential character relates to the identity of the good.

A vehicle build that has reached the stage where it has sufficient features to define it as a vehicle, regardless of whether or not it is currently assembled, has the essential character of a vehicle.

Goods that have reached this stage will have become more than a part or sub-assembly to be added to a vehicle being assembled. Instead, they are an incomplete vehicle awaiting the addition of parts for completion.

A drive train, for example, is clearly dedicated for use in a vehicle, but it is still only a sub-assembly, a 'part', and not an incomplete vehicle. Being dedicated for use in a vehicle is not a basis for determining character.

The question of whether the good is driveable is also not the basis for determining character. A car or truck, for example, which is missing the battery, will not work but it is still clearly identifiable as a car or truck. The absence of such essential systems or parts simply indicates that the good is incomplete. However, the goods must possess those systems or parts that are central to the character of the goods.

The following goods are treated as complete vehicles under the direction of the legal Notes:

- a chassis *and* cab; or
- vehicles without engine and/or gearbox.

Other forms of substantially complete vehicles may also be treated as complete vehicles under Interpretive Rule 2(a). It is not possible to supply exhaustive examples of substantially complete vehicles in this guide. When importing partial vehicles, the state of the goods on importation needs to be considered in determining if they have the essential character of a vehicle.

Change record

03/12/2013	First publication
August 2015	Republication to reflect the change to the Department of Immigration and Border Protection. No substantive change to content. Minor typographical issues corrected.



Australian Government
Department of Immigration and Border Protection

Identifying tractors of 8701

The Department of Immigration and Border Protection's Tariff Classification Guide on the identification of Chapter 87 tractors

NOTICE:

This publication is intended to provide guidance and information to the trade community. It reflects the position on, or interpretation of, the applicable laws or regulations by the Department of Immigration and Border Protection as of the date of publication, which is shown on the front cover. It does not in any way replace or supersede those laws or regulations. Only the latest official version of the laws or regulations is authoritative.

Draft Published August 2015

Published September 2015

Table of Contents

IDENTIFICATION OF TRACTORS iii

What this Guide does iii

Limitations on Use iii

Previous Treatments iii

Use of images iii

LEGISLATIVE REQUIREMENTS 4

Legal Provisions 4

Effect of the Notes 5

CONSTRUCTION CONSIDERATIONS 6

Hauling or Pushing 6

Carriage of goods 6

Ability to operate working tools 6

Attached tools 6

Tractors of Chapter 87 8

Pedestrian controlled tractors of 8701.10.00 8

Road tractors for semi-trailers of 8701.20.00 8

Track-laying tractors of 8701.30.00 8

Other tractors 8

Agricultural tractors of 8701.90.1 8

Tractors for dumpers of 8701.90.20 10

“Other tractors” of 8701.90.90 10

Wheeled Industrial tractors other than tractors of 8709 10

Forestry tractors 10

Lawn or garden tractors 11

Some sub-compact or compact tractors 12

Tractor-like Machines of Chapter 84 12

Earthmoving bases 12

Ride on mowers 12

Change record 12

IDENTIFICATION OF TRACTORS

What this Guide does

This guide is produced to assist people who are looking at whether goods are identifiable as tractors.

Limitations on Use

This guide does not replace the *Customs Tariff Act 1995* (the Act).

While care has been taken to ensure that the classifications given are correct at the time of publication, only the latest official version of the Act is authoritative and you should still consult the Act to confirm classifications.

The separation of tractors from other machinery or vehicles for the purpose of identification for classification can be complex. This guide does not cover all aspects of the identification of tractors. If you are importing commercially and are in doubt about the treatment of your goods, it may be advisable to seek professional advice or approach the Australian Border Force for assistance. It is recommended that commercial importers or brokers use the Tariff Advice Service where they believe that classification is uncertain. Relevant information and contact details can be found on the website www.border.gov.au.

Previous Treatments

Where there has been, or appears to have been, different identifications of tractors in one or more areas of the Department of Immigration and Border Protection (including by the Australian Customs and Border Protection Service) in the past or differing interpretations in previous publications or notices, then this Guide will be taken as giving the current, accepted practice.

Use of images

As the purpose of this guide is to be instructive, images have been used to illustrate the concepts. The use of a particular image does not imply any relationship between any other entity and the Department of Immigration and Border Protection. The use of a particular image does not act as specific advice for any good in the image.

LEGISLATIVE REQUIREMENTS

Legal Provisions

In addition to the legislative procedures covering all classification, the following Note, Additional Note and classifications are specific to tractors.

Section XVII

Chapter 87

2.- For the purposes of this Chapter, "tractors" means vehicles constructed essentially for hauling or pushing another vehicle, appliance or load, whether or not they contain subsidiary provision for the transport, in connection with the main use of the tractor, of tools, seeds, fertilisers or other goods.

Machines and working tools designed for fitting to tractors of 8701 as interchangeable equipment remain classified in their respective headings even if presented with the tractor, and whether or not mounted on it.

Additional Notes.

1.- In this Schedule, "agricultural tractors" means:

(a) Two-wheel drive tractors of a kind used solely or principally in agriculture, horticulture or viticulture; or

(b) Other tractors that are designed for use, and will be used, solely or principally, in agriculture, horticulture or viticulture.

8701 TRACTORS (OTHER THAN TRACTORS OF 8709):

8701.10.00 - Pedestrian controlled tractors

8701.20.00 - Road tractors for semi-trailers

8701.30.00 - Track-laying tractors

8701.90 -Other:

8701.90.1 - - - Agricultural tractors:

8701.90.11 - - - - Goods, as follows:

(a) having an engine power of 15 kW or greater;

(b) having an engine power less than 15 kW with a single power take-off, rear axle mounted and rear facing and having rear hydraulic lift 3 point linkage

8701.90.19 - - - - Other

8701.90.20 - - - Tractors for dumpers

8701.90.90 - - - Other

Certain tractors may also be classified under 8709 which relevantly reads:

8709 (...) TRACTORS OF THE TYPE USED ON RAILWAY STATION PLATFORMS; (...)

Effect of the Notes

Purpose

Note 2 to Chapter 87 requires that a tractor must be a vehicle made for hauling or pushing.

This distinguishes tractors from vehicles or machinery that are essentially constructed for transport or the operation of machinery.

Subsidiary Uses

This does not limit or prevent a tractor from having the ability to transport goods, provided this is a subsidiary provision and it relates to the main use of the machine to haul or push.

Hauling or pushing working tools, e.g. ploughs or a levelling blade, is within the essential character of hauling and pushing.

However, many tractors and tractor-like vehicles or machines operate tools in more complex ways. Whether the ability to operate the tools renders the goods something other than a tractor depends on whether the construction of the good still remains essentially for pushing and hauling. This will be discussed in this document.

Tractor implements

Chapter 97 Note 2 states that machines, working tools or implements designed for fixing to, or on, tractors cannot be classified to heading 8701 (tractors) regardless of whether they are imported with, on or separately from the tractor. Classification of these goods will normally be to the appropriate heading in Chapter 84.

Clarification of 'agricultural tractors'

Additional Note 1 to Chapter 87 clarifies the meaning of 'agricultural tractors'.

In regard to two-wheel drive tractors, they must be of a kind used solely or principally in agriculture, horticulture or viticulture.

Other tractors have a stricter test and must:

- be designed for use in agriculture, horticulture or viticulture; and
- be used, solely or principally, in agriculture, horticulture or viticulture.

The term "Agriculture" can vary in the range of activities encompassed. In this case, the legislators have chosen to separately specify two fields of activity that can be included in the definition, i.e. horticulture and viticulture, in addition to agriculture. This provides a context that demonstrates 'agriculture' is intended in the narrow sense of cropping (and its associated soil cultivation) and raising livestock.

CONSTRUCTION CONSIDERATIONS

Hauling or Pushing

Generally speaking, all vehicles are capable of pulling and/or pushing to some degree. What distinguishes tractors from other vehicles is that a tractor is constructed *specifically* as a vehicle for pulling and/or pushing.

A tractor has a high torque engine and provides a large drawbar pull (compared to the weight of the tractor) at low speeds. They are designed to operate continuously for extended periods towing extremely heavy loads at very low speeds.

These features are often common to mobile machinery classified in Chapter 84. The difference between mobile machinery of Chapter 84 and a tractor of Chapter 87 is the degree of specialisation and/or the degree that construction is geared to other functions, e.g. lifting or digging.

In order to be considered a tractor, any construction features not directed to the tasks of hauling and/or pushing need to be minor or subsidiary in nature.

Goods such as motorised ploughs, rollers and harrowers are not classified as tractors of 8701 as they are constructed for a specific purpose that is not hauling or pushing (heading 8432). Self-propelled harvesters and hay balers etc. may look like tractors but are machines of heading 8433.

Carriage of goods

The ability to carry minor amounts of goods does not automatically remove vehicles from this heading; the carriage of these goods must be in relation to the main use of the machine. For example, the ability to carry a sack of seed to refill a sowing implement, which is being towed, would be considered to be subsidiary and in connection with the main use of the tractor.

However, if the provision to carry goods is substantial, e.g. a built-in tray-back, which can be used to transport significant amounts of goods around the farm, the vehicle no longer meets the definition of a tractor given in the Tariff.

Ability to operate working tools

The provision of facilities to operate powered tools, such as a general purpose power take-off system (PTO), does not automatically remove goods from this heading. Such facilities are common in tractors and increase their versatility.

The vehicles/machines will still need to be analysed to ensure that hauling or pushing remains the function for which they are built to perform. Whether or not the PTO is general purpose, or is specific to certain tools, may form part of this analysis.

The presence of simple devices for operating (raising, lowering, etc.) working tools does not exclude goods from 8701 where they still meet the criteria of the Note.

Attached tools

Machines that have tools or implements that are either permanently attached, or attached in normal use and generally only removed for maintenance or repair, will normally be excluded from

Chapter 87. These machines are considered to be constructed essentially to operate the attached tool or implement.

For instance, lawn or garden 'tractors', imported with an attached mower deck, usually have provision for the deck's removal for various maintenance purposes, e.g. cleaning, blade replacement, etc. Such machines are considered to be constructed essentially for mowing and are classified to heading 8433. They remain in heading 8433 even if they have a coupling device for hauling or pushing light attachments such as a trailer.

Tractors of Chapter 87

Pedestrian controlled tractors of 8701.10.00



These are small tractors equipped with a single driving axle carried on one or two wheels. Other names for these goods include “two-wheel tractors” and “walking tractors”.

They are usually used for agricultural purposes but may the used for industrial purposes.

The types covered by 8701 do not have a specific implement permanently attached.

Similar goods that have a fixed tool, which is integral, e.g. pedestrian controlled tillers, rotary hoes, etc., are *not* covered by 8701 and are classified back to the heading appropriate to their function, e.g. 8432.

Road tractors for semi-trailers of 8701.20.00



Road tractors for semi-trailers are referred to as prime movers in Australia. They are also known as a tractor unit.

The only purpose of a road trailer is to haul semi-trailers. A semi-trailer’s back portion sits on wheels while the front end is supported by the road tractor.

Prime movers for trailers, where the whole trailer is supported on its own wheels and is simply hitched to the mover, are not road tractors for semi-trailers. These are normally classified to 8704.

Track-laying tractors of 8701.30.00



These are vehicles that meet the requirements of Chapter 87 Note 2 and are track-laying.

Tracklaying tractors run on two continuous tracks (endless chains) consisting of a number of plates or pads pivoted together. Each track encircles two wheels on either side of the vehicle.[1]

Other tractors

Agricultural tractors of 8701.90.1

These are tractors that are used in agriculture, horticulture or viticulture.

In determining what is an agricultural tractor, careful attention needs to be paid to Additional Note 1 as well as to the matters described above in interpreting Chapter 87 Note 2.

The good must first be identified as a tractor of Note 2 before consideration of the Additional Note.

Once you have determined a particular good is in fact a tractor, Additional Note 1 specifies additional tests to determine if it is an agricultural tractor.

- Two wheel drive tractors must be of a kind used solely or principally in agriculture, horticulture or viticulture.
- Other tractors must be both designed and used in agriculture, horticulture or viticulture.

The following are the type of features that would be expected in an agricultural tractor:

- full unit construction where the engine, transmission and rear drive train are all housed in rugged castings;
- agricultural tires;
- a three point hitch (required for most farm equipment) usually with a quick hitch;
- either live or independent power take-off (PTO) so that equipment can keep operating when the clutch is in use (old tractors may have a transmission PTO but it would not be expected on a new agricultural tractor);
- hydraulic outlets at the rear;
- sufficient power for heavy-duty operations such as primary tillage or chopping silage;
- ergonomic cab design features that make it suitable for an operator to work all day; and
- a roll over protection structure (ROPS).

Agricultural tractors also include specialised tractors for specific applications within agricultural, horticulture or viticulture.

Horticulture and viticulture, in particular, have specific needs that require specialist tractors. These include straddle tractors, over-the-row tractors, high-clearance tractors and very narrow tractors for working between rows.[2]





If a good is a tractor, but does not meet the tests for agricultural tractors, it remains in 8701, but cannot be classified to an agricultural tractor subheading.


Tariff Classification Guide – 'Identifying tractors of 8701' (Publication date - September 2015)

Tractors for dumpers of 8701.90.20

This subheading does NOT cover dumpers, dump trucks, dumper trailers or other dumping machinery.

A tractor for a dumper refers to the *front end* of an articulated hauler or articulated dumper. Therefore it only refers to tractors for dumpers coming in for further manufacture.

The vehicles normally have two wheels and will form a unitary vehicle with the trailer once manufacture is completed. That is, the dumper trailer is added as a permanent part of the overall vehicle.



87019020 only covers this front part *if imported without its trailer already built on*.

Figure 1 DR 631 articulated hauler[3]

"Other tractors" of 8701.90.90

This heading covers a variety of vehicles that are tractors under Chapter 87 Note 2.

The following list is not intended to be exhaustive, but it gives examples of vehicles that fall in this heading.

Wheeled Industrial tractors other than tractors of 8709

Industrial tractors are not built for agricultural use, but for use in industrial applications such as construction and manufacturing etc.

This type does not include works trucks or railway station platform tractors. These are classified in 8709. Also care should be taken that the goods are not tractor-like machines of Chapter 87.

Forestry tractors

Tractors designed for forestry are treated as 'other tractors' and not grouped with agricultural tractors.

Forestry tractors and agricultural tractors are similar, but tractors designed solely or principally for forestry work do have distinguishing features.

Some or all of the following would be expected.

They are made to operate in rough terrain and they would normally have extra guarding, including:

- reinforcing around the engine housing and radiator to protect from puncture and impact by branches and logging debris.;
- guarding along the underside of the tractor, protecting it from impact with ground debris including rocks and stumps (usually a steel belly pan);
- protection for the operator from branches, or chain 'shot' from broken processor saw chains, in the form of mesh for windows in cabs, or branch deflectors for tractors without cabs;
- roll over protection structures (ROPS) are common to both agricultural tractors and forestry tractors, but the addition of a falling object protection structure (FOPS) is common in forestry tractors; and
- wheel rim reinforcement to prevent debris from poking between the tyre and wheel rim.

They will usually have other features that reflect the likely terrain and the type of work such as:

- ground clearance of 50 cm or more (agricultural tractors usually only have 35 to 40 cm) to avoid repeatedly being 'hung up' on tree stumps;
- tyres that are particularly wide and rated for forestry work;
- 'frame steered' construction with a central pivot joint, which is designed to accommodate horizontal steering and vertical twisting movements, is common (traditional agricultural design is mostly 'rigid frame');
- the ability for the operator to face rearwards while operating the tractor; and
- front-end weights to improve stability while dragging logs.

Generally a forestry tractor will have a winch and may present with other forestry related attachments (e.g. log skidders, forestry mulchers, log grapples, etc.).

Lawn or garden tractors

Lawn tractors are primarily designed for mowing. They can also perform other light jobs such as towing small trailers or spreaders and running a snow blower. There is a grey area between lawn tractors and ride on mowers of heading 8433: see the relevant section below.

Garden tractors are a step up in power from lawn tractors. They have sufficient power to perform more work around a property than a lawn tractor and can operate a wider range of implements, usually including front mounted loaders.

While they have enough power and versatility for some jobs on small farms, they are designed primarily for landscaping and gardening. As such they do not meet the criteria of Additional Note 1 and are classified under 8701.90.90.

Tariff Classification Guide – 'Identifying tractors of 8701' (Publication date - September 2015)

Some sub-compact or compact tractors

Sub-compact and compact tractors have a higher capability and power range than garden tractors. These can vary from models, whose principal use is in landscaping, to models that are designed for farm work.

In order to determine whether a particular model is an agricultural tractor or an 'other tractor' of 8701.90.90, the design and use must be considered against the relevant criteria, being:

- of a kind used **solely or principally** in agriculture, horticulture or viticulture (if two-wheel drive tractors); or
- both designed for use, and which will be used, **solely or principally**, in agriculture, horticulture or viticulture (if not two-wheel drive)

Tractor-like Machines of Chapter 84

Earthmoving bases

Propelling bases for earthmoving machines evolved from tractors. However, they are distinguished by the features which demonstrate their specialisation.

Bases for earthmoving machines are designed to withstand the stress and shocks intrinsic in dealing with earth, rocks and ores. The build is particularly robust and is often reinforced. There are often heavy supporting blocks, plates and beams attached. There are frequently under-body shields to protect the bases from the rocks and rough terrain that earthmoving units deal with. Some earthmoving bases are specifically strengthened and designed to endure vertical stresses from lifting heavy loads upwards.

They may also have special sub-frames. For example, a base may have a loader tower, integral with the basic main frame, to provide a smooth transition to loads from linkages to the mainframe rails and to provide a solid mount for lift arms etc.

As these bases are specifically made for certain tools, they will often be designed with counterbalances to match the expected weight of the tool and load.

Ride on mowers

Ride on mowers, with a permanently attached mowing deck, are classified to 8433. In this case "permanently' also includes mowing decks that can be removed for maintenance or repair.

Lawn tractors, which are clearly designed solely or principally for use with under-carriage mowing decks (decks carried underneath rather than pulled) and, which do not have a predominance of design features relating to hauling or pushing, do not meet the requirements of a Chapter 87 tractor. These are generally imported with a mowing deck and are classifiable as mowers.

Change record

August 2015 Draft publication

Australian Government
Department of Immigration and Border Protection

The Meaning of Household and Domestic

The Department of Immigration and Border Protection's Tariff Classification Guide on the meaning of 'household' and 'domestic' when classifying goods

NOTICE:

This publication is intended to provide guidance and information to the trade community. It reflects the position on, or interpretation of, the applicable laws or regulations by the Department of Immigration and Border Protection as of the date of publication, which is shown on the front cover. It does not in any way replace or supersede those laws or regulations. Only the latest official version of the laws or regulations is authoritative.

Published August 2015

Table of Contents

Introduction 3

What goods are covered by this guide? 3

What is the meaning of household or domestic 3

Dictionary Definitions 3

How is a good determined to be household or domestic in nature? 3

For use in a domestic setting 3

Domestic use 4

Determination of 'design use' based on objective characteristics 4

Actual use may vary 4

Household/domestic does not cover secondary use 5

Domestic settings are wider than a physical house 5

Goods broadly suited for both domestic and non-domestic uses 5

Goods primarily for non-domestic uses 5

Change record 5

Introduction

What goods are covered by this guide?

A number of classifications in Schedule 3 (the Tariff) of the *Customs Tariff Act 1995* use the terms 'household' or 'domestic' as either modifiers, i.e. "household articles" or in specifying the scope of a good's use, i.e. "for household purposes". For example, heading 3924 is for "Tableware, kitchenware, other household articles and hygienic or toilet articles, of plastics" and heading 8419 *excludes* goods "of a kind used for domestic purposes".

Some confusion has existed over what is the meaning of household in this context. This guide is intended to clarify how the Australian Customs and Border Protection Service views this term.

What is the meaning of household or domestic

Dictionary Definitions

The Macquarie Dictionary relevantly defines household as:

noun 1. the people of a house collectively; in previous times, a family, including servants, etc.; a domestic establishment.

adjective 2. of or relating to a household; domestic: *household furniture*.

3. used for maintaining and keeping a house.

The Oxford Dictionary of English defines household as:

noun a house and its occupants regarded as a unit: *the whole household was asleep* | *[as modifier] : household bills*.

The Macquarie Dictionary relevantly defines domestic as:

adjective 1. of or relating to the home, the household, or household affairs.

The Oxford Dictionary of English defines domestic as:

adjective 1. relating to the running of a home or to family relations: *domestic chores* | *domestic violence*.

- of or for use in the home rather than in an industrial or office environment: *domestic water supplies*.

How is a good determined to be household or domestic in nature?

For use in a domestic setting

Goods can often be broadly categorised by where, how and by whom they are intended to be used. Capacity, output, build quality, ease of use and other features of a good may enable the determination of design intent in relation to domestic/non-domestic.

The types of goods referred to as 'household' or 'domestic' are goods designed specifically for the use in domestic settings – they are designed for use by the individuals or family of a household in

the context of their personal daily activities in running a house. *These goods do not operate at a level in excess of household requirements.*

Household or domestic goods do not include goods designed specifically for commercial, industrial or institutional use.

Domestic use

That a good may be *in* a domestic setting is not sufficient on its own to make the goods 'household goods'.

For example, plastic statuettes are often found in domestic settings, but are not goods for the running of a household. Hence they are classified to subheading 3926.40.00 as 'Statuettes and other ornamental articles' rather than in household articles.

Likewise tools that might be used in the garage for maintaining a car, while in a domestic setting, are not for the running of a household. They would be classified to the heading appropriate for the tool.

Determination of 'design use' based on objective characteristics

To support a claim that a good is or is not a domestic or household appliance, the design features that make this determination possible should be clearly stated.



For example, a standard 1.7 litre electric jug, which takes about five minutes to boil, would be considered a domestic or household appliance. Its capacity and speed render it suitable for people wanting to boil water for a pot of tea at home, but would not be suitable for normal commercial production of beverages.

In comparison a 40 litre capacity urn rated for producing 175-200 cups per hour would be considered non-domestic as its capacity and capabilities are compatible with commercial or institutional use.

Actual use may vary

The features of a good may show it is designed solely or principally for a particular purpose; however the actual use may be broader.

The 1.7 litre jug from above would also be used by people in offices, shops or other environments. This does not change the objective characteristics of the good. It remains a good primarily designed for domestic use.

Likewise someone may choose to buy the 40 litre urn for domestic use, but this would not change its identity as a commercial appliance.

Clearly if a good is solely or principally used in either a domestic or non-domestic environment, this fact needs to be taken into account as an important factor. But simply being able to use a domestic appliance outside of a domestic setting or being able to purchase a commercial good for domestic use does not affect the characterisation of the goods.

This was previously addressed in Precedent 19928500 which specified that:

> 3924 covers articles for the preparation, serving or consumption of food and beverages in domestic situations as well as the types of goods typically used in or around the home. These goods remain here even when they may be used in other settings. For example picnic sets, take-away plastic cutlery, lunch boxes, furniture

slip covers etc. remain classified here although they may be used outside of the home or in commercial settings.

Household/domestic does not cover secondary use

Some goods have a commercial or industrial use with a secondary potential use as household goods. The most common example of this is goods for the conveyance or packaging of other goods that are tins, boxes, jars or other articles that can be used, after being emptied, for domestic purposes. Such a secondary use does not change the nature of the goods as being designed for the conveyance or packaging of goods.

Domestic settings are wider than a physical house

'Domestic' clearly relates to goods used within a home for the normal non-commercial, daily activities. It also relates to goods used around the home in outdoor areas attached to or belonging to the house. Hence outdoor furniture, letter-boxes, planters and other goods can be domestic or household in nature if designed for use in these settings.

Household or domestic articles will generally remain household or domestic articles even if they may be used by the members of the household outside of the physical household and its attached areas. For example, heading 7418 covers household articles of copper. It covers copper spirit stoves, being small heating appliances used when travelling or camping for heating water or cooking food. These are of a capacity that is only sufficient for domestic use and are used by a member or members of a household to undertake a domestic function outside of the house and its immediate area.

Goods broadly suited for both domestic and non-domestic uses

Some goods are very broad in use and are suited for both domestic and non-domestic uses. Provided that they are commonly used as household or domestic goods, then headings which refer to the goods in such terms are open for consideration. The legal requirement to use the Interpretive Rules as laid out in Schedule 2 to the Customs Tariff Act 1995 in determining the actual classification applies as always.

For example, wire coat-hangers are equally suited for use in the house, in retail outlets, hotels or dry cleaning facilities. Heading 7323 - 'Table, kitchen or other household articles and parts thereof, of iron or steel' would be a potential heading.

Goods primarily for non-domestic uses

Where goods are primarily non-domestic, they remain non-domestic even if there is some use in domestic settings.

For example, a coffee machine which is designed to continuously produce up to six cups of espresso coffee or cappuccino at the same time is clearly designed for a busy commercial establishment. Even if imported by an individual for use in their own home, it remains a commercial machine and is not classifiable as a domestic appliance.

Change record

August 2015 First publication



Tariff Classification Guide on Line Pipe of a Kind Used for Oil or Gas Pipelines

1. This Guide

This publication is intended to provide guidance and information to the trade community. It reflects the position on, or interpretation of, the applicable laws or regulations by the Department of Home Affairs (the Department) as of the date of publication. It does not in any way replace or supersede those laws or regulations. Only the latest official version of the laws or regulations is authoritative.

This Tariff Classification Guide seeks to clarify the policy of the Department on the tariff classification of goods under the subheadings for line pipe of a kind used for oil or gas pipelines in Chapter 73 of Schedule 3 (the Tariff) of the *Customs Tariff Act 1995* (the Act).

This document does not establish a new approach to classification, deviate from recognised practices in classification principles or offer a new interpretation. It provides clarification only of the views of the Department on the correct classification of pipe to these subheadings and does not constitute legal advice.

1.1. Position Summary

It is the position of the Department that subheadings 7304.11.00, 7304.19.00, 7305.11.00, 7305.12.00, 7305.19.00, 7306.11.00 and 7306.19.00 only cover steel or iron pipe that is:

- Line pipe, and
- of a kind used for high-pressure long-distance transmission pipelines for petroleum oils or fuel gas, such as natural gas and methane.

In order to be classified to these subheadings pipe must be line pipe commonly used for oil or gas pipelines, or must be the same or so similar to that used in oil or gas pipelines that it could be so used even though imported for other uses. Pipe that does not fulfil this criterion must not be classified under these subheadings, but rather should be classified as other types of pipe.

When claiming classification under these subheadings the importer must have documentation to prove that: the imported pipe is for use in oil or gas pipelines; or is otherwise qualitatively the same in all respects as line pipe that is used in oil or gas pipelines, and therefore is of the relevant "kind".

1.2. What this Guide does

This Guide has been developed to assist importers and brokers in classifying the goods they are bringing into Australia.

This Guide does not replace the *Customs Tariff Act 1995*.

The classification of goods can be complex. While care has been taken to ensure that the classifications given are correct at the time of publication, only the latest official version of the Act is authoritative. You should still consult the Act to confirm classifications.

If you are importing pipe commercially and are in doubt about the classification of your goods, it may be advisable to seek professional advice or approach the Department for assistance. We recommend that commercial importers or brokers use the Tariff Advice System where they believe that classification is uncertain. Relevant information and contact details can be found on the Australian Border Force's website https://archive.homeaffairs.gov.au/busi/cargo-support-trade-and-goods/importing-goods/tariff-classification-of-goods .

1.3. Previous Treatments

The information in this Guide supersedes any previous treatment of the goods in question. Where there has been, or appears to have been, different treatment of the goods in one or more areas in the past by the Department of Home Affairs (including by the former Department of Immigration and Border Protection or the Australian Customs and Border Protection Service), or differing interpretations in previous publications or notices, this Guide will be taken as giving the current accepted practice.

2. The Subheadings

All references in this Guide to tubes, pipes, or line pipe, is to iron (excluding cast iron) or steel pipe. This Guide does not cover goods made of other materials. This Guide does not specifically discuss subsea tubes and pipes for offshore pipelines but the same principles apply.

The relevant tariff classification headings covered by the Guide are 7304, 7305 and 7306. These headings do not include tube or pipe fittings. Fittings are covered by Heading 7307 – Tube or pipe fittings (for example, couplings, elbows, sleeves) of iron or steel.

For reference, full extracts of the headings are included at Attachment A. The focus of this Guide are the following subheadings:

7304 TUBES, PIPES AND HOLLOW PROFILES, SEAMLESS, OF IRON (OTHER THAN CAST IRON) OR STEEL:

7304.1 - Line pipe of a kind used for oil or gas pipelines:

7304.11.00 - - Of stainless steel

7304.19.00 - - Other

7305 OTHER TUBES AND PIPES (FOR EXAMPLE, WELDED, RIVETED OR SIMILARLY CLOSED), HAVING CIRCULAR CROSS-SECTIONS, THE EXTERNAL DIAMETER OF WHICH EXCEEDS 406.4 MM, OF IRON OR STEEL:

7305.1 - Line pipe of a kind used for oil or gas pipelines

7305.11.00 - - Longitudinally submerged arc welded

7305.12.00 - - Other, longitudinally welded

7305.19.00 - - Other

7306 OTHER TUBES, PIPES AND HOLLOW PROFILES (FOR EXAMPLE, OPEN SEAM OR WELDED, RIVETED OR SIMILARLY CLOSED), OF IRON OR STEEL:

7306.1 - Line pipe of a kind used for oil or gas pipelines

7306.11.00 - - Welded, of stainless steel

7306.19.00 - - Other

3. Tariff Classification

The correct classification of goods involves two fundamental steps;

(1) Identification of the goods, and

(2) The use of the Interpretative Rules in Schedule 2 of the Act to classify.

Correct identification of goods is essential to classification. Identification is achieved by an objective, analytical assessment of the goods at the time of importation. Goods are classified in the condition in which they are imported, regardless of how the goods will be used or what modifications will be made to them after import. Identification is based primarily on physical characteristics but sufficient knowledge about the goods is necessary to identify goods to the level the Tariff requires.

Most goods will be, at a minimum, identified by name, by the material they are made of, by the class of goods they belong to and by the use for which they are designed.

The Tridon principles of identification

In *Re Tridon Pty Limited and Collector of Customs [1982] AATA 119 (17 June 1982)*, the Administrative Appeals Tribunal (AAT) provided guidance on the principles for identifying goods. These principles have been noted with approval by the Federal Court. Of particular significance to the issue of this Guide are points (i), (iii), (iv) and (vii).

The Eight Principles of Identification as outlined in Tridon

(i) Identification must be objective, having regard to the characteristics which the goods, on informed inspection, present.

(ii) The identification of goods cannot be controlled by the descriptions of goods adopted in the nomenclature of the Tariff.

(iii) Nevertheless in identifying goods it is necessary to be aware of the structure of the nomenclature, the basis on which goods are classified and the characteristics of goods which may be relevant to the frequently complex task of classification.

(iv) In the identification of goods, knowledge of how those who trade in the goods describe them will usually be relevant, but not necessarily conclusive.

(v) All the descriptive terms, both specific and generic, by which the goods may fairly be identified may be relevant to the classification of the goods within the Tariff.

(vi) Descriptive terms may be of varying degrees of specificity (e.g. windscreen wiper blade refills, parts for a windscreen wiper or parts for a motor vehicle). Generic descriptions may be by reference to the materials or substances from which the goods are manufactured.

(vii) Identification will frequently extend to characterisation of goods by reference to their design features, or by reference to their suitability for a particular use where those characteristics emerge from informed inspection of the goods as imported. The extent to which these characteristics may be relevant to the ultimate classification of the goods and whether evidence of the use to which goods are put after importation is relevant, will depend upon the language of the Tariff Nomenclature.

(viii) Composite goods, notwithstanding that they have components which are separately identifiable, may nevertheless be identifiable in combination as a new entity if the identity of the separate units is subordinated to the identity of the combination.

A principle of classification is to identify what goods are, not how a particular importer intends to use them. The design and objective features of goods, and not the intended use of the goods after importation, is usually the key.

However, many terms of headings and subheadings describe goods by function or use and, as pointed out at Tridon principle (vii), the design features of goods, or reference to their suitability for a particular use, may be relevant for classification. The identification process requires careful consideration of the attributes of goods to determine if the goods are designed for, or suitable for, a particular use described in the Tariff.

All the necessary facts about the characteristics and features of the goods as imported must be acquired by importers and/or their representatives before identifying and classifying goods. Supporting documentation must be made available to the Department if a claimed classification is queried.

3.1. Line pipe of a kind used for oil or gas pipelines

3.1.1. Context and the Structure of the Nomenclature

The Tariff is based on the *International Convention on the Harmonized Commodity Description and Coding System* (HS) to which Australia is a signatory. The HS was developed by the World Customs Organization (WCO) and the maintenance of the HS is a WCO priority.

It is the policy of the Department to maintain the international uniformity of the classification of goods under the HS.

More than 200 countries and economies use the HS as a basis for their customs tariffs. The principal purpose of the HS for the WCO and its members is uniform classification principally for the collection of international trade statistics.

Classification is internationally identical to the six-digit level in all countries using the HS.

In the 1980s, the WCO undertook a major review of the previous system, the Customs Co-operation Council Nomenclature, to create the HS (in force from 1988). The structure for the classification of metals changed radically and the review process created the relevant three headings that are the focus of this Guide: 7304, 7305 and 7306 and their attendant subheadings. These headings remain essentially unchanged to the current HS.

Article 7 of the HS provides for the preparation of Explanatory Notes "as guides to the interpretation of the Harmonized System". These are known as the Harmonized System Explanatory Notes (HSENs). The WCO maintains the HSENs as guidance material in the interpretation of the Harmonized System for WCO members.

In *Air International Pty Ltd v Chief Executive Officer of Customs [2002] FCA 355*:

> *…it may be noted, that the customs classification regime and particularly the interpretative rules have their current origin in international Treaty, namely the Convention. As such they should receive an interpretation consistent with the purpose of the treaty and in accordance with the general rules of treaty interpretation, that is to say, in good faith and in accordance with the ordinary meaning of the words, but in the light of its object and purpose cf Applicant A v Minister for Immigration and Ethnic Affairs (1997) 190 CLR 225 at 251-253. [25]*

3.1.2. Structure of Headings 7304, 7305 and 7306

Full extracts of the headings are at the end of this document.

Under Headings 7304, 7305 and 7306, the first two subheadings were added in the restructure of the 1980s specifically for pipe, casing and tubing of the oil and gas industry – "line pipes of a kind used for oil or gas pipelines" and "casing, tubing and drill pipe of a kind used for oil or gas drilling". The intention of the structure is to provide subheadings and to target trade statistics for pipe, casing and tubing that is specific to the oil and gas industry for high-pressure long-distance transmission.

The only industry-specific subheadings for pipes under these headings is for the oil and gas industry. All the other subheadings distinguish pipe and tubing etc. by cross-section size, manufacture process or welding, regardless of the industry in which they are used. Tubes, pipes and hollow profiles that are not line pipe of a kind used for oil or gas pipelines or casing, tubing or drill pipes of a kind used for drilling for oil or gas, are not classified in these subheadings but in the following subheadings. This is confirmed by the HSENs to each heading. These HSENs provide examples of the types of pipe covered by each heading and in each instance pipes, casing and tubing for oil and gas production are listed first, followed separately by pipes used for other purposes.

HSENs to Heading 7304

"This heading includes

- line pipes of a kind used for oil or gas,
- casing, tubing and drill pipes of a kind used in drilling for oil or gas,
- tubes and pipes suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces, feedwater heaters for power stations,
- galvanised or black tubes (so-called gas tubes) for high or medium pressure steam, or gas or water distribution in buildings, as well as
- tubes for water or gas street distribution mains.

In addition tubes and pipes are used for the manufacture of

- parts for automobiles or for machinery,
- of rings for ball bearings, cylindrical, tapered or needle bearings or
- for other mechanical uses,
- for scaffolding, tubular structures or building construction."

HSENs to Heading 7305

"This heading includes

- line pipes of a kind used for oil or gas,
- casings for oil or gas wells,
- tubes for long distance waterlines or slurry mains for coal or other solid materials,
- tubes for piling or structural columns, as well as
- hydroelectric conduits, usually reinforced with rings."

HSENs to Heading 7306

"This heading includes

- line pipes of a kind used for oil or gas,
- casing and tubing of a kind used in drilling for oil or gas,
- tubes and pipes suitable for use in boilers, superheaters, heat exchangers, condensers, feed-water heaters for power stations,
- galvanised or black tubes (so-called gas tubes) for high or medium pressure steam or water distribution in buildings, as well as
- tubes for water or gas street distribution mains.

In addition tubes, pipes and hollow profiles are used for

- the manufacture of parts for automobiles or for machinery, bicycle frames, prams, or
- for other structural uses, scaffolding or tubular structures or building construction.
- "Open seam" tubes are used, for example, as frames for metal furniture."

3.1.3. Oil or gas pipelines

In the context of these subheadings, the position of the Department is that:

- 'Oil or gas' means petroleum oils or fuel gases, such as natural gas and methane, and
- 'pipelines' means high-pressure long-distance transmission pipelines

Macquarie Dictionary online (https://www.macquariedictionary.com.au):

© Macquarie Dictionary Publishers, 2017

pipeline

noun **1.** a pipe or several pipes together forming a conduit for the transportation of petroleum, petroleum products, natural gas, etc.

Oxford Dictionary online (https://en.oxforddictionaries.com):

Pipeline

1 A long pipe, typically underground, for conveying oil, gas, etc. over long distances.

The position of the Department, therefore, is that line pipes of the relevant subheadings are those of a kind used for high-pressure long-distance petroleum oils or fuel gas, such as natural gas and methane, transmission pipelines only. (Noting that low pressures are not used for long-distance transmission.)

These subheadings do not include pipes used, for instance, in petroleum production and processing plants, gas manufacturing plants, tank farms, and gas distribution systems.

3.2. Identifying pipe of a kind used for oil or gas pipelines

Of a kind used for

The term 'of a kind used for' is frequently found in the Tariff and in legislation in general, and the Federal Court has made several decisions regarding interpretation of it.

The term "of a kind used for" refers to a class, category or genus of goods with characteristics in common. The term requires the genus, class or type of goods encompassed by the description to be identified first.

In this case, the class or genus is determined by use: of a kind used for transmission of oil or gas. Many headings and subheadings in the Tariff include the term 'used for', or similar, to describe goods. As pointed out by the AAT in Tridon principle (vii) the design and suitability of goods for a particular use is relevant depending on the language of the Tariff.

The genus or class is line pipe used for oil or gas pipelines, i.e. high-pressure long-distance petroleum oils and gas transmission pipelines. This is a specific, specialised class of pipes. Pipe that is the same in all respects to such pipe and fit for purpose for such use, even though it is not intended to be so used, is of a kind to this genus or class and must be classified under the same line pipe subheadings.

Pipe that is not an identical product and is not fit for purpose for such use is not of a kind to this genus or class and cannot be classified under the line pipe subheadings.

Line pipe used for oil or gas transmission pipelines consists of a high strength carbon steel material and has to be manufactured to Standard Specifications that demonstrate suitability for use in oil or gas transmission. This is a crucial requirement of the class of pipe. Whether line pipe will be used for oil or gas pipelines or for any other purpose, it must have been engineered to a standard for oil or gas line pipe to be identified as belonging to this class or genus of pipe. Evidence, such as certificates, must specifically identify the line pipes in a shipment.

Appropriate standards

The Australian Standard is *AS 2885 – Pipelines – Gas and liquid petroleum*. The most commonly used international standard is the American Petroleum Institute's *API Specification 5L Specification for Line Pipe*. The 46th edition of API Specification 5L has recently been published. The International Organisation for Standardization (ISO) equivalent specification is ISO 3183. Because transmission pipelines carry fluids under high pressure, the standards specify, for instance, the quality of steel material, welding and the thickness of the walls. Claims that an imported pipe complies with any relevant international standard or specification for line pipe for use in high-pressure long-distance transmission pipelines must be supported by evidence.

For use in Australian pipelines, AS 2885 states that line pipe made to API 5L or ISO 3183 specification is 'necessary but insufficient', as additional testing is required for Australian use. Therefore, line pipe imported into Australia for use in an Australia pipeline will need to comply with AS 2885. For tariff classification purposes, however, line pipe made to one of the international standards is accepted as line pipe of a kind used for oil or gas pipelines, even where it is imported for other uses, provided it is not rendered unsuitable for oil or gas pipeline use by other features.

Line pipe must be correctly marked as specified by the relevant Standard so that it can be identified. API 5L 45th edition specification for marking is at Section 11 Markings. At 11.2.2 the following locations are specified:

a) For pipe D* ≤ 48, 3 mm (1.900 in), the markings shall be in one or more of the following locations:
   1) on a tag fixed to the bundle,
   2) on the straps or banding clips used to tie the bundle,
   3) on one end of each pipe,
   4) continuous along the length;

b) For pipe with D > 48, 3 mm (1.900 in), unless a specific surface is specified in the purchase order, the markings shall be
   1) on the outside surface of the pipe, in the sequence listed in 11.2.1, starting at a point between 450 mm and 760 mm (1.5 ft and 2.5 ft) from one of the pipe ends, or
   2) on the inside surface of the pipe, starting at a point at least 150 mm (6.0 in) from one of the pipe ends;

(*D = specified outside diameter of pipe, expressed in millimetres (inches)

Line pipe manufactured to any other standard is not of the kind, class or genus of line pipe used for oil or gas pipelines, regardless of the quality of the standard. Such pipe is not classified to subheadings 7304.1, 7305.1 or 7306.1, but rather under other subheadings as other pipe. In order for line pipe to be classified under one of the subheadings as line pipe of a kind used for oil or gas pipelines, the line pipe must have been produced in a pipe mill to one of the internationally accepted standards that are commonly used in oil or gas transmission pipelines, regardless of whether it is to be used or is suitable for other purposes.

Compliance with one of the above standards is not sufficient to identify pipe as line pipe of a kind used in oil or gas pipelines if it has other features that are not found commonly in this specific kind of pipe.

Coatings

Pipelines are subjected to external corrosion by atmospheric, cathodic or galvanic action. For safety purposes, in order to prevent faults and resulting leaks, line pipe for transmission pipelines is covered by specialised epoxy coating, most commonly fusion bonded epoxy (FBE) or a three layer coating (3PE), for protection from corrosion and rusting. This may not be present at importation but applied after importation. Absence of such a coating would not disqualify the pipe from being classified as line pipe.

Galvanised pipe however, is not commonly, if ever, used in oil or gas pipelines. The zinc coating would compromise the pipe and also prevents effective welding of joints. Therefore, galvanised pipe is not line pipe used in oil or gas pipelines nor of the class or kind used for oil or gas pipelines.

Galvanized pipe is not classifiable as line pipe of a kind used in oil or gas pipelines regardless of the standard of manufacture. This is supported by the US Customs and Border Protection decision HQ954256, with which the Department agrees.

Pipe length

Line pipes for oil or gas pipelines are typically supplied in 12m (40ft) lengths, called double randoms, or longer lengths (e.g. triple randoms) in order to minimise field welding to join pipes. Section I.4 of Annex I of API 5L states "Unless otherwise agreed, TFL pipe shall be furnished in 12 m (40 ft) random lengths with no jointers." TFL means 'through the flowline'. 'Random' lengths for 40ft pipe means an average length of any given pipe between 37.5 and 42.5 ft. To be identified as line pipe of a kind used in oil or gas pipelines the pipe must be of a length commonly used in oil or gas transmission pipelines even if it is manufactured to a line pipe Standard such as API 5L. Imported line pipe of shorter lengths than that commonly used for oil or gas pipelines is not of the class or kind so used and is classified as other pipe.

Pipe that is claimed to be short lengths cut off line pipe (off-cuts) in the course of manufacturing is not line pipe of a kind used in oil or gas pipelines. The fact that it is an off-cut is, in itself, evidence that it is not line pipe. It is a part that has been cut off a line pipe. These short lengths of pipe are not similar to, or fit for use as, line pipe used for oil or gas pipelines and must be classified as other pipe.

3.3. Classifiying pipe to subheadings 7304.1, 7305.1 and 7306.1

Section 7(1) of the *Customs Tariff Act 1995* provides that goods are classifiable under Schedule 3 in accordance with the General Rules for Interpretation set out in Schedule 2 of the Tariff. Interpretative Rule (IR) 1 provides that a classification shall be determined according to the terms of the headings of the Tariff and any relative Section or Chapter Notes and, provided such headings or Notes do not otherwise require, according to the remaining IRs.

Goods must first be described by the terms of the relevant headings.

Based on the information outline in this Guide, the Department's position is that Classification of steel pipes to the subheadings with the terms 'line pipe of a kind used for oil or gas pipelines' is dependent upon the pipes being:

- line pipe; and
- of a kind used in oil or gas pipelines.

In other words, the pipe must be:

- line pipe as understood by the oil or gas pipeline industry; and
- used for high-pressure long-distance petroleum oils or fuel gas, such as natural gas, transmission pipelines OR
- of the same kind as pipe used in transmission pipelines for high-pressure long-distance petroleum oils and fuel gas, such as natural gas.

Therefore, the subheadings cover line pipe that is used in oil or gas pipelines and also line pipe that is of the same kind as that used in oil or gas pipelines, regardless of the intended use by the importer or an end user of the product.

Line pipe that has been manufactured to comply with an appropriate oil or gas pipeline standard, such as A *AS 2885, or PI* 5L, or multiple standards including an oil and gas pipeline standard, so that is can be used across multiple applications, is classified under these subheadings provided there are no other features (such as some coatings or being galvanised) that make it unsuitable for use in oil or gas pipelines.

Line pipe should not be classified under these subheadings if it is not manufactured to a recognised international standard for line pipe for oil and gas pipelines.

Hollow structural steel (HSS) is not classified under these subheadings unless it is the same in all respects as line pipe that is used for oil or gas pipelines.

An importer cannot classify pipe under these subheadings if they do not have evidence that the product is of a kind used for oil or gas pipelines. In that case, the pipe must be classified as other pipe under the appropriate heading.

"End use" by customers, in the case of importers importing steel pipe for stock purposes, is only relevant if it is imported for a customer to use the pipe in oil and gas pipelines, or if any customers have used the exact same pipe, for oil or gas pipelines. If the importer has documentation to that effect, it is evident that the pipe may be classified as line pipe of a kind used in oil or gas pipelines.

Individual shipments of line pipe must be able to be directly linked to the test certificates presented to the Australian Border Force (ABF) for that shipment. Line pipe that is imported for actual use in a particular oil or gas pipeline should have adequate documentation, such as contractual documents with the pipeline builder, and the standards outlined above, to demonstrate that it is correctly classified to these subheadings. All the necessary facts about the characteristics and features of the goods must be acquired before identifying and classifying goods. Supporting documentation must be available to the Department if a claimed classification is queried.

In the case of line pipe that is imported for end uses other than oil or gas pipelines and the importer claims that the goods are classified to these subheadings, the importer's claims regarding classification must be supported by appropriate documentation and evidence. The importer must make this documentation and evidence available to the Department on request.

Attachment A

Headings 7304, 7305 and 7306

Heading 7304

7304 TUBES, PIPES AND HOLLOW PROFILES, SEAMLESS, OF IRON (OTHER THAN CAST IRON) OR STEEL:

7304.1 - Line pipe of a kind used for oil or gas pipelines:

7304.11.00 - - Of stainless steel

7304.19.00 - - Other

7304.2 - Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:

7304.22.00 - - Drill pipe of stainless steel

7304.23.00 - - Other drill pipe

7304.24.00 - - Other, of stainless steel

7304.29.00 - - Other

7304.3 - Other, of circular cross-section, of iron or non-alloy steel:

7304.31.00 - - Cold-drawn or cold-rolled (cold-reduced)

7304.39.00 - - Other

7304.4 - Other, of circular cross-section, of stainless steel:

7304.41.00 - - Cold-drawn or cold-rolled (cold-reduced)

7304.49.00 - - Other

7304.5 - Other, of circular cross-section, of other alloy steel:

7304.51.00 - - Cold-drawn or cold-rolled (cold-reduced)

7304.59.00 - - Other

7304.90.00 - Other

Heading 7305

7305 OTHER TUBES AND PIPES (FOR EXAMPLE, WELDED, RIVETED OR SIMILARLY CLOSED), HAVING CIRCULAR CROSS-SECTIONS, THE EXTERNAL DIAMETER OF WHICH EXCEEDS 406.4 MM, OF IRON OR STEEL:

7305.1 - Line pipe of a kind used for oil or gas pipelines

7305.11.00 - - Longitudinally submerged arc welded

7305.12.00 - - Other, longitudinally welded

7305.19.00 - - Other

7305.20.00 - Casing of a kind used in drilling for oil or gas

7305.3 - Other, welded:

7305.31.00 - - Longitudinally welded

7305.39.00 - - Other

7305.90.00 - Other

Heading 7306

7306 OTHER TUBES, PIPES AND HOLLOW PROFILES (FOR EXAMPLE, OPEN SEAM OR WELDED, RIVETED OR SIMILARLY CLOSED), OF IRON OR STEEL:

7306.1 - Line pipe of a kind used for oil or gas pipelines

7306.11.00 - - Welded, of stainless steel

7306.19.00 - - Other

7306.2 - Casing and tubing of a kind used in drilling for oil or gas:

7306.21.00 - - Welded, of stainless steel

7306.29.00 - - Other

7306.30.00 - Other, welded, of circular cross-section, of iron or non-alloy steel

7306.40.00 - Other, welded, of circular cross-section, of stainless steel

7306.50.00 - Other, welded, of circular cross-section, of other alloy steel

7306.6 - Other, welded, of non-circular cross-section:

7306.61.00 - - Of square or rectangular cross-section

7306.69.00 - - Of other non-circular cross-section

7306.90.00 - - Other

호주 품목분류 가이드

인　　쇄　2022년 8월

발 행 처　**관세평가분류원** 품목분류1과
우)34027 대전광역시 유성구 테크노2로 214

발 행 인　관세평가분류원장 **김정**

총　　괄　품목분류1과장 이승연

집　　필　유수용, 김선홍, 현미옥, 이상근

제작지원　문승용, 이창엽, 안윤하, 송민수, 김희자, 우성민, 김형직, 정의석, 조인선

감　　수　조인순, 박굉배, 송영민, 심난섭, 김석윤, 임탄순

인　　쇄　디자인아람 042)625-2771

※ 본 책자는 품목분류를 위한 참고용으로 제작되었으며, 책자 내용은 법률적 효력이 없음을 알려드립니다.

〈비매품〉